
Resource Statistics



Station

Statistics Report Page 1 of 5

Tecnomatix Plant Simulation 16 Statistics

| Created on | viernes, 16 de julio de 2021 3:51 a. m. |
|-----------------|---|
| Model name | C:\Users\leo7s\Documents\Universidad\01 APM\02 Proyecto Final\Proyecto_APM\SimulacionProceso\Simulación Ruta completa sin automatizar.spp |
| Simulation time | 8:00:00.0000 |

Resource Statistics - Resource Statistics

| Object | Working | Set-up | Waiting | Blocked | Powering up/down | Failed | Stopped | Paused | Unplanned | Portion |
|--------------------------|---------|--------|---------|---------|------------------|--------|---------|--------|-----------|---------|
| St1_Corte | 15.21% | 51.71% | 28.71% | 0.00% | 0.00% | 4.37% | 0.00% | 0.00% | 0.00% | |
| St4a_Roscado | 8.87% | 0.52% | 90.61% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St4b_BocaDePescado | 9.12% | 38.78% | 52.09% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St4c_Perforado | 36.50% | 10.14% | 53.36% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St2_Doblado | 27.38% | 7.60% | 59.14% | 0.00% | 0.00% | 5.88% | 0.00% | 0.00% | 0.00% | |
| St3_Conformado | 6.08% | 15.21% | 78.71% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St8_Secado | 18.00% | 0.01% | 41.81% | 35.50% | 0.00% | 4.69% | 0.00% | 0.00% | 0.00% | |
| St9_Pintura | 68.44% | 0.25% | 25.24% | 6.07% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St18_CentradoRuedas | 39.03% | 0.04% | 60.92% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St22_LimpiezaDesengrase | 7.89% | 0.01% | 92.10% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| Producto_terminado | 0.00% | 0.00% | 100.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St5_Soldado | 29.15% | 33.40% | 37.45% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St11_InsercionCubetas | 5.07% | 2.57% | 51.13% | 41.23% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St14_CBA | 15.21% | 1.54% | 25.04% | 58.21% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St15_Horquilla | 70.72% | 3.85% | 11.28% | 14.15% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St16_SFPF | 82.50% | 8.58% | 8.92% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St20_ColRuedaTrasYCadena | 56.78% | 2.50% | 40.72% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St19_EngomadoColPiñon | 71.73% | 1.28% | 1.98% | 25.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St12_ArmadoCajaPedalera | 25.35% | 9.25% | 31.73% | 33.68% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St17_ArmRuedasRayos | 26.36% | 37.00% | 36.64% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St21_ColRuedaDelanteraAj | 28.35% | 2.50% | 69.15% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |
| St10_Curado | 18.00% | 0.01% | 73.59% | 0.00% | 0.00% | 8.41% | 0.00% | 0.00% | 0.00% | |
| St7_PretSuperficial | 52.47% | 0.01% | 37.47% | 10.05% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | |

Portions of the States

| Object | Number of | Number of | Minimum | Maximum | Relative | Relative | Relative Occupation without | Relative Occupation with |
|--------------------------|-----------|-----------|----------|----------|----------|----------|-----------------------------|--------------------------|
| | Entries | Exits | Contents | Contents | Empty | Full | Interruptions | Interruptions |
| St1_Corte | 876 | 876 | 0 | 1 | 30.03% | - | 69.97% | 71.29% |
| St4a_Roscado | 73 | 73 | 0 | 1 | 90.61% | - | 9.39% | 9.39% |
| St4b_BocaDePescado | 657 | 657 | 0 | 1 | 52.09% | - | 47.91% | 47.91% |
| St4c_Perforado | 292 | 292 | 0 | 1 | 53.36% | - | 46.64% | 46.64% |
| St2_Doblado | 438 | 438 | 0 | 1 | 62.84% | - | 37.16% | 40.86% |
| St3_Conformado | 438 | 438 | 0 | 1 | 78.71% | - | 21.29% | 21.29% |
| St8_Secado | 73 | 73 | 0 | 1 | 43.87% | - | 56.13% | 55.76% |
| St9_Pintura | 73 | 73 | 0 | 1 | 25.24% | - | 74.76% | 74.76% |
| St18_CentradoRuedas | 73 | 73 | 0 | 1 | 60.92% | - | 39.08% | 39.08% |
| St22_LimpiezaDesengrase | 71 | 71 | 0 | 1 | 92.10% | - | 7.90% | 7.90% |
| Producto_terminado | 71 | 71 | 0 | 1 | 100.00% | - | 0.00% | 0.00% |
| St5_Soldado | 73 | 73 | 0 | 1 | 24.18% | - | 75.82% | 75.82% |
| St11_InsercionCubetas | 73 | 73 | 0 | 1 | 52.38% | - | 47.62% | 47.62% |
| St14_CBA | 73 | 73 | 0 | 1 | 25.31% | - | 74.69% | 74.69% |
| St15_Horquilla | 73 | 73 | 0 | 1 | 11.33% | - | 88.67% | 88.67% |
| St16_SFPF | 73 | 72 | 0 | 1 | 9.16% | - | 90.84% | 90.84% |
| St20_ColRuedaTrasYCadena | 72 | 71 | 0 | 1 | 43.18% | - | 56.82% | 56.82% |
| St19_EngomadoColPiñon | 73 | 73 | 0 | 1 | 1.98% | - | 98.02% | 98.02% |
| St12_ArmadoCajaPedalera | 73 | 73 | 0 | 1 | 34.96% | - | 65.04% | 65.04% |
| St17_ArmRuedasRayos | 73 | 73 | 0 | 1 | 37.14% | - | 62.86% | 62.86% |
| St21_ColRuedaDelanteraAj | 71 | 71 | 0 | 1 | 71.61% | - | 28.39% | 28.39% |
| St10_Curado | 73 | 73 | 0 | 1 | 80.34% | - | 19.66% | 18.00% |
| St7_PretSuperficial | 73 | 73 | 0 | 1 | 37.47% | - | 62.53% | 62.53% |

Material Flow Properties

Statistics Report Page 2 of 5

| | | | 1 | | |
|--------------------------|---------|-------|--------------|------------|--------------------|
| Object | Portion | Count | Sum | Mean Value | Standard Deviation |
| St1_Corte | 15.21% | 876 | 1:13:00.0000 | 5.0000 | 0.0000 |
| St4a_Roscado | 8.87% | 73 | 42:35.0000 | 35.0000 | 0.0000 |
| St4b_BocaDePescado | 9.12% | 657 | 43:48.0000 | 4.0000 | 0.0000 |
| St4c_Perforado | 36.50% | 292 | 2:55:12.0000 | 36.0000 | 0.0000 |
| St2_Doblado | 27.38% | 438 | 2:11:24.0000 | 18.0000 | 0.0000 |
| St3_Conformado | 6.08% | 438 | 29:12.0000 | 4.0000 | 0.0000 |
| St8_Secado | 18.00% | 73 | 1:26:23.0000 | 1:11.0000 | 0.0000 |
| St9_Pintura | 68.44% | 73 | 5:28:30.0000 | 4:30.0000 | 0.0000 |
| St18_CentradoRuedas | 39.03% | 73 | 3:07:22.0000 | 2:34.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 7.89% | 71 | 37:52.0000 | 32.0000 | 0.0000 |
| Producto_terminado | 0.00% | 71 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 29.15% | 73 | 2:19:55.0000 | 1:55.0000 | 0.0000 |
| St11_InsercionCubetas | 5.07% | 73 | 24:20.0000 | 20.0000 | 0.0000 |
| St14_CBA | 15.21% | 73 | 1:13:00.0000 | 1:00.0000 | 0.0000 |
| St15_Horquilla | 70.72% | 73 | 5:39:27.0000 | 4:39.0000 | 0.0000 |
| St16_SFPF | 82.50% | 72 | 6:36:00.0000 | 5:30.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 56.78% | 72 | 4:32:33.1748 | 3:47.1274 | 24.3746 |
| St19_EngomadoColPiñon | 71.73% | 73 | 5:44:19.0000 | 4:43.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 25.35% | 73 | 2:01:40.0000 | 1:40.0000 | 0.0000 |
| St17_ArmRuedasRayos | 26.36% | 73 | 2:06:32.0000 | 1:44.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 28.35% | 71 | 2:16:05.0000 | 1:55.0000 | 0.0000 |
| St10_Curado | 18.00% | 73 | 1:26:23.0000 | 1:11.0000 | 0.0000 |
| St7_PretSuperficial | 52.47% | 73 | 4:11:51.0000 | 3:27.0000 | 0.0000 |

Working Time

| Ohiont | Portion | C | Sum | Mann Value | Standard Deviation |
|--------------------------|---------|-----|--------------|------------|--------------------|
| Object | | - | | | |
| St1_Corte | 51.71% | 876 | 4:08:12.0000 | 17.0000 | |
| St4a_Roscado | 0.52% | 1 | 2:29.0000 | 2:29.0000 | 0.0000 |
| St4b_BocaDePescado | 38.78% | 657 | 3:06:09.0000 | 17.0000 | 0.0000 |
| St4c_Perforado | 10.14% | 292 | 48:40.0000 | 10.0000 | 0.0000 |
| St2_Doblado | 7.60% | 438 | 36:30.0000 | 5.0000 | 0.0000 |
| St3_Conformado | 15.21% | 438 | 1:13:00.0000 | 10.0000 | 0.0000 |
| St8_Secado | 0.01% | 1 | 2.0000 | 2.0000 | 0.0000 |
| St9_Pintura | 0.25% | 1 | 1:12.0000 | 1:12.0000 | 0.0000 |
| St18_CentradoRuedas | 0.04% | 1 | 12.0000 | 12.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.01% | 1 | 2.0000 | 2.0000 | 0.0000 |
| Producto_terminado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 33.40% | 74 | 2:40:20.0000 | 2:10.0000 | 0.0000 |
| St11_InsercionCubetas | 2.57% | 74 | 12:20.0000 | 10.0000 | 0.0000 |
| St14_CBA | 1.54% | 74 | 7:24.0000 | 6.0000 | 0.0000 |
| St15_Horquilla | 3.85% | 74 | 18:30.0000 | 15.0000 | 0.0000 |
| St16_SFPF | 8.58% | 73 | 41:11.1748 | 33.8517 | 1.2670 |
| St20_ColRuedaTrasYCadena | 2.50% | 72 | 12:00.0000 | 10.0000 | 0.0000 |
| St19_EngomadoColPiñon | 1.28% | 74 | 6:10.0000 | 5.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 9.25% | 74 | 44:24.0000 | 36.0000 | 0.0000 |
| St17_ArmRuedasRayos | 37.00% | 74 | 2:57:36.0000 | 2:24.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 2.50% | 72 | 12:00.0000 | 10.0000 | 0.0000 |
| St10_Curado | 0.01% | 1 | 2.0000 | 2.0000 | 0.0000 |
| St7_PretSuperficial | 0.01% | 1 | 3.0000 | 3.0000 | 0.0000 |

Set-up Time

| Object | Portion | Count | Sum | Moon Volue | Standard Deviation |
|--------------------------|---------|-------|--------------|--------------|--------------------|
| | | | | | |
| St1_Corte | 28.71% | 1 | 2:17:49.7797 | | 0.0000 |
| St4a_Roscado | 90.61% | 74 | 7:14:56.0000 | 5:52.6486 | 15:45.9864 |
| St4b_BocaDePescado | 52.09% | 366 | 4:10:03.0000 | 40.9918 | 6:21.1675 |
| St4c_Perforado | 53.36% | 78 | 4:16:08.0000 | 3:17.0256 | 15:28.9075 |
| St2_Doblado | 59.14% | 138 | 4:43:52.8723 | 2:03.4266 | 10:14.6992 |
| St3_Conformado | 78.71% | 439 | 6:17:48.0000 | 51.6355 | 5:53.6951 |
| St8_Secado | 41.81% | 27 | 3:20:41.1062 | 7:25.9669 | 18:35.1074 |
| St9_Pintura | 25.24% | 3 | 2:01:10.2478 | 40:23.4159 | 53:38.5804 |
| St18_CentradoRuedas | 60.92% | 74 | 4:52:26.0000 | 3:57.1081 | 20:14.4622 |
| St22_LimpiezaDesengrase | 92.10% | 72 | 7:22:06.0000 | 6:08.4167 | 4:19.8779 |
| Producto_terminado | 100.00% | 72 | 8:00:00.0000 | 6:40.0000 | 4:20.7455 |
| St5_Soldado | 37.45% | 59 | 2:59:45.0000 | 3:02.7966 | 15:02.4529 |
| St11_InsercionCubetas | 51.13% | 40 | 4:05:25.0000 | 6:08.1250 | 8:53.9887 |
| St14_CBA | 25.04% | 19 | 2:00:11.0000 | 6:19.5263 | 8:12.5549 |
| St15_Horquilla | 11.28% | 4 | 54:09.0000 | 13:32.2500 | 9:01.5319 |
| St16_SFPF | 8.92% | 3 | 42:48.8252 | 14:16.2751 | 12:25.5442 |
| St20_ColRuedaTrasYCadena | 40.72% | 72 | 3:15:26.8252 | 2:42.8726 | 3:59.0743 |
| St19_EngomadoColPiñon | 1.98% | 2 | 9:31.1748 | 4:45.5874 | 3:01.6029 |
| St12_ArmadoCajaPedalera | 31.73% | 29 | 2:32:17.0000 | 5:15.0690 | 9:08.6904 |
| St17_ArmRuedasRayos | 36.64% | 1 | 2:55:52.0000 | 2:55:52.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 69.15% | 72 | 5:31:55.0000 | 4:36.5972 | 4:14.4651 |
| St10_Curado | 73.59% | 72 | 5:53:12.6087 | 4:54.3418 | 11:39.1814 |
| St7_PretSuperficial | 37.47% | 45 | 2:59:50.8117 | 3:59.7958 | 16:49.6837 |

Waiting Time

Statistics Report Page 3 of 5

| Object | Portion | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|---------|-------|--------------|------------|--------------------|
| St1 Corte | 0.00% | | 0.0000 | 0.0000 | |
| St4a Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 35.50% | 46 | 2:50:23.0722 | 3:42.2407 | 3:07.2049 |
| St9_Pintura | 6.07% | 1 | 29:07.7522 | 29:07.7522 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| Producto_terminado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St11_InsercionCubetas | 41.23% | 37 | 3:17:55.0000 | 5:20.9459 | 49.7577 |
| St14_CBA | 58.21% | 60 | 4:39:25.0000 | 4:39.4167 | 53.2746 |
| St15_Horquilla | 14.15% | 60 | 1:07:54.0000 | 1:07.9000 | 11.4043 |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St19_EngomadoColPiñon | 25.00% | 71 | 1:59:59.8252 | 1:41.4060 | 2:16.7071 |
| St12_ArmadoCajaPedalera | 33.68% | 44 | 2:41:39.0000 | 3:40.4318 | 34.8134 |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St7_PretSuperficial | 10.05% | 34 | 48:15.1883 | 1:25.1526 | 3:08.2030 |

| Object | Portion | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|---------|-------|--------|------------|--------------------|
| St1_Corte | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| Producto_terminado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St11_InsercionCubetas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St14_CBA | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St15_Horquilla | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St19_EngomadoColPiñon | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |

Blocked Time

Powering up/down Time

| Object | Portion | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|---------|-------|--------|------------|--------------------|
| St1_Corte | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| Producto_terminado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St11_InsercionCubetas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St14_CBA | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St15_Horquilla | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St19_EngomadoColPiñon | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |

| Object | Portion | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|---------|-------|------------|------------|--------------------|
| St1_Corte | 4.37% | 2 | 20:58.2203 | 10:29.1102 | 6:04.0526 |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 5.88% | 2 | 28:13.1277 | 14:06.5638 | 11:14.9882 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 4.69% | 4 | 22:30.8215 | 5:37.7054 | 1:17.3345 |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| Producto_terminado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St11_InsercionCubetas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St14_CBA | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St15_Horquilla | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St19_EngomadoColPiñon | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St10_Curado | 8.41% | 1 | 40:22.3913 | 40:22.3913 | 0.0000 |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |

Stopped Time

Failed Time

| | I | - | - | | |
|--------------------------|---------|---|--------|--------|--------------------|
| Object | Portion | | | | Standard Deviation |
| St1_Corte | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| Producto_terminado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St11_InsercionCubetas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St14_CBA | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St15_Horquilla | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St19_EngomadoColPiñon | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |

| Object | Portion | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|---------|-------|--------------|--------------|--------------------|
| St1_Corte | 28.71% | 1 | 2:17:49.7797 | 2:17:49.7797 | 0.0000 |
| St4a_Roscado | 90.61% | 74 | 7:14:56.0000 | 5:52.6486 | 15:45.9864 |
| St4b_BocaDePescado | 52.09% | 366 | 4:10:03.0000 | 40.9918 | 6:21.1675 |
| St4c_Perforado | 53.36% | 78 | 4:16:08.0000 | 3:17.0256 | 15:28.9075 |
| St2_Doblado | 59.14% | 138 | 4:43:52.8723 | 2:03.4266 | 10:14.6992 |
| St3_Conformado | 78.71% | 439 | 6:17:48.0000 | 51.6355 | 5:53.6951 |
| St8_Secado | 41.81% | 27 | 3:20:41.1062 | 7:25.9669 | 18:35.1074 |
| St9_Pintura | 25.24% | 3 | 2:01:10.2478 | 40:23.4159 | 53:38.5804 |
| St18_CentradoRuedas | 60.92% | 74 | 4:52:26.0000 | 3:57.1081 | 20:14.4622 |
| St22_LimpiezaDesengrase | 92.10% | 72 | 7:22:06.0000 | 6:08.4167 | 4:19.8779 |
| Producto_terminado | 100.00% | 72 | 8:00:00.0000 | 6:40.0000 | 4:20.7455 |
| St5_Soldado | 24.18% | 1 | 1:56:03.9271 | 1:56:03.9271 | 0.0000 |
| St11_InsercionCubetas | 52.38% | 40 | 4:11:25.0000 | 6:17.1250 | 8:52.8092 |
| St14_CBA | 25.31% | 19 | 2:01:29.0000 | 6:23.6316 | 8:11.0730 |
| St15_Horquilla | 11.33% | 4 | 54:24.0000 | 13:36.0000 | 8:56.9462 |
| St16_SFPF | 9.16% | 3 | 43:56.8252 | 14:38.9417 | 12:06.9944 |
| St20_ColRuedaTrasYCadena | 43.18% | 72 | 3:27:16.8252 | 2:52.7337 | 3:57.9718 |
| St19_EngomadoColPiñon | 1.98% | 2 | 9:31.1748 | 4:45.5874 | 3:01.6029 |
| St12_ArmadoCajaPedalera | 34.96% | 30 | 2:47:49.0000 | 5:35.6333 | 8:57.9965 |
| St17_ArmRuedasRayos | 37.14% | 1 | 2:58:16.0000 | 2:58:16.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 71.61% | 72 | 5:43:45.0000 | 4:46.4583 | 4:13.3593 |
| St10_Curado | 73.59% | 72 | 5:53:12.6087 | 4:54.3418 | 11:39.1814 |
| St7_PretSuperficial | 37.47% | 45 | 2:59:50.8117 | 3:59.7958 | 16:49.6837 |

Paused Time

Empty Time

Statistics Report Page 4 of 5

Resource Statistics - Drain Statistics

| Object | Workin | g Set-up | Waiting | Stopped | Failed | Paused | Mean Life Time | Mean Exit Time | Total Throughput | Throughput per Hour | Throughput per Day |
|----------------|-------------|----------|---------|---------|--------|--------|----------------|----------------|------------------|---------------------|--------------------|
| Producto_termi | nado 30.969 | 6 2.76% | 66.13% | 0.00% | 0.15% | 0.00% | 1:42:17.3145 | 6:16.5118 | 71 | 8.875 | 213 |

Cumulated Statistics of the Parts which the Drain Deleted

| Object | All Types | Platina_Ref |
|--------------------|-----------|-------------|
| Producto terminado | 71 | 71 |

Part Types which the Drains Deleted

| Producto_terminado | Production | | | | Transport | | | | Storage | | | | | | | | | | | | |
|--------------------|------------|-------|---------|---------|-----------|--------|--------|---------|---------|---------|---------|--------|--------|-------|---------|-------|---------|---------|--------|--------|--------|
| | Working | Set- | Waiting | Stopped | Failed | Paused | Sum | Working | Set- | Waiting | Stopped | Failed | Paused | Sum | Working | Set- | Waiting | Stopped | Failed | Paused | Sum |
| | | up | | | | | | | up | | | | | | | up | | | | | |
| Platina_Ref | 30.96% | 2.76% | 18.90% | 0.00% | 0.15% | 0.00% | 52.77% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% | 47.23% | 0.00% | 0.00% | 0.00% | 47.23% |

Detailed Statistics of the Part Types Which the Drain Deleted

| Producto_terminado | | Life Time | | Exit Time | Throughput | | | | | | |
|--------------------|--------------|--------------------|------------|--------------|------------|--------------------|-----------|------------|-------|----------|---------|
| | Mean Value | Standard Deviation | Minimum | Maximum | Mean Value | Standard Deviation | Minimum | Maximum | Total | Per Hour | Per Day |
| Platina_Ref | 1:42:17.3145 | 31:52.7936 | 40:34.0000 | 2:32:19.6049 | 6:16.5118 | 1:25.0765 | 6:04.0000 | 17:33.7522 | 71 | 8.875 | 213 |

Service Statistics - Importer Statistics

| Object | Total Delay | Reason for the Delay | | | | | | | | |
|--------------------------|-------------|--------------------------------|-------------------|------------------------------|--|--|--|--|--|--|
| | - | Waiting for Services and Parts | Waiting for Parts | Waiting for Set-up Exporters | | | | | | |
| St1_Corte | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St4a_Roscado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St4b_BocaDePescado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St4c_Perforado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St2_Doblado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St3_Conformado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St8_Secado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St9_Pintura | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St18_CentradoRuedas | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St22_LimpiezaDesengrase | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St5_Soldado | 37.45% | 37.45% | 13.72% | 0.00% | | | | | | |
| St11_InsercionCubetas | 88.39% | 88.39% | 0.00% | 0.00% | | | | | | |
| St14_CBA | 78.70% | 78.70% | 0.00% | 0.00% | | | | | | |
| St15_Horquilla | 20.65% | 20.65% | 0.00% | 0.00% | | | | | | |
| St16_SFPF | 3.12% | 3.12% | 0.00% | 0.00% | | | | | | |
| St20_ColRuedaTrasYCadena | 33.65% | 33.65% | 0.00% | 0.00% | | | | | | |
| St19_EngomadoColPiñon | 25.55% | 25.55% | 0.00% | 0.00% | | | | | | |
| St12_ArmadoCajaPedalera | 61.32% | 61.32% | 0.00% | 0.00% | | | | | | |
| St17_ArmRuedasRayos | 36.64% | 36.64% | 0.00% | 0.00% | | | | | | |
| St21_ColRuedaDelanteraAj | 61.25% | 61.25% | 0.00% | 0.00% | | | | | | |
| St10_Curado | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |
| St7_PretSuperficial | 0.00% | 0.00% | 0.00% | 0.00% | | | | | | |

Importers Waiting for Services and Parts

| Object | Waiting for Services and Parts | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|--------------------------------|-------|--------------|--------------|--------------------|
| St1_Corte | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 37.45% | 59 | 2:59:45.0000 | 3:02.7966 | 15:02.4529 |
| St11_InsercionCubetas | 88.39% | 73 | 7:04:15.0000 | 5:48.6986 | 6:48.5991 |
| St14_CBA | 78.70% | 73 | 6:17:45.0000 | 5:10.4795 | 4:23.2711 |
| St15_Horquilla | 20.65% | 61 | 1:39:06.0000 | 1:37.4754 | 2:40.5065 |
| St16_SFPF | 3.12% | 2 | 14:57.8252 | 7:28.9126 | 5:40.5986 |
| St20_ColRuedaTrasYCadena | 33.65% | 71 | 2:41:31.8252 | 2:16.5046 | 1:24.8435 |
| St19_EngomadoColPiñon | 25.55% | 71 | 2:02:37.0000 | 1:43.6197 | 2:17.5598 |
| St12_ArmadoCajaPedalera | 61.32% | 69 | 4:54:21.0000 | 4:15.9565 | 5:52.4510 |
| St17_ArmRuedasRayos | 36.64% | 1 | 2:55:52.0000 | 2:55:52.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 61.25% | 71 | 4:54:00.0000 | 4:08.4507 | 1:28.4441 |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |

Waiting Times for Services and Parts

Statistics Report Page 5 of 5

| Object | Waiting for Parts | Count | Sum | Mean Value | Standard Deviation |
|--------------------------|-------------------|-------|--------------|------------|--------------------|
| St1_Corte | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St8_Secado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St5_Soldado | 13.72% | 58 | 1:05:51.0729 | 1:08.1219 | 3:18.0687 |
| St11_InsercionCubetas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St14_CBA | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St15_Horquilla | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St19_EngomadoColPiñon | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St12_ArmadoCajaPedalera | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 |

Waiting Times for Parts

| Object | Waiting for Set-up Exporters | Count | Sum | Mean Value | Standard Deviation | Waiting Time while the Resource Waited | Waiting Time while the Resource Worked | Waiting Time while the Resource was Blocked |
|--------------------------|---------------------------------|-------|--------|---------------|-----------------------|---|---|--|
| St1_Corte | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St4a_Roscado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St4b_BocaDePescado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St4c_Perforado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St2_Doblado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St3_Conformado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St8_Secado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St9_Pintura | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St18_CentradoRuedas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St22_LimpiezaDesengrase | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St5_Soldado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St11_InsercionCubetas | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St14_CBA | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St15_Horquilla | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St16_SFPF | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St20_ColRuedaTrasYCadena | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St19_EngomadoColPiñon | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St12_ArmadoCajaPedalera | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St17_ArmRuedasRayos | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St21_ColRuedaDelanteraAj | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St10_Curado | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |
| St7_PretSuperficial | 0.00% | 0 | 0.0000 | 0.0000 | 0.0000 | 0.00% | 0.00% | 0.00% |

Waiting Times for Set-up Exporters