



schema iniziale

Server1

Physical Config **Services** Desktop Programming Attributes

**SERVICES**

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: serverPool

Default Gateway: 126.145.1.1

DNS Server: 126.145.1.1

Start IP Address: 126 145 1 6

Subnet Mask: 255 0 0 0

Maximum Number of Users: 255

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	126.145.1.1	126.145.1.1	126.145.1.1	255.0.0.0	255	0.0.0.0	0.0.0.0

installazione DHCP sul server

Server1

Physical Config Services **Desktop** Programming Attributes

**IP Configuration**

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 126.145.1.3

Subnet Mask 255.0.0.0

Default Gateway 126.145.1.1

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::260:47FF:FEC2:363

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

installazione del ip statico , subnet mask e gateway