CSS Properties (alphabetic order)

align-content	hehavior of the flex wran property
	alignment for items inside the container
align-selfall	abong a all properties
	changes an properties
animation	pinds an animation to an element
animation-delay	- delays animation start
animation-direction	reverse animation or in alternate cycles
animation-duration	
	style when the animation is not playing
animation-iteration-count	
animation-name	name for the @keyframes animation
animation-play-state	
animation-timing-function	speed curve of an animation
	is element visible when not facing the screen
	all background properties in one declaration
	is the background image fixed or scrolls
	blending mode of each background layer
background-clip	
background-color	
background-image	
	where the background image is positioned
	- starting position of the background image
	- the way the background image is repeated
background-size	
border	
border-bottom	
border-bottom-color	- color of the bottom border
border-bottom-left-radius	
border-bottom-right-radius	
border-bottom-style	
border-bottom-width	
border-collapse	- border collapse
border-color	border color
border-image	
border-image-outset	- border image area extends beyond the border box
border-image-repeat	- border image repeated, rounded or stretched
border-image-slice	
border-image-source	- path to the border image
border-image-width	- border image width
border-left	
border-left-color	- border left color
border-left-style	- border left style
border-left-width	- border left width
border-radius	border radius of the four rounded corners
border-right	right border properties in one line
border-right-color	
border-right-style	
border-right-width	
border-spacing	
border-style	
border-top	top border properties in one line
border-top-color	
border-top-left-radius	
border-top-right-radius	
border-top-style	
border-top-width	
border-width	border width
	• •

	- bottom offset for relative and absolute elements
oox-shadow	
oox-sizing	
caption-side	
clear	
	clip an absolutely positioned element
color	
column-count	
column-fill	
column-gap	
	separator between columns, like border
column-rule-color	
column-rule-style	•
column-rule-width	
column-span	
column-width	
content counter-increment	- insert content :before and :after elements
counter-increment counter-reset	
direction	cursor type when element is hovered
directiondisplay	hov display type
	· hide borders and background on empty table cells
filter	· image effects: grayscale, blur, invert etc.
Flay	item length, relative to others inside the container
flex-basis	initial length of a flevible item
flex-direction	direction of the flexible items
	shorthand for flex-direction and flex-wrap
flex-grow	how much the item will grow relative other items
	how to shrink the item relative to other items
flex-wrap	
float	float elements left or right
Font	all font properties in one line
@font-face	
font-family	
font-size	
	control font size if the first declared option is not available
font-stretch	
font-style	
font-variant	
font-weight	use bold or thin characters
hanging-punctuation	can a punctuation mark be placed outside the line box?
Height	
justify-content	- justifies flexible container's items horizontally if necessary
@keyframes	- specifies the animation code
	left offset for relative and absolute elements
letter-spacing	
	line height of text or inline-block elements
list-style	
	replace the list item marker with an image
	list item markers inside or outside the content flow
list-style-type	
	set the top, right, bottom and left margins in one line
margin-bottom	
margin-left	
margin-right	
margin-top	
max-height	

@media	
min-width	
	where to navigate when the the arrow-down button is pressed
nav-index	sets sequential navigation order
	where to navigate when the the arrow-left button is pressed
nav-right	- where to navigate when the the arrow-right button is pressed
	- where to navigate when the the arrow-up button is pressed
	- transparency level of an element
order	
	- drow an outer border around elements
outline-color	- outline color - gap between the element and the outline
outline-onset outline-style	
outline-style outline-width	
	hide, display or scroll if the content overflows its container
overflow-x	
overflow-y	
_	padding between the element border and content
padding-bottom	
padding-left	
padding-right	padding right
padding-top	padding top
. •	adds page break after an element
	adds page break before an element
	allow page break inside an element
	how many pixels the 3D element is placed from the view
	where is the 3D element based in the x- and y-axis
position	positioning type: absolute, fixed, relative, static set quotation marks to wrap an element
resize	set quotation marks to wrap an element declare resizable elements
	right offset for relative and absolute elements
tab-size	tab character space length
table-layout	
text-align/	
text-align-last	horizontal alignment of last line of text
	overline, underline or line-through the text
text-indenti	indentation of the first line of the text
	the way how overflowed content is marked (ellipsis)
text-shadow	text shadow
text-transform	
	top offset for relative and absolute elements
	2D 3D transformation. See widget.
transform-origin transform-style	changes the position of transformed elements
transition	
transition-delay	
transition-duration	
	which CSS property is the transition affecting
transition-timing-function	
	should the text be overridden to support more languages
user-select	disable user content selection
vertical-align	vertical alignment
	visibility:hidden elements leave a gap
white-space	
width	
word-break	
word-breakword-breakword-spacing	text breaking rules when text reaches the end of the contained size of white space between words break long words and wrap onto the next line



