A_

// AUDITNET · NETWORK CONFIGURATION AUDITING

User guide

Organization administrator

Step-by-step guide to the network configuration auditing console.

Version 1.0 · October 2026
English

Contents

Your profile: organization administrator

Signing in to AuditNet

- Sign in
- Recover your password

The console

- Side menu
- Top bar
- User menu
- User guide
- Session

My account

- Your details
- Change your password
- Language, theme and email notices

Dashboard and client status

- Dashboard
- Client status

Your organization and its sites

- Sites
- Plan and usage
- Review deadlines

Users of your organization

- Register a user
- Actions on a user

My plan

- Current plan and usage
- Request a plan change

Devices

- Register a device
- Edit, deactivate or reactivate
- Device types

Baselines and rules

- Baselines
- Rules

Audit history

- Search
- Details and trend

Findings

Critical alerts

Audit reports

Email notices

Troubleshooting

Your profile: organization administrator

AuditNet is a web platform for auditing the configuration of network devices (Cisco IOS/IOS-XE routers and switches). Each organization registers its devices, defines how each device type must be configured (baselines and rules), imports the actual configurations and audits them. The result is findings with evidence, alerts for the most serious ones and reports for management.

As **organization administrator** you manage everything in **your organization**: its people, its sites, its inventory and its plan. You do not see data from other organizations.

YOU CAN	WHERE
Register, modify and disable your organization's sites	Organizations and sites
Set the review deadlines (when a finding becomes overdue and how often devices are re-audited)	Organizations and sites
Create users with operation profiles (network analyst, technical auditor, IT management lead), modify them, disable them, reset their password and unlock them	Users
Check the plan and request a change	My plan
Register, modify and deactivate devices	Devices
View baselines, rules, audits, findings, alerts and reports	Each screen, read-only

> **Note:** importing configurations, running audits or changing the status of a finding are tasks of the operation profiles. If you also need to do them, ask the system administrator to add that profile to your account: a user can have several.

Signing in to AuditNet

› Sign in

1. Open the AuditNet address your organization gave you in an up-to-date browser (Chrome, Edge or Firefox).
2. Enter your **username or email** and your **password**.
3. Click **Sign in**.




Figure 1. Sign-in screen with the theme and language selectors at the top right

At the top right you can choose, before signing in, the **theme** (Light or Dark) and the **language** (ES, EN, PT). If your account already has a saved theme and language, those are used once you sign in.

> **Lockout:** after 5 wrong passwords in a row the account is locked for 15 minutes. Wait, or ask an administrator to unlock it.

› Recover your password

1. On the sign-in screen click **Forgot your password?**
2. Enter your username or email and click **Send link**.
3. Check your email: you receive a link that is valid for **30 minutes** and can be used only once.
4. Open it, choose the new password, repeat it and click **Save password**.




Figure 2. Requesting the link to create a new password

The email arrives in the language of the screen you requested it from. Saving the new password closes any open sessions and removes the lockout caused by failed attempts.

The password must be **10 to 72 characters long**, **combine letters and numbers** and **not contain your username**. The screen ticks each condition as you type.

The console




Figure 3. Dashboard after signing in: side menu, top bar and access to the guide

› Side menu

On the left is the menu with the screens your profile can use. Each icon has a short code; hover over it to see the full name.

CODE	SCREEN	CODE	SCREEN
`~/`	Dashboard	`BL`	Baselines
`CLI`	Client status	`RUL`	Rules
`ORG`	Organizations and sites	`RUN`	Audits
`USR`	Users	`HIS`	Audit history
`PLN`	My plan / Plans and requests	`LOG`	Findings
`BIT`	Logs	`ALR`	Critical alerts
`ADM`	Administration panel	`REP`	Reports
`DEV`	Devices		

Only the screens of your profile are shown.

› Top bar

- **Location:** on the left, where you are (for example `AuditNet / findings`).
- **Go to module:** in the center, type the name of a screen and press Enter to go straight there. For example `findings`, `alerts`, `reports` or `account`.
- **Connection status:** `online` means the services are responding.
- **User menu:** on the right, with your username.

› User menu




Figure 4. User menu: language, theme, My account, guide and sign out

Here you change the **language** (ES, EN, PT) and the **theme** (Light or Dark); both are saved in your account and used in any browser. You also have **My account**, the PDF **guide** for each profile you have and **Sign out**.

› User guide

At the top of the dashboard there is a **User guide** card with a download button for each profile of your account. The PDF is downloaded in the console language. **Hide** removes the card in that browser; the guide is still available in the user menu.

› Session

The session lasts a limited time (My account shows when it expires) and it also ends if an administrator changes your profile, your organization or your password. In that case AuditNet takes you to the sign-in screen with a notice.

My account

Open it from the user menu → **My account**.




Figure 5. My account: your details and the password change

› Your details

The **Identity** panel shows your username, email, organization, profile and when the session expires. To change your name, email, organization or profile, ask an administrator.

› Change your password

1. Enter your **current password**.
2. Enter the **new password** and repeat it. The conditions are ticked as you type.
3. Click **Change password**.

Changing it closes your other open sessions; the current one stays open.

› Language, theme and email notices




Figure 6. Language, theme and email notices

- **Language:** applies to the console, the guides and the emails AuditNet sends you.
- **Theme:** Light or Dark. It is saved in your account.
- **Email notices:** tick the ones you want to receive and click **Save notices**. Only the ones that apply to your profile are shown (see the *Email notices* chapter).

Dashboard and client status

› Dashboard

It is the first screen after signing in. It summarizes the status of your organization (the system administrator chooses the organization at the top right or sees all of them together).

- **Overall risk level:** high, medium or low, with the reason.
- **High:** there are pending critical findings or current alerts on devices of high or critical criticality.
- **Medium:** there are pending high-severity findings on devices of medium or low criticality.
- **Low:** only medium or low severity findings remain pending, or none.
- **Indicators:** audited devices, current compliance, pending findings, critical and high, current alerts, audits in the last 30 days, overdue findings and outdated configurations. **Each indicator opens the detail** (for example, *overdue findings* opens Findings filtered by overdue).
- **Pending findings by severity** and **Deviations per week** (detected and closed in the last 8 weeks). Hover over a bar to see the numbers, or open *show table*.
- **Current alerts**, **Recent audits** and **Highest-risk devices**, with links to each one.

› Client status

From **Status by site →** or the `CLI` menu. It shows the risk of each site, pending findings by severity, recent audits, devices sorted by risk level and the organization's available reports.




Figure 7. Client status: overall risk and the organization's indicators

Current compliance is the percentage of rules met in the last audit of each device. An **overdue finding** is a pending one that exceeded the deadline for its severity (by default: critical 7 days, high 15, medium 30 and low 60; each organization can adjust them).

Your organization and its sites

`ORG` menu. You only see your organization: its sites on the right and its plan and review deadlines below.




Figure 8. Your organization with its sites, the plan and its usage

› Sites

1. Click **+ site**.
2. Enter the **name** (unique within the organization) and the **location**.
3. Click **Register site**.

Edit changes that data. **Disable** on a site prevents assigning new devices to it; the devices it already has keep their history. **Enable** makes it available again.

› Plan and usage

It shows the current plan and how many active devices and users are in use out of the allowed total. **see My plan →** opens the details and the change request (chapter *My plan*).

› Review deadlines




Figure 9. Review deadlines of the organization

FIELD	WHAT IT DEFINES	DEFAULT
critical / high / medium / low · days	Within how many days a pending finding of that severity becomes overdue, counted from its detection	7 / 15 / 30 / 60
re-audit every · days	How often the latest configuration of a device is audited again	30
configuration outdated after · days	When a device without a new configuration counts as outdated	30
Re-audit automatically	Whether the daily review audits again on its own the devices whose deadline has passed	on

Severity deadlines must go from lowest to highest (critical ≤ high ≤ medium ≤ low) and each value goes from 1 to 365 days. Click **Save deadlines**: the change immediately updates the due dates of all findings.

> The periodic review runs every day at 6:00 (Argentina time): it re-audits what is due and emails overdue findings and outdated devices. AuditNet does not connect to the devices: re-auditing means evaluating the latest uploaded configuration against the current baseline.

Users of your organization

`USR` menu. It lists the users of your organization. You manage those with **operational profiles**: network analyst, technical auditor and IT management lead. Administrators are managed by the system administrator (they appear with the label *managed by the system administrator*).

› Register a user




Figure 10. New user of the organization

1. Click **+ user**.
2. Fill in **full name**, **email**, **username** (letters without accents, numbers, dot, hyphen or underscore; it cannot be changed later) and an **initial password** that meets the policy. The organization is yours.
3. Check one or more **profiles**.
4. Click **Register user**.

The user receives a welcome email with their username (without the password): share the initial password through a secure channel. The new user counts toward the active user limit of your plan.

› Actions on a user

ACTION	WHAT IT DOES
Edit	Changes name, email and profiles. If you change the profile, their open sessions are closed.

ACTION	WHAT IT DOES
Password	Assigns a new password, removes any lock and closes their sessions.
Unlock	Appears when the account was locked after 5 failed attempts.
Disable / Enable	Logical deletion: they cannot sign in and their sessions are closed, but their history is kept.

The **Permission matrix** shows what each profile can do.

My plan

`PLN` menu. It shows your organization's plan, how much of it is used, the available plans and the request history.




Figure 11. Current plan, usage, pending request and catalog

› Current plan and usage

The bars show the **active devices** and **active users** against the plan maximum. When the limit is reached, no more can be added until the plan changes.

If your organization is on **Piloto**, the trial expiration date is shown. When it expires, the organization goes into **read-only mode**: everything can be viewed and findings and alerts can still be handled, but devices or users cannot be added, configurations cannot be imported and audits cannot be run until a plan is approved.

› Request a plan change

1. Click **Request change**.
2. Choose the **plan**, the **billing** (monthly or yearly) and, optionally, a **comment** (for example, how many sites you are adding).
3. Click **Send request**.

The system administrator receives an email notice and reviews it; you receive the reply by email. Meanwhile the current plan stays in force and no other plan can be requested. **Cancel request** withdraws it.

Catalog prices are monthly reference prices: the sales team confirms the terms when approving.

Devices

`DEV` menu. It is the inventory of network devices that can be audited. At the top are the search (identifier, name or vendor) and the criticality and status filters; when you choose a device, its details appear on the right.




Figure 12. Device inventory with the details of the chosen device

› Register a device

1. Click **+ register asset**.
2. Fill in: - **identifier:** unique code within the organization, for example `ROS-RTR-01`; - descriptive **name**; - **device type** (the vendor is filled in from the type); - **organization** (the system administrator chooses it; the organization administrator registers in their own); - **site** (optional); - **criticality:** low, medium, high or critical. It weighs on the risk level and on alerts.
3. Click **Register device**. It is created with active status.




Figure 13. New device

The new device counts toward the active device limit of the organization's plan.

› Edit, deactivate or reactivate

In the device details: **Edit** changes its data (the organization cannot be changed). **Deactivate** makes it inactive: it keeps its history, but does not accept new configurations or audits. **Reactivate** enables it again. Both actions ask for confirmation and every change is recorded in the transaction log with the previous and new values.

› Device types

Types (for example *Router ISR 4331 · Cisco · IOS-XE*) are a catalog shared by all organizations, and baselines are defined per type. Only the system administrator registers them, with **+ type**: name, vendor and family or operating system.

Baselines and rules

A **baseline** is the expected configuration for a device type in an organization. Its **rules** are the controls the engine checks in every audit. There is only one active baseline per device type and organization: it is the one used when auditing. The technical auditor creates and versions them.

› Baselines

`BL` menu. When you choose one you see its organization, type, version, number of rules and audits, and its versions.




Figure 14. Baselines with the details of the current version

› Rules

`RUL` menu. Each rule has a code, a condition, a severity, the impact and the recommendation to fix it.




Figure 15. Control rules with the details of a rule

CONDITION	PASSES WHEN
must contain	the pattern appears in the configuration
must not contain	the pattern does not appear
expected value	a line starting with the parameter has exactly that value

Audit history

`HIS` menu. All audits, with the evaluated configuration, the baseline and the rules used. It is read-only.




Figure 16. History with the details and trend of an audit

› Search

Filter by device, baseline, highest severity, result (compliant or with findings), who ran it and date range, and click **Search**. Audits run by the periodic review appear as **automatic**.

› Details and trend

When you choose an audit you see the configuration (version and who imported it), the baseline with its version, the rules applied and the findings generated with their current status. The **trend** compares it with the previous audit of the same device:

CATEGORY	MEANING
new deviations	rules that passed before and now do not
fixed	rules that failed and now pass
persisting	rules that keep failing
new rules / removed rules	changes in the baseline between one audit and the other

See only the history of this device filters the list by that device and **See findings of this audit** opens its findings.

Findings

`LOG` menu. A **finding** is a rule that was not met in an audit, with its evidence. The list is **prioritized**: pending findings first, from highest to lowest severity, taking the device criticality into account.




Figure 17. Prioritized findings with the deadline of each one

Use the filters by status (including *overdue*), severity, device, baseline and date, or the search by rule, device or evidence. The status column shows the deadline: *N days left*, *due today* or *overdue by N days*.

When you choose a finding you see the rule, the device, the audit that detected it, the evidence, the recommendation and the **tracking** (each status change with user, date and comment). Your profile can view it; the tracking is updated by the network analyst and the technical auditor.

STATUS	MEANING
open	detected, nobody has taken it yet
in review	someone is working on the fix
resolved	fixed; usually confirmed by a new audit
risk accepted	it was decided not to fix it, with a justification

Critical alerts

`ALR` menu. Each finding of **high or critical** severity generates an alert (at most one current alert per device and rule). Filter by status, severity, device criticality, device and site.




Figure 18. Prioritized alerts with the chosen alert

STATUS	MEANING
active	nobody has taken it yet
in progress	it was assigned to a technical profile (network analyst or technical auditor)
closed	its finding was resolved or the risk was accepted

When you choose an alert you see the finding that triggered it and who it was assigned to. Your profile can view it; assigning or returning it is done by the network analyst and the IT management lead.

Audit reports

REP menu. A report gathers audits with their executive summary, findings, severity, impact and evidence. It is saved as a **snapshot**: it reflects the status of the findings at the time it was issued. Your profile can view and download them; the network analyst and the technical auditor generate them.




Figure 19. Document view of the report

When you choose a report from the **Generated reports** list, the document is shown: general data, executive summary with compliance, scope, distribution of findings, included audits, details of each finding and notes.

- **Download PDF:** prints the document on A4 with page numbers, in the console language.
- **Download CSV:** for Excel, one row per finding. In Spanish and Portuguese it uses `;` as separator and in English `,`.

Email notices

AuditNet sends emails in each recipient's language.

Always (they cannot be turned off):

- **New user:** when your account is created, with your username.
- **Password recovery:** the link you requested.
- **Plans:** to the system administrator when an organization requests a plan change, and to the requester when it is resolved.

Audit notices (chosen in My account → Email notices):

NOTICE	WHAT IT INCLUDES	RECEIVED BY
New critical alerts	one email per audit with its critical or high severity alerts	network analyst, IT management lead, organization administrator
Deadlines and outdated configurations	daily review: findings past their deadline and devices without a new configuration	network analyst, IT management lead, organization administrator
Monthly summary	in the first days of each month, the organization's activity for the previous month	IT management lead, organization administrator

They are turned on by default. The technical auditor and the system administrator do not receive audit notices.

Troubleshooting

SITUATION	WHAT TO DO
Incorrect username or password	Check upper and lower case and that Caps Lock is off. If you do not remember it, use **Forgot your password?**
The account is locked	After 5 failed attempts it is locked for 15 minutes. Wait, recover the password or ask an administrator to unlock it.
Your session ended	It expired or an administrator changed your profile, your organization or your password. Sign in again.
I cannot see a screen or a button	Your profile does not have that permission. The permission matrix is in *Users* (for administrators) and the first chapter of this guide summarizes what your profile does.
There is no active baseline for the selected device type	The organization has no active baseline for that device type. The technical auditor creates or activates it.
I cannot add devices or users	The plan limit was reached or the Piloto plan trial expired. The organization administrator requests a change in *My plan*.
Emails do not arrive	Check *My account* → *Email notices* and the spam folder. Audit notices depend on the profile.
The screen shows another language or theme	Change them in the user menu; they are saved in your account.
The guide does not download	Try from the user menu → *Guide*. If it still fails, tell the system administrator.