Advanced Methods of Data Analysis: Normalizing Flows

Leonhard Moske (Dated: July 24, 2022)

In this paper, the expressiveness of fully connected neural networks is used in a class of transformation known as normalizing flows in order to construct density estimator. Further these estimators are utilized to classify stars.

explizit

I. INTRODUCTION

Normalizing flows is a powerfull method that utilizes the transformation of random variables for either density estimation or for generativ sampling.

get distribution of the data, then we could compute $r(f^{-1}(x'|\theta)) |\det J_f(x'|\theta)|$ which is the estimate for the probability of the data. To do this we have to be able to compute the inverse transformation, its Jacobian determinant and evaluate the base distribution.

training the transformation

II. THEORY

parameterize the transformation

functions of random variables

parametrized To estimate the density distribution we make use the formula of transformations of random variables. DKL

Let z be a random variable distributed as r(z) then random variable $x = f(z|\theta)$, where f is a invertible clasdifferentiable function with parameters θ , is distributed sifier as q(x) with: bzw.

$$q(x) = r(z) \left| \frac{\mathrm{d}z}{\mathrm{d}x} \right| = r(z) \left| \det J_f(z) \right|^{-1}$$

classifie We call r(z) the base distribution and q(x) the ta tundistribution.

> To get a density estimation of data x' with some features we would vary θ until q(x) is close to the

IV. NORMALIZING FLOW CATEGORIES

III. METHODS

V. RESULTS

SUMMARY

VII. CONCLUSION

clasquellen raussuchen bzw. enhier verweise

erklären

was

auswe

für

to classify and density esti-

ma-

tion

by

den-

sity

esti-

mation

Datase

erklären

want