



Laboratorio 5 Primera Part


Configuracion de las IPs:



























```
C:\>ipconfig
FastEthernet0 Connection: (default port)
  Connection-specific DNS Suffix.:
Link-local IPv6 Address.....: FE80::20C:85FF:FEC4:7302
  IPv6 Address.....: ::
  IPv4 Address...... 192.168.1.2
  Subnet Mask..... 255.255.255.0
  Default Gateway....: ::
                              192.168.1.1
Bluetooth Connection:
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address....: ::
  IPv6 Address....::::
  IPv4 Address..... 0.0.0.0
  Subnet Mask..... 0.0.0.0
  Default Gateway.....::
                              0.0.0.0
```

En simulación

```
C:\>ping 192.168.1.4

Pinging 192.168.1.4 with 32 bytes of data:
```



```
C:\>ping 192.168.1.8

Pinging 192.168.1.8 with 32 bytes of data:
```

```
Router 192.168.1.1 /24
pc0 192.168.1.2
pc1 192.168.1.3
pc2 192.168.1.5
pc4 192.168.1.6
pc5 192.168.1.7

PC-PT
PC1

PC-PT
PC2

PC-PT
PC3
```

```
C:\>ping 192.168.1.8

Pinging 192.168.1.8 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 192.168.1.8:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```