# OPERATING SYSTEMS LECTURE #6: PROCESS MANAGEMENT

Written by David Goodwin based on the lecture series of Dr. Dayou Li and the book *Understanding Operating Systems* 4<sup>th</sup> ed. by *I.M.Flynn and A.McIver McHoes* (2006)

DEPARTMENT OF COMPUTER SCIENCE AND TECHNOLOGY, UNIVERSITY OF BEDFORDSHIRE.



OPERATING SYSTEMS, 2013

 $04^{th}$  March 2013



## Outline

Lecture #6 Proces Management

David Goodwin University of Bedfordshire

Introducti

-----

Process control blo

Multithreadii

Process schedulin policies

Process scheduling algorithms

summar

- 1 Introduction
- 2 Scheduling
- 3 Process status
- 4 Process control block
- 6 Multithreading
- 6 Process scheduling policies
- 7 Process scheduling algorithms
- 8 summary



> David Goodwin University of

#### Introductio

Schedulin

Process stat


Process control blo

lultithreadir

Process scheduling

Process schedulin algorithms

summary





## PROCESS MANAGEMENT CONCEPTS

Lecture #6 Process Management

David Goodwin University of Bedfordshire

#### Introduction

Scheduli

Process status
Process control block
Multithreading

Process schedulin policies

Process schedulin algorithms

- Concept of a process
  - Terminology
    - Job (also known as program) is an inactive unit such as a file in disk
    - This entity contains at least two types of elements: program code and a set of data
    - Process (also called task) is an executed program code on the processor, that is, a part of an active entity
    - a Thread is a portion of a process that can be run independently
  - In multiprogramming environment, the processor is used by multiple programs/processes
  - Process manager needs to arrange the execution of the programs/processes (to make a schedule for them) to promote the most efficient use of resources (including hardware and software) and to avoid competition and deadlock



David Goodwin
University of
Redfordshire

Introductio

Scheduling

Process status


Process control blo

Multithreadi

Process scheduling

Process schedulin algorithms

\_\_\_\_\_





# **Job and Process Scheduling**

Lecture #6 Process Management

David Goodwii University of Bedfordshire

Introduct

Scheduling

Process control bloc

Multithreading

policies

Process scheduling algorithms

### Schedulers

- Job scheduler 这里的job是线程的意思?
  - Initialise each job
  - Only concerned with selecting jobs from a queue of incoming jobs
  - Places them in a process queue (READY queue)
- Process scheduler
  - Determines which jobs get the CPU, when, and for how long.
  - Also decides when processing should be interrupted
  - decides when each step will be executed
  - recognises when a job has concluded and should be terminated
- Hierarchy
  - Job scheduler is the high-level scheduler
  - Process scheduler is the low-level scheduler



## **Process Sheduler**

Lecture #6 Process Management

> David Goodwin University of Bedfordshire

Scheduling

Process status
Process control block

Process scheduling policies

Process scheduling algorithms

- Common trait among most computer programs: they alternate between CPU cycles and IO cycles
- Process scheduler is a low-level scheduler that assigns CPU
  the execute the processes of those jobs placed in the ready
  queue by the job scheduler.
- Although CPU cycles vary from program to program, there are some general types of jobs:
  - IO-Bound jobs e.g. printing a series of documents. Many brief CPU cycles and long IO cycles.
  - CPU-Bound jobs e.g. finding the first 300 prime numbers.
     Long CPU cycles and shorter IO cycles.
  - Total statistical effect approximates a Poisson distribution.
- Highly interactive environment has a third level begin a middle-level scheduler - finding it advantagious to remove active jobs from memory; allowing jobs to complete faster.



David Goodwin
University of

Introduction

Scheduling

Process status


Process control blo

Multithreadir

Process scheduling

Process schedulin algorithms

\_\_\_\_\_





## **PROCESS STATUS**

Two-state model

Lecture #6 Process Management

David Goodwii University of Bedfordshire

Introducti

Process sta

Process control blo


Multithreadin

Process schedulir

Process scheduling algorithms

## Process queue

- Processes are divided into threads
- The threads form a "ready queue" waiting for being processed in the processor
- Two-state model
  - A process is in "running" state if it is executed on the processor
  - It is in "not running" state otherwise








## PROCESS STATUS

Management

Five-state model

- States
  - Running: the process is currently executed on the processor
  - Ready: a process is prepared to execute
  - Waiting: a process waits for resources
  - Hold: a process is just created
  - Exit: a process is released from pool of executable programs by OS





## PROCESS STATUS

Lecture #6 Process Management

David Goodw University of Bedfordshire

Introduction

Process stat

Process control block Multithreading

Process schedulir policies

Process schedulin algorithms

#### State transitions:

- HOLD to READY:
  - When OS is prepared to take an additional process. Initiated by job scheduler; availability of memory and devices checked.
- ② READY to RUNNING:
  - Process scheduler chooses a ready process to execute.
- RUNNING to EXIT:
  - Currently executed process has completed or a run time error.
     Initiated by job or process scheduler.
- A RUNNING to WAIT:
  - Handled by process scheduler, initiated by job instruction for I/O or other resources request.
- MAIT to READY:
  - Handled by process scheduler, initiated when I/O or other resources become available.
- 6 RUNNING to READY:
  - Handled by process scheduler; maximum allowable time is reached or other criterion e.g. a priority interrupt.



> David Goodwin University of Bedfordshire

Introduction

Schedulir

Process stat


Process control block

Multithreadin,

Process scheduling

Process schedulin

summan





## **Process Control Blocks**

Lecture #6 Process Management

> David Good University Bedfordsh

Scheduling
Process status
Process control block

Multithreading Process schedulin policies

Process scheduling algorithms summary Process control block (PCB): Any process is uniquely characterised by a list of elements:

- Identifier: a unique identifier which distinguishes a process from others
- State: a process can have different states
- Priority: this shows the priority level of a process relative to other process
- Program counter: the address of the instruction to be executed next of a process (program code)
- Memory pointers: include those point to program code and data associated of a process, plus any memory blocks shared with other processes
- Context data: These are date that are presented in registers in the processor while a process is running
- I/O status information: includes I/O requests and the availability of files and I/O devices
- Accounting information: includes time and number countered

State
Priority

Program counter Memory pointers

Context data

I/O status info



## **Process State**

Lecture #6 Process Management

> David Goodwir University of Bedfordshire

Introducti

Process stat

Process control block

Process schedul

policies

Process scheduling algorithms

 This contains all of the information needed to indicate the current state of the job such as:

process status word current instruction counter and register contents when a job isn't running.

register contents if the job has been interrupted and is waiting.

main memory information including the address where the job is stored.

resources information about all resources allocated to the job, being hardware units or files.

process priority used by systems with priority scheduling algorithm.



# Accounting

Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introducti

Schedulii

Frocess control block

Process scheduling

Process scheduling

summary

- Information for billing purposes and performance measurement. Typical charges include:
  - Amount of CPU time used from beginning to end of execution.
  - Total time the job was in the system until exited.
  - Main storage occupancy how long the job stayed in memory until it finished execution.
  - Secondary storage used during execution.
  - System programs used (compilers, editors, utilities, etc.)
  - Number and type of IO operations, including IO tranmission time (includes use of channels, control units, devices)
  - Time spent waiting for IO completion
  - Number of input records read, and number of output records written



> David Goodwin University of

Introductio

Scheduling

Process stat


Process control blo

#### Multithreadin;

Process scheduling

Process scheduling algorithms

summan





# PROCESS MANAGEMENT Multithreading

Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introductio Scheduling

rocess status

Multithreadin

Process scheduling

Process scheduling algorithms Multithreading

- A process can be divided into multiple threads
  - Multithreading is a "condition" for a processor manager to make a schedule for multi-processes
- An example of a process and threads

1	C-+	input	C	121-	Λ
	CAPT	INDIIT	TOT	IOD	A

- Identify resources
- Execute the process
- Interrupt
- Switch to Job B
- Get input for Job B
- Identify resources
- Execute the process
- Terminate Job B
- Switch back to Job A
- Resume executing interrupted process
- Terminate Job A

Manager

Get input

Identify resources

Execute Interrupt

....

Terminate

Job A

Instruction A1

Instruction A2

Instruction A3

Job B

Instruction B1

Instruction B2

Instruction B3



> David Goodwin University of

Introduction

Scheduling

Process stat

Process control blo

Multithreading

Process scheduling policies

Process scheduling algorithms

summar

# PROCESS SCHEDULING POLICIES



## Process scheduling policies

Lecture #6 Proces Management

David Goodwi University of Bedfordshire

Introductio

Process status

Process control block

Process scheduling policies

Process schedulin algorithms

- A good process scheduling policy:
  - Maximise throughput run as many jobs as possible in a given amount of time
  - Minimise reponse time quickly turn around interactive requests
  - Minimise turnaround time move entire jobs in and out of the system quickly
  - Minimise waiting time move jobs out of the ready queue as quickly as possible
  - Maximise CPU efficiency keep the CPU busy 100% of the time
  - Ensure fairness for all jobs give every job an equal amount of CPU and IO time
- A scheduling strategy that interrupts the processing of a job and transfers the CPU to another job is preemptive scheduling policy
- The alternative is nonpreemptive scheduling policy which functions without external interrupts



> David Goodwin University of Bedfordshire

Introduction

ocheduling

1000000 000000


Process control blo

Multithreadin

Process scheduling policies

Process scheduling algorithms

summary





FCFS - First-come-first-served

Lecture #6 Process Management

Process scheduling algorithms

## Batch environment

- Jobs/processes arrive at the times that are too close to one another
- Those jobs/processes are collected in batches
- First-come-first-serve (FCFS) 无米先
  - A READY queue for storing ready processes that are initialised by Job scheduler
  - When a process is in RUNNING state, its execution will be completed in one go, that is, these is no waiting state in this algorithm
- Average turnaround time  $(\tau)$ 
  - Total time needed for every process completed divided by the number of processes in the queue
  - Depends on how the processes are queued in the READY 决定进程在ready队列中如何站队

FCFS - First-come-first-served

Lecture #6 Process Management

David Goodwi University of Bedfordshire

Introduct

ocheduling

Process stat

Process control blo

Multithreadi

Process scheduling

Process scheduling algorithms

summar

- Example:
  - Process A has CPU cycle ( $t_a=5~{
    m ms}$ ) Process B has CPU cycle ( $t_b=2~{
    m ms}$ ) Process C has CPU cycle ( $t_c=1~{
    m ms}$ )
  - When the 3 processes become ready in the order of ABC

$$\tau = (5+7+8)/3 = 6.67$$

• When the 3 processes become ready in the order of BCA

$$\tau = (2+3+8)/3 = 4.33$$

SJF - Shortest job First

Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introducti

Scheduling

Process status

Process control blo

Multithreadi

Process scheduling

Process scheduling algorithms

## 需要短CPU周期的先处理

- Shortest job first [next] (SJF) [SJN]
  - Process that uses the shortest CPU cycle will be selected for running first
  - Example:

Processes:	Α	В	С	D
CPU cycle $(t_i)$ :	5	2	6	4

3		111-	4511	
Proc B	Proc D	Proc A	Proc C	
:	2 6	5 1	11	17

$$T_b = 2$$
,  $T_d = 6$ ,  $T_a = 11$ ,  $T_c = 17$   
 $\tau = (T_b + T_d + T_a + T_c)/4 = 9$ 



# **Process scheduling algorithms**SJF - Shortest job First

Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introducti

Schedulin

Process sta

Process control blo

Multithreadi

Process scheduling policies

Process scheduling algorithms

summar

- Optimal in terms of occupying the least CPU time
  - Example:

	Processes:	Α	В	С
30	CPU cycle $(t_i)$ :	5	2	1

1			
Proc C	Proc B	Proc A	
1	L 3	3	8

$$\tau = (1+3+8)/3 = 4$$

$$\begin{aligned} & \tau = \frac{1}{n} \sum_{j=1}^{n} T_{j} = \frac{1}{n} \Big( \sum_{j=1}^{i-1} T_{j} + \sum_{k=1}^{i-1} t_{k} + t_{i} + \sum_{k=1}^{i-1} t_{k} + t_{i+1} + \sum_{j=i+2}^{n} T_{j} \Big) \\ & \tau = \frac{1}{n} \Big( \sum_{j=1}^{i-1} T_{j} + \sum_{k=1}^{i-1} t_{k} + t_{i+1} + \sum_{j=i+2}^{n} T_{j} \Big) \\ & \exists t_{i} > t_{i+1} \\ & \exists \tau' < \tau \end{aligned}$$



SRT - Shortest remaining time

Lecture #6 Process Management

algorithms

Real-time environment

- 使用还剩下的时间调度 Shortest remaining time (SRT)
  - Process that the mostly close to complete will be process first, and even this process can be pre-empted if a newer process in READY queue has a shorter complete time

Example

Arrival time:	0	(1	2	3
Process:	а	b	С	d
CPU cycle:	6	3	1	4

F	7	7-1	7-1-1-	7-1	7-1- I-	7-11	1-1-	Г
		Job a	Job b	JOD C	Job b	Job d	Job a	
	0	1	. 2	2 :	3 5	5	9 :	14

$$\tau = (14 + 4 + 1 + 6)/4 = 6.25$$



Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introduction Scheduling

Process status

Multithreadi

Process scheduling policies

Process scheduling algorithms

Round robin

## 时间片

- Time is divided into slices called time quantum
- Processes in the READY queue will be processed in FIFO
- Process scheduler will pick up a process from the front of the READY queue and allocate it to CPU when a time slide starts
- When the time slide ends but the processing has not been complete, the scheduler will send the remaining part of the process back to the end of the READY queue
- It can only be resumed when it gets to the front of the queue

当时间片结束了,程序没有结束,调度器将该进程放到ready队列尾部,等待再次被调度;



# Process scheduling algorithms Round-Robin

Lecture #6 Proces Management

David Goodwin University of Bedfordshire

Introduct

Schedul

Process status

Process control blo

Multithread

Process scheduling

Process scheduling algorithms

summan

Example

Arrival time:	0	1	2	3
Process:	a	b	С	d
CPU cycle:	8	4	9	5

	Job a	Job b	Job c	Job d	Job a	Job c	/ \	
0	4	8	3 1	2 1	6 2	0 2/2	25 26	3
							/	1
						Job d	Jok	o c

• 
$$\tau = (20 + 7 + 24 + 22)/4 = 18.25$$



Priority scheduling

#### Lecture #6 Process Management

David Good University Bedfordshi

Introductio

Scheduling Process statu

Process control blo

Process scheduling

Process scheduling algorithms

## 优先级调度

- Priority scheduling 最高优先级的进程先调度
  - Allowing process with the highest priority to be processed first
  - The processing is not interrupted unless the CPU cycle of the process is completed or a natural wait occurs 不会被中断
  - If more than one process has the same priority, the one which joins the ready queue first is processed first
  - Priorities:
    - Memory requirements jobs requiring large amounts of memory could be allocated lower priorities than those requiring small amounts of memory
    - Number and type of device jobs requiring many devices would be allocated lower priorities
    - Total CPU time jobs having long CPU cycle, or estimated run time, would be given lower priorities
    - Amount of time already spent in the system some systems increase priority of jobs that have been in the system for an unusually long time. This is known as aging

使用更多内存、更多设备、更多CPU时间、已经花费更多的时间,这个进程 将被赋予更低的优先级



Multilevel feedback queue

Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introducti

Schedulii

Process stat

Process control blo


Multithreadi

Process scheduling policies

Process scheduling algorithms

summan

- Multilevel feedback queue
  - When time out for a high-priority process, it is added to the tail of the queue consisting of lower priority level processes





# Process scheduling algorithms Multilevel feedback queue

Lecture #6 Process Management

David Goodwin University of Bedfordshire

Introduct

Schedulin

r rocess status

Process control blo

Multitureadi

Process scheduling policies

Process scheduling algorithms

## 资源之间的占用,会影响到优先级

- Priority inversion and inheritance
  - Priority inversion problem: a high-priority process waits on a low-priority process that is starved by a medium-priority process (for example, releasing some resources)
  - Example
    - Three processes, a, b and c with p(a)=2, p(b)=3 and p(c)=4
    - · Process c waits on a
    - a is starved by b (b is never put in waiting state)
    - Process a cannot compete with b and therefore b is always running and a and c never get chance to run
    - It looks like c with p(c)=4 had lower priority than b with p(b)=3



Multilevel feedback queue

Lecture #6 Process Management

> David Goodwir University of Bedfordshire

Introducti

Schedulii

Process status

Process control blo

Multithreadi

Process scheduling policies

Process scheduling algorithms

summary

## 更改优先级,可以完成

- Solution priority inheritance
  - Elevating the priority a to 4 so that it can compete with b and win in competition



## process scheduling algorithms - comparison

#### Lecture #6 Process Management

Process scheduling algorithms

- FCFS nonpreemptive batch unpredictable turnaround Easy to implement
- SJN nonpreemptive batch indefinite postponement minimise average waiting
- Priority scheduling nonpreemptive batch indefinite postponement - fast completion of important jobs
- SRT Preemptive batch overhead from context switching fast completion of short jobs
- Round robin Preemptive interactive requires selection of good time quantum - fair CPU allocation and reasonable response times for interactive users
- Multiple-level queues Preemptive/nonpreemptive batch/interactive - overhead from monitoring queues - flexible, counteracts indefinite postponement with aging, fair treatment of CPU-bound jobs by incrementing time quantums on lower priority queues



> David Goodwin University of

Introductio

Scheduling

Process stati

Process control blo

Multithreadi

Process schedulin

Process scheduling algorithms

summary





## Key Terms

Lecture #6 Process
Management

David Goodwin University of

Introducti

Jenedanne

-----

Process control blo

Multithread

Process schedulin policies

Process schedulin algorithms

umman

aging context switching CPU-bound first come, first served high-level scheduler 10-bound indefinite postponement interrupt interrupt handler iob scheduler job status low-level scheduler middle-level scheduler multiple-level queues natural wait



## Key Terms

Lecture #6 Process Management

David Goodwi University of Bedfordshire

Introducti

001100011110

Process control b

Multithread

Process schedulin policies

Process scheduling algorithms

summar

nonpreemptive scheduling policy preemptive scheduling policy priority scheduling process process control block (PCB) process scheduler process scheduling algorithm process scheduling policy process status round robin shortest job next (SJN) shortest remaining time (SRT)

task

thread

荣涛 藏品