

Bug Report: BUG_01

Summary: Invalid special characters accepted in 'Jahr' field.

Severity: Major (Impacts database integrity).

Priority: Medium.

Description: The application fails to properly validate the 'Jahr' (Year) field in the date of birth section on Step 5. Inputting special characters (e.g., "1995,") is incorrectly accepted as valid, triggering a green success indicator and enabling the "Reservieren" button.

Steps to Reproduce:

1. Navigate to Step 5 of the booking process.
2. Fill all mandatory fields.
3. Enter a year followed by a special character in the 'Jahr' field (e.g., 1995,).
4. Click outside the field to trigger validation.

Expected Result: The system should reject non-numeric input and display the error: "Bitte geben Sie ein zulässiges Geburtsdatum ein." The "Reservieren" button must remain disabled until valid numeric data is entered.

Actual Result: The system interprets the input as valid, displays a green success marker, and enables the "Reservieren" button.

Environment: All browsers (Chrome, Firefox, Safari); OS: macOS / Windows.

Note on Reproduction: This defect is consistently reproducible via manual input. Automated validation attempts are currently blocked by site-specific security/masking layers, confirming that the site's frontend input logic bypasses standard event triggers for special characters.

Mandatory Artifacts: [Screenshot_BUG_01.png attached].

Geburtsdatum *

Tag Monat Jahr





Straße Hausnummer



☒ Ich willige ein, dass meine zum Zweck der Terminbuchung und -abwicklung erhobenen personenbezogenen Daten durch den Verantwortlichen verarbeitet werden. *

[Datenschutzhinweise zur Einwilligungserklärung](#) & [Datenschutzerklärung](#) & [AGB](#)

 Zurück zu den Terminvorschlägen Reservieren 

Bug Report: BUG_02

- **Summary:** Inconsistent email validation allows invalid format on Step 5.
- **Severity:** Critical (Blocks business process).
- **Priority:** High.
- **Description:** On Step 5, the email input field fails to validate the format correctly. It incorrectly marks invalid input (e.g., >@+ / . ()) as valid (green status indicator) and enables the "Reservieren" button. This prevents users from receiving appointment confirmations, rendering the booking process unreliable.

Steps to Reproduce:

1. Navigate to Step 5 of the booking process.
2. Fill all mandatory fields.
3. Enter invalid data in the Email field (e.g., >@+ / . ()).
4. Click outside the field to trigger validation.

Expected Result: Email field must display a **red indicator** and show the error text: *"Bitte geben Sie eine zulässige Mailadresse ein."* "Reservieren" button must remain **disabled** until valid email data is entered.

Actual Result: The system interprets the input as valid. A green success marker appears. "Reservieren" button becomes **enabled**.

Environment:

- All browsers (Chrome, Firefox, Safari)
- OS: macOS / Windows

Mandatory Artifacts: [Screenshot_BUG_02.png attached].

E-Mail *

>@+/.()



E-Mail - Wiederholung *

>@+/.()



Telefonnummer

Geburtsdatum *

Tag Monat Jahr

2001



Straße

Hausnummer



Ich willige ein, dass meine zum Zweck der Terminbuchung und -abwicklung erhobenen personenbezogenen Daten durch den Verantwortlichen verarbeitet werden. *

[Datenschutzhinweise zur Einwilligungserklärung & Datenschutzerklärung & AGB](#)



Zurück zu den Terminvorschlägen

Reservieren



⊗ Failed 10.3s

Filter actions

- > Negative Nachname: !@#\$\$% 15ms
- > Negative Nachname: <script>alert(1)</scri... 19ms
- > Negative Email: testmail.com 15ms
- > Negative Email: test@mail 20ms
- > Negative Email: test @mail.com 13ms
- ▼ Negative Email: >@+/.() 5.0s
 - Fill ">@+/.()" 3ms
 - locator('#email')
 - Press "Tab" 5ms
 - locator('#email')
 - Expect "toHaveText" 5.0s
 - locator('.error-text').nth(2)

Locator Source Call Log Errors 1 Console 6 Network 255 Attachments 3 Annotations

@ helpers.js:302

Copy prompt

Error: expect(locator).toHaveText(expected) failed

Locator: locator('.error-text').nth(2)
Expected: "Bitte geben Sie eine zulässige Mailadresse ein."
Received: ""
Timeout: 5000ms

Call log:

- Expect "toHaveText" with timeout 5000ms
- waiting for locator('.error-text').nth(2)
 - 14 x locator resolved to <p class="error-text" aria-live="polite"></p>
 - unexpected value ""

Bug Report: BUG_03

Summary: Calendar UI renders blank page on API 500 error at Step 3.

Severity: Blocker (Total failure of the critical booking path).

Priority: High.

Description: When the Calendar API (`calendar.js`) returns an HTTP 500 error, the booking UI fails to handle it gracefully. Instead of a user-friendly error notification, Step 3 renders a blank page. This forces the user to reload, causing a complete loss of booking flow progress.

Steps to Reproduce:

1. Navigate to the booking process.
2. Proceed through Steps 1 and 2 to reach Step 3 (Calendar selection).
3. Simulate an HTTP 500 Internal Server Error for `calendar.js`.
4. Observe the interface behavior on the screen.

Expected Result:

The system must catch the API exception. The UI should display a user-friendly error message. The navigation should remain in a controlled state.


Actual Result:

The calendar component fails to render, resulting in a blank UI container. No error message is shown, leaving the user without feedback.

Environment:

- All browsers (Chrome, Firefox, Safari)
- Scenario: API Error Handling (Simulated 500)

Mandatory Artifacts: [Screenshot_BUG_03.png attached].



The screenshot displays a failed Cypress test run. On the left, the 'Failed' tab shows a list of actions with a timeout error: 'Expect "toBeVisible" locator(/Fehler/i)' failed after 10.0s. The right pane shows a browser window with a blank UI, where a calendar component was expected to render. Below the browser view, the 'Errors' tab provides a detailed log: '@ system_errors.spec.js:91', 'Error: expect(locator).toBeVisible() failed', 'Locator: getByText(/Fehler/i)', 'Expected: visible', 'Timeout: 10000ms', 'Error: element(s) not found', and a 'Call log' showing the expectation and the locator used.

✖ Failed 13.3s

Filter actions

locator(/Fehler/i)

Expect "not toBeVisible" 9ms ✖1
getByRole('heading', { name: 'Schritt 4' })

Expect "not toBeVisible" 1ms
locator('table.sugg_table')

Expect "toBeVisible" 10.0s ✖1
getByText(/Fehler/i)

Locator Source Call Log Errors 1 Console 4 Network 110 Attachments 3 Annotations

@ system_errors.spec.js:91

Error: expect(locator).toBeVisible() failed

Locator: getByText(/Fehler/i)
Expected: visible
Timeout: 10000ms
Error: element(s) not found

Call log:
- Expect "toBeVisible" with timeout 10000ms
- waiting for getByText(/Fehler/i)

Copy print