

15 June 2026

SQL Logical operators

AND statement.

↳ It allows us to combine multiple conditions

↳ All the conditions must be

satisfied [met].

↳ We commonly use the **AND**

when building logical conditions for filtering data.

SYNTAX: Select column 1,

column 2

FROM table_name

WHERE condition 1 **AND**

condition 2 **AND**

condition 3

Students

Student_ID	name	Course	Age	City
1	Thabo	Data Analy	22	JHB
2	Lerato	Data Analy	20	JHR
3	Sarah	Data Analy	19	PTA
4	John	Data Analy	25	DBN
5	Musca	Data Analy	23	JHB

Write an SQL query to give me the names of students living in JHB that are doing data Analytics

SELECT *

FROM students

WHERE city = 'JHB'

course = 'Data analysis'

condition 2.

Student_ID	name	course	age	city
1	Thabo	Data Anal	22	JHB
2	Lerato	Data Anal	20	JHB

OR statement

↳ Combines multiple conditions

↳ One of the conditions must be met

Students

Student_ID	name	course	age	city
1	Thabo	Data Ana	22	JHB
2	Sarah	Data Scien	19	PTA
3	John	Data Ana	25	DBN
4	Lerato	Data Ana	20	JHB
5	Musca	Data Scie	23	JHR

allows us to combine multiple conditions