

21 July - Table operations

- CREATE CATALOG IF NOT EXISTS junc_intake;

⇒ **Creates data base under datawarehouse.**

- USE CATALOG junc_intake;

- CREATE SCHEMA IF NOT EXISTS students_profile;

⇒ **Creates a schema**

- CREATE OR REPLACE TABLE junc_intake.student_profile.

⇒ **Creates table.**

deletes entire table.

--- **DROP SCHEMA** ---

↳ To delete the schema.

- DROP SCHEMA students_profile

→ **Schema is deleted**

- CREATE SCHEMA IF NOT EXISTS students;

CREATE OR REPLACE TABLE junc_intake.students_profiles (

student_id INT,

name STRING,

surname STRING,

age INT,

email STRING,

registration_dt DATE

);

⇒ **Creates table in our database and given schema**

INSERTING DATA INTO OUR TABLE THAT WE CREATED

• INSERT INTO junc_intake.students_profiles

VALUES

(101, 'Rochester', 'Jones', 28, 'rochester@google.com',

'2019-06-05'),

(102, 'Sive', 'Magazi', 33, 'sive@phalaphala.com',

'2012-01-01'),

(103, 'Casper', 'Zuma', 73, 'czuma@kandla.com',

'2020-01-12'),

(104, 'Mbalil', 'Nhlapho', 41, 'mbali@sqlcleaning.com',

'2010-01-12')