Minute report

Loading report..

Report generated on 2025-12-17, 21:55 UTC

Replicates summary

Copy table | Configure Columns | Plot | Showing 32/32 rows and 11/11 columns.

map_id	extended library name	raw_demultiplexed	paired_mapped	mapq_mapped	dedup_mapped	final_mapped	percent_duplication	insert_size	library_size	frac_mapq_filtered	reference
INP_Donor1_S1_rep2.hg	INP_Donor1_S1_rep2	93 498 850	67 306 388	67 306 388	64 619 225	61 865 200	0.041	158	424 676 445	0.000	hg19
INP_Donor1_S2_rep1.hg	INP_Donor1_S2_rep1	37 421 848	27 092 516	27 092 516	26 029 511	24 905 802	0.040	156	176 835 080	0.000	hg19
INP_Donor2_S1_rep1.hg	INP_Donor2_S1_rep1	55 314 862	39 862 531	39 862 531	38 267 405	36 493 597	0.041	156	256 947 138	0.000	hg19
INP_Donor2_S2_rep2.hg	INP_Donor2_S2_rep2	51 802 654	37 244 582	37 244 582	35 767 141	34 157 706	0.041	157	241 904 976	0.000	hg19
INP_Donor3_S1_rep2.hg	INP_Donor3_S1_rep2	28 892 488	21 016 832	21 016 832	20 181 502	19 346 140	0.041	160	135 822 974	0.000	hg19
INP_Donor3_S2_rep1.hg	INP_Donor3_S2_rep1	74 634 086	53 962 000	53 962 000	51 827 507	49 586 722	0.041	160	350 380 462	0.000	hg19
INP_Donor4_S1_rep2.hg	INP_Donor4_S1_rep2	24 452 474	17 781 153	17 781 153	17 072 235	16 352 439	0.041	160	114 398 288	0.000	hg19
INP_Donor4_S2_rep1.hg	INP_Donor4_S2_rep1	30 671 676	22 361 066	22 361 066	21 460 906	20 553 450	0.041	160	143 640 074	0.000	hg19
M2_S2_Donor1_S1_rep2	M2_S2_Donor1_S1_rep2	132 469 470	90 038 660	90 038 660	48 119 682	43 217 015	0.481	144	32 072 370	0.000	hg19
M2_S2_Donor1_S2_rep1	M2_S2_Donor1_S2_rep1	56 555 598	38 784 664	38 784 664	21 567 824	19 336 733	0.455	144	15 145 657	0.000	hg19
M2_S2_Donor2_S1_rep1	M2_S2_Donor2_S1_rep1	89 489 968	60 257 094	60 257 094	33 235 554	29 569 945	0.460	141	23 359 657	0.000	hg19
M2_S2_Donor2_S2_rep2	M2_S2_Donor2_S2_rep2	92 447 434	62 302 352	62 302 352	33 473 159	29 788 186	0.475	143	22 901 125	0.000	hg19
M2_S2_Donor3_S1_rep2	M2_S2_Donor3_S1_rep2	42 594 658	28 971 343	28 971 343	15 293 250	13 848 461	0.485	148	10 288 042	0.000	hg19
M2_S2_Donor3_S2_rep1	M2_S2_Donor3_S2_rep1	98 488 892	66 682 878	66 682 878	36 867 628	33 334 042	0.458	143	25 940 152	0.000	hg19
M2_S2_Donor4_S1_rep2	M2_S2_Donor4_S1_rep2	34 852 720	23 480 983	23 480 983	12 799 997	11 622 504	0.467	147	8 847 457	0.000	hg19
M2_S2_Donor4_S2_rep1	M2_S2_Donor4_S2_rep1	45 452 936	31 137 509	31 137 509	16 897 240	15 330 936	0.468	147	11 726 281	0.000	hg19
M3_S3_Donor1_S1_rep2	M3_S3_Donor1_S1_rep2	87 697 402	56 248 606	56 248 606	47 477 050	45 309 498	0.159	143	86 892 590	0.000	hg19

map_id	extended library name	raw_demultiplexed	paired_mapped	mapq_mapped	dedup_mapped	final_mapped	percent_duplication	insert_size	library_size	frac_mapq_filtered	reference
M3_S3_Donor1_S2_rep1	M3_S3_Donor1_S2_rep1_hg19	34 327 224	22 820 733	22 820 733	19 340 823	18 476 165	0.154	142	36 287 446	0.000	hg19
M3_S3_Donor2_S1_rep1	M3_S3_Donor2_S1_rep1_hg19	92 663 816	61 654 216	61 654 216	52 252 547	49 581 546	0.155	136	100 264 112	0.000	hg19
M3_S3_Donor2_S2_rep2	M3_S3_Donor2_S2_rep2_hg19	67 583 626	45 541 531	45 541 531	38 476 090	36 634 444	0.157	141	72 599 065	0.000	hg19
M3_S3_Donor3_S1_rep2	M3_S3_Donor3_S1_rep2_hg19	19 457 922	13 034 172	13 034 172	11 055 330	10 580 653	0.154	151	21 087 156	0.000	hg19
M3_S3_Donor3_S2_rep1	M3_S3_Donor3_S2_rep1_hg19	63 750 166	44 028 378	44 028 378	37 493 366	35 731 339	0.150	142	73 527 962	0.000	hg19
M3_S3_Donor4_S1_rep2	M3_S3_Donor4_S1_rep2_hg19	17 610 924	12 082 177	12 082 177	10 225 401	9 775 396	0.155	152	19 343 461	0.000	hg19
M3_S3_Donor4_S2_rep1	M3_S3_Donor4_S2_rep1_hg19	31 382 890	21 723 839	21 723 839	18 432 167	17 578 166	0.153	149	35 756 915	0.000	hg19
M4_S4_Donor1_S1_rep2	M4_S4_Donor1_S1_rep2_hg19	77 127 448	54 404 643	54 404 643	50 711 845	46 858 616	0.070	159	200 638 098	0.000	hg19
M4_S4_Donor1_S2_rep1	M4_S4_Donor1_S2_rep1_hg19	33 853 264	24 024 480	24 024 480	22 434 857	20 734 982	0.067	158	92 353 628	0.000	hg19
M4_S4_Donor2_S1_rep1	M4_S4_Donor2_S1_rep1_hg19	55 345 660	38 622 942	38 622 942	36 073 829	32 952 266	0.067	157	149 657 366	0.000	hg19
M4_S4_Donor2_S2_rep2	M4_S4_Donor2_S2_rep2_hg19	56 687 720	39 827 281	39 827 281	37 152 796	34 110 417	0.068	158	151 294 111	0.000	hg19
M4_S4_Donor3_S1_rep2	M4_S4_Donor3_S1_rep2_hg19	27 407 436	19 440 067	19 440 067	18 131 197	16 790 121	0.069	161	73 402 521	0.000	hg19
M4_S4_Donor3_S2_rep1	M4_S4_Donor3_S2_rep1_hg19	62 248 548	43 460 590	43 460 590	40 648 228	37 380 394	0.066	160	171 534 215	0.000	hg19
M4_S4_Donor4_S1_rep2	M4_S4_Donor4_S1_rep2_hg19	23 389 926	16 586 805	16 586 805	15 473 477	14 371 301	0.068	162	62 783 691	0.000	hg19
M4_S4_Donor4_S2_rep1	M4_S4_Donor4_S2_rep1_hg19	29 461 014	21 019 592	21 019 592	19 614 456	18 225 890	0.068	161	80 582 259	0.000	hg19

Pools summary

Copy table | Configure Columns | Plot

Showing $^{32}/_{32}$ rows and $^{4}/_{4}$ columns.

map_id	library	reference	final_mapped	insert_size
INP_Donor1_S1_pooled.hg19	INP_Donor1_S1_pooled	hg19	61 865 200	158
INP_Donor1_S2_pooled.hg19	INP_Donor1_S2_pooled	hg19	24 905 802	156
INP_Donor2_S1_pooled.hg19	INP_Donor2_S1_pooled	hg19	36 493 597	156
INP_Donor2_S2_pooled.hg19	INP_Donor2_S2_pooled	hg19	34 157 706	157
INP_Donor3_S1_pooled.hg19	INP_Donor3_S1_pooled	hg19	19 346 140	160
INP_Donor3_S2_pooled.hg19	INP_Donor3_S2_pooled	hg19	49 586 722	160
INP_Donor4_S1_pooled.hg19	INP_Donor4_S1_pooled	hg19	16 352 439	160
INP_Donor4_S2_pooled.hg19	INP_Donor4_S2_pooled	hg19	20 553 450	160
M2_S2_Donor1_S1_pooled.hg19	M2_S2_Donor1_S1_pooled	hg19	43 217 015	144
M2_S2_Donor1_S2_pooled.hg19	M2_S2_Donor1_S2_pooled	hg19	19 336 733	144
M2_S2_Donor2_S1_pooled.hg19	M2_S2_Donor2_S1_pooled	hg19	29 569 945	141
M2_S2_Donor2_S2_pooled.hg19	M2_S2_Donor2_S2_pooled	hg19	29 788 186	143
M2_S2_Donor3_S1_pooled.hg19	M2_S2_Donor3_S1_pooled	hg19	13 848 461	148
M2_S2_Donor3_S2_pooled.hg19	M2_S2_Donor3_S2_pooled	hg19	33 334 042	143
M2_S2_Donor4_S1_pooled.hg19	M2_S2_Donor4_S1_pooled	hg19	11 622 504	147
M2_S2_Donor4_S2_pooled.hg19	M2_S2_Donor4_S2_pooled	hg19	15 330 936	147
M3_S3_Donor1_S1_pooled.hg19	M3_S3_Donor1_S1_pooled	hg19	45 309 498	143
M3_S3_Donor1_S2_pooled.hg19	M3_S3_Donor1_S2_pooled	hg19	18 476 165	142
M3_S3_Donor2_S1_pooled.hg19	M3_S3_Donor2_S1_pooled	hg19	49 581 546	136

map_id	library	reference	final_mapped	insert_size
M3_S3_Donor2_S2_pooled.hg19	M3_S3_Donor2_S2_pooled	hg19	36 634 444	141
M3_S3_Donor3_S1_pooled.hg19	M3_S3_Donor3_S1_pooled	hg19	10 580 653	151
M3_S3_Donor3_S2_pooled.hg19	M3_S3_Donor3_S2_pooled	hg19	35 731 339	142
M3_S3_Donor4_S1_pooled.hg19	M3_S3_Donor4_S1_pooled	hg19	9 775 396	152
M3_S3_Donor4_S2_pooled.hg19	M3_S3_Donor4_S2_pooled	hg19	17 578 166	149
M4_S4_Donor1_S1_pooled.hg19	M4_S4_Donor1_S1_pooled	hg19	46 858 616	159
M4_S4_Donor1_S2_pooled.hg19	M4_S4_Donor1_S2_pooled	hg19	20 734 982	158
M4_S4_Donor2_S1_pooled.hg19	M4_S4_Donor2_S1_pooled	hg19	32 952 266	157
M4_S4_Donor2_S2_pooled.hg19	M4_S4_Donor2_S2_pooled	hg19	34 110 417	158
M4_S4_Donor3_S1_pooled.hg19	M4_S4_Donor3_S1_pooled	hg19	16 790 121	161
M4_S4_Donor3_S2_pooled.hg19	M4_S4_Donor3_S2_pooled	hg19	37 380 394	160
M4_S4_Donor4_S1_pooled.hg19	M4_S4_Donor4_S1_pooled	hg19	14 371 301	162
M4_S4_Donor4_S2_pooled.hg19	M4_S4_Donor4_S2_pooled	hg19	18 225 890	161

Scaling factors


Copy table | Configure Columns | Plot | Showing 48/48 rows and 6/6 columns.


sample_name	#reads	n_scaled_reads	input_name	n_input_reads	factor	scaling_group
M2_S2_Donor1_S1_p	43 217 015	6 095 653.29	INP_Donor1_S1_pooled	61 865 200.0	0.14	M2_S2
M2_S2_Donor1_S1_r	43 217 015	6 095 653.29	INP_Donor1_S1_rep2.hg	61 865 200.0	0.14	M2_S2
M2_S2_Donor1_S2_p	19 336 723	6 774 768.83	INP_Donor1_S2_pooled	24 905 802.0	0.35	M2_S2
M2_S2_Donor1_S2_r	19 336 793	6 774 768.83	INP_Donor1_S2_rep1.hg	24 905 802.0	0.35	M2_S2
M2_S2_Donor2_S1_p	29 569 945	7 070 428.85	INP_Donor2_S1_pooled	36 493 597.0	0.24	M2_S2
M2_S2_Donor2_S1_r	29 569 945	7 070 428.85	INP_Donor2_S1_rep1.hg	36 493 597.0	0.24	M2_S2
M2_S2_Donor2_S2_p	29 788 186	7 609 695.38	INP_Donor2_S2_pooled	34 157 706.0	0.26	M2_S2
M2_S2_Donor2_S2_r	29 788 186	7 609 695.38	INP_Donor2_S2_rep2.hg	34 157 706.0	0.26	M2_S2
M2_S2_Donor3_S1_p	13 848 461	6 246 246.19	INP_Donor3_S1_pooled	19 346 140.0	0.45	M2_S2
M2_S2_Donor3_S1_r	13 848 461	6 246 246.19	INP_Donor3_S1_rep2.hg	19 346 140.0	0.45	M2_S2
M2_S2_Donor3_S2_p	33 334 042	5 865 897.77	INP_Donor3_S2_pooled	49 586 722.0	0.18	M2_S2
M2_S2_Donor3_S2_r	33 334 042	5 865 897.77	INP_Donor3_S2_rep1.hg	49 586 722.0	0.18	M2_S2
M2_S2_Donor4_S1_p	11 622 504	6 201 961.67	INP_Donor4_S1_pooled	16 352 439.0	0.53	M2_S2
M2_S2_Donor4_S1_r	11 622 504	6 201 961.67	INP_Donor4_S1_rep2.hg	16 352 439.0	0.53	M2_S2
M2_S2_Donor4_S2_p	15 330 936	6 508 723.93	INP_Donor4_S2_pooled	20 553 450.0	0.42	M2_S2
M2_S2_Donor4_S2_r	15 330 936	6 508 723.93	INP_Donor4_S2_rep1.hg	20 553 450.0	0.42	M2_S2
M3_S3_Donor1_S1_p	45 309 498	6 095 653.29	INP_Donor1_S1_pooled	61 865 200.0	0.13	M3_S3
M3_S3_Donor1_S1_r	45 309 498	6 095 653.29	INP_Donor1_S1_rep2.hg	61 865 200.0	0.13	M3_S3
M3_S3_Donor1_S2_p	18 476 165	6 174 314.24	INP_Donor1_S2_pooled	24 905 802.0	0.33	M3_S3

sample_name	#reads	n_scaled_reads	input_name	n_input_reads	factor	scaling_group
M3_S3_Donor1_S2_r	18 476 165	6 174 314.24	INP_Donor1_S2_rep1.hg	24 905 802.0	0.33	M3_S3
M3_S3_Donor2_S1_p	49 581 546	11 307 870.35	INP_Donor2_S1_pooled	36 493 597.0	0.23	M3_S3
M3_S3_Donor2_S1_r	49 581 546	11 307 870.35	INP_Donor2_S1_rep1.hg	36 493 597.0	0.23	M3_S3
M3_S3_Donor2_S2_p	36 634 444	8 926 440.95	INP_Donor2_S2_pooled	34 157 706.0	0.24	M3_S3
M3_S3_Donor2_S2_r	36 634 444	8 926 440.95	INP_Donor2_S2_rep2.hg	34 157 706.0	0.24	M3_S3
M3_S3_Donor3_S1_p	10 580 653	4 551 929.98	INP_Donor3_S1_pooled	19 346 140.0	0.43	M3_S3
M3_S3_Donor3_S1_r	10 580 653	4 551 929.98	INP_Donor3_S1_rep2.hg	19 346 140.0	0.43	M3_S3
M3_S3_Donor3_S2_p	35 731 339	5 997 376.58	INP_Donor3_S2_pooled	49 586 722.0	0.17	M3_S3
M3_S3_Donor3_S2_r	35 731 339	5 997 376.58	INP_Donor3_S2_rep1.hg	49 586 722.0	0.17	M3_S3
M3_S3_Donor4_S1_p	9 775 396	4 975 414.30	INP_Donor4_S1_pooled	16 352 439.0	0.51	M3_S3
M3_S3_Donor4_S1_r	9 775 396	4 975 414.30	INP_Donor4_S1_rep2.hg	16 352 439.0	0.51	M3_S3
M3_S3_Donor4_S2_p	17 578 166	7 118 135.62	INP_Donor4_S2_pooled	20 553 450.0	0.40	M3_S3
M3_S3_Donor4_S2_r	17 578 166	7 118 135.62	INP_Donor4_S2_rep1.hg	20 553 450.0	0.40	M3_S3
M4_S4_Donor1_S1_p	46 858 616	6 095 653.29	INP_Donor1_S1_pooled	61 865 200.0	0.13	M4_S4
M4_S4_Donor1_S1_r	46 858 616	6 095 653.29	INP_Donor1_S1_rep2.hg	61 865 200.0	0.13	M4_S4
M4_S4_Donor1_S2_p	20 734 982	6 700 085.62	INP_Donor1_S2_pooled	24 905 802.0	0.32	M4_S4
M4_S4_Donor1_S2_r	20 734 982	6 700 085.62	INP_Donor1_S2_rep1.hg	24 905 802.0	0.32	M4_S4
M4_S4_Donor2_S1_p	32 952 266	7 266 843.95	INP_Donor2_S1_pooled	36 493 597.0	0.22	M4_S4
M4_S4_Donor2_S1_r	32 952 266	7 266 843.95	INP_Donor2_S1_rep1.hg	36 493 597.0	0.22	M4_S4
M4_S4_Donor2_S2_p	34 110 417	8 036 659.23	INP_Donor2_S2_pooled	34 157 706.0	0.24	M4_S4
M4_S4_Donor2_S2_r	34 110 417	8 036 659.23	INP_Donor2_S2_rep2.hg	34 157 706.0	0.24	M4_S4


sample_name	#reads	n_scaled_reads	input_name	n_input_reads	factor	scaling_group
M4_S4_Donor3_S1_p	16 790 121	6 984 522.50	INP_Donor3_S1_pooled	19 346 140.0	0.42	M4_S4
M4_S4_Donor3_S1_r	16 790 121	6 984 522.50	INP_Donor3_S1_rep2.hg	19 346 140.0	0.42	M4_S4
M4_S4_Donor3_S2_p	37 380 394	6 066 744.37	INP_Donor3_S2_pooled	49 586 722.0	0.16	M4_S4
M4_S4_Donor3_S2_r	37 380 394	6 066 744.37	INP_Donor3_S2_rep1.hg	49 586 722.0	0.16	M4_S4
M4_S4_Donor4_S1_p	14 371 201	7 072 790.09	INP_Donor4_S1_pooled	16 352 439.0	0.49	M4_S4
M4_S4_Donor4_S1_r	14 371 201	7 072 790.09	INP_Donor4_S1_rep2.hg	16 352 439.0	0.49	M4_S4
M4_S4_Donor4_S2_p	18 225 890	7 136 433.69	INP_Donor4_S2_pooled	20 553 450.0	0.39	M4_S4
M4_S4_Donor4_S2_r	18 225 890	7 136 433.69	INP_Donor4_S2_rep1.hg	20 553 450.0	0.39	M4_S4


Minute scaled read stats


MINUTE-ChIP scaled global read levels
Points - Replicates; Bars - Pooled
M2_S2
M3_S3
M4_S4
Minute-ChIP Scaled Fraction
0.0
0.5
1.0
1.5
M2 S2 Donor1 S1
M2 S2 Donor1 S2
M2 S2 Donor2 S1
M2 S2 Donor2 S2
M2 S2 Donor3 S1
M2 S2 Donor3 S2
M2 S2 Donor4 S1
M2 S2 Donor4 S2
M3 S3 Donor1 S1
M3 S3 Donor1 S2
M3 S3 Donor2 S1
M3 S3 Donor2 S2
M3 S3 Donor3 S1
M3 S3 Donor3 S2
M3 S3 Donor4 S1
M3 S3 Donor4 S2



1.0
0.5
0.0
M4 S4 Donor1 S1
M4 S4 Donor1 S2
M4 S4 Donor2 S1
M4 S4 Donor2 S2
M4 S4 Donor3 S1
M4 S4 Donor3 S2
M4 S4 Donor4 S1
M4 S4 Donor4 S2

Minute scaled read stats - replicates only



MINUTE-ChIP scaled global read levels
M2_S2
M3_S3
M4_S4
Minute-ChIP Scaled Fraction
0.0
0.5
1.0
1.5
M2 S2 Donor1 S1
M2 S2 Donor1 S2
M2 S2 Donor2 S1
M2 S2 Donor2 S2
M2 S2 Donor3 S1
M2 S2 Donor3 S2
M2 S2 Donor4 S1
M2 S2 Donor4 S2
M3 S3 Donor1 S1
M3 S3 Donor1 S2
M3 S3 Donor2 S1
M3 S3 Donor2 S2
M3 S3 Donor3 S1
M3 S3 Donor3 S2
M3 S3 Donor4 S1
M3 S3 Donor4 S2


0.5
0.0
M4 S4 Donor1 S1
M4 S4 Donor1 S2
M4 S4 Donor2 S1
M4 S4 Donor2 S2
M4 S4 Donor3 S1
M4 S4 Donor3 S2
M4 S4 Donor4 S1
M4 S4 Donor4 S2
Replicate
1
2

Barcode representation



Barcode representation (perc)




FastQC on raw reads *Version:* `0.12.1`

FastQC results on raw reads.

Sequence Counts

Sequence counts for each sample. Duplicate read counts are an estimate only.


Number of reads | Percentages



Sequence Quality Histograms

The mean quality value across each base position in the read.


Y-Limits: on



Per Sequence Quality Scores

The number of reads with average quality scores. Shows if a subset of reads has poor quality.

Y-Limits: on




Per Base Sequence Content

The proportion of each base position for which each of the four normal DNA bases has been called.

Click a sample row to see a line plot for that dataset.

Rollover for sample name

Position: - %T: - %C: - %A: - %G: - Export Plot




Per Sequence GC Content

The average GC content of reads. Normal random library typically have a roughly normal distribution of GC content.

Y-Limits: on


Percentages | Counts



Per Base N Content

The percentage of base calls at each position for which an `N` was called.

Y-Limits: on




Sequence Length Distribution

All samples have sequences of a single length (72bp , 58bp). See the General Statistics Table.

Sequence Duplication Levels


The relative level of duplication found for every sequence.

Y-Limits: on



Overrepresented sequences by sample

The total amount of overrepresented sequences found in each library.



Top overrepresented sequences

Top overrepresented sequences across all samples. The table shows 20 most overrepresented sequences across all samples, ranked by the number of samples they occur in.


Copy table | Configure Columns | Plot | Showing $^{1}/_{1}$ rows and $^{3}/_{3}$ columns.

Overrepresented sequence	Samples	Occurrences	% of all reads
GGGGGGGGGGGGGGGGGGGGGGC	4	10 574 814	0.5239%

Adapter Content

The cumulative percentage count of the proportion of your library which has seen each of the adapter sequences at each position.

Y-Limits: on



Status Checks

Status for each FastQC section showing whether results seem entirely normal (green), slightly abnormal (orange) or very unusual (red).

Sort by highlight **Min:** 0 **Max:** 1


Cutadapt *Version:* 4.4

This step removes adapters from reads that no longer have UMIs. *DOI: 10.14806/ej.17.1.200.*

Filtered Reads

This plot shows the number of reads (SE) / pairs (PE) removed by Cutadapt.

Counts | Percentages




Trimmed Sequence Lengths (3')

This plot shows the number of reads with certain lengths of adapter trimmed for the 3' end.

Y-Limits: on

Counts | Obs/Exp




Samtools stats


Extra statistics on final BAM files. *DOI: 10.1093/bioinformatics/btp352.*

Samtools Flagstat

This module parses the output from `samtools flagstat`. All numbers in millions.


Hover over a data point for more information





XY counts


Number of Reads | Percent of X+Y Reads



Mapped reads per contig

The `samtools idxstats` tool counts the number of mapped reads per chromosome / contig. Chromosomes with < 0.1% of the total aligned reads are omitted from this plot.

Counts | Log10 | Normalised Counts | Observed over Expected Counts | Raw Counts



Picard


Picard is a set of Java command line tools for manipulating high-throughput sequencing data.

Insert Size

Plot shows the number of reads at a given insert size. Reads with different orientations are summed.

Y-Limits: on


Counts | Percentages



Mark Duplicates

Number of reads, categorised by duplication state. **Pair counts are doubled** - see help text for details.

Number of Reads | Percentages



Software Versions

Software Versions lists versions of software tools extracted from file contents.

Copy table

Software	Version
Cutadapt	4.4
FastQC on raw reads	0.12.1

MultiQC v1.18 - Written by Phil Ewels, available on GitHub.
This report uses HighCharts, jQuery, jQuery UI, Bootstrap, FileSaver.js and clipboard.js.

seqera