



DNA Methylation Profile (Donor 1)
Input
Me-InHouse (M2)
Unmethylated (M3)
Me-Commercial (M4)
genes
-3.0
TSS
TES
3.0Kb
gene distance (bp)
5
4
3
2
1
0


PCA: Methylation Capture Methods
PC2 (16.8% of var. explained)
PC1 (79.4% of var. explained)
0.3
0.2
0.1
0.0
−0.1
0.000
0.025
0.050
0.075
0.100
0.125
0.150
0.175
0.200
INP_Donor1_S1_pooled.hg19
INP_Donor1_S2_pooled.hg19
INP_Donor2_S1_pooled.hg19
INP_Donor2_S2_pooled.hg19
INP_Donor3_S1_pooled.hg19
INP_Donor3_S2_pooled.hg19
INP_Donor4_S1_pooled.hg19
INP_Donor4_S2_pooled.hg19
M2_S2_Donor1_S1_pooled.hg19
M2_S2_Donor1_S2_pooled.hg19
M2_S2_Donor2_S1_pooled.hg19
M2_S2_Donor2_S2_pooled.hg19
M2_S2_Donor3_S1_pooled.hg19
M2_S2_Donor3_S2_pooled.hg19
M2_S2_Donor4_S1_pooled.hg19
M2_S2_Donor4_S2_pooled.hg19
M3_S3_Donor1_S1_pooled.hg19
M3_S3_Donor1_S2_pooled.hg19
M3_S3_Donor2_S1_pooled.hg19
M3_S3_Donor2_S2_pooled.hg19
M3_S3_Donor3_S1_pooled.hg19
M3_S3_Donor3_S2_pooled.hg19
M3_S3_Donor4_S1_pooled.hg19
M3_S3_Donor4_S2_pooled.hg19
M4_S4_Donor1_S1_pooled.hg19
M4_S4_Donor1_S2_pooled.hg19
M4_S4_Donor2_S1_pooled.hg19
M4_S4_Donor2_S2_pooled.hg19
M4_S4_Donor3_S1_pooled.hg19
M4_S4_Donor3_S2_pooled.hg19
M4_S4_Donor4_S1_pooled.hg19
M4_S4_Donor4_S2_pooled.hg19
Scree plot
Eigenvalue
Cumulative variability
Principal Component
25000
20000
15000
10000
5000
0
1.0
0.8
0.6
0.4
0.2
0.0
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32


Me_InHouse
Me_Commercial
Unmethylated
Input
fraction w.r.t. bin with highest coverage
rank
0.0
0.2
0.4
0.6
0.8
1.0

Spearman Correlation: Methylation vs Unmethylation

