







RATCHET and STRAPPING PROCEDURE

This process includes all procedures involved for Anchoring Vehicles on Carriers with Ratchets and Straps

ACTIONS / STEPS

1	Park the vehicle on the Carrier. Apply the Handbrake and Exit the vehicle.	
2	Place a wheel chock behind the wheel so that the vehicle cannot move while Strapping or Loading other vehicles.	
3	<p>Make sure to Strap over the Wheel Chock. This will keep the vehicle Anchored while being transported.</p> <ol style="list-style-type: none"> 1. Hook the 1st Hook into the Perforated Deck as Center to the Wheel as possible. 2. Place the Strap Equipped with a Sleeve over the Center of the Tyre Tread. 3. Hook the Floating Hook into the Perforated Deck over the Wheel Chock as close to the Center of the Wheel as possible. 4. Hook the Ratchet Hook into the Perforated Deck as close to the side of the Carrier as possible, this will allow you the Best access to the Ratchet. 	
4	<p>Be sure to Tighten the Ratchet in an Even Manner in a Straight Motion.</p> <p>If Pulling the Ratchet to Tighten, make sure to follow the same Procedure.</p>	  
5	<p>There should ALWAYS be 4 x Anchored points.</p> <p>There should ALWAYS be 2 x Wheel Chocks Securing a vehicle.</p>	

RATCHET and STRAPPING PROCEDURE

This process includes all procedures involved for Anchoring Vehicles on Carriers with Ratchets and Straps

ACTIONS / STEPS

6	<p>When Tightening the Ratchet, DO NOT OVER Tighten EG: With a Foot, as this will damage the Ratchet.</p>	
7	<p>When Tightening the Ratchet, DO NOT TWIST the Ratchet Handle as this will Bend the Locking Pins on the inside of the Ratchet.</p>	
8	<p>DO NOT OVERLAP RATCHETS AND STRAPS. Ratchets lying over straps will cut the Straps.</p> <p>Fastening Straps to the Carrier deck will damage Straps.</p> <p>Once the vehicles have been Offloaded, the Ratchets and Straps should be Rolled up and Stored.</p>	

RATCHET and STRAPPING PROCEDURE

This process includes all procedures involved for Anchoring Vehicles on Carriers with Ratchets and Straps

ACTIONS / STEPS

9	<p><u>RATCHET AND STRAPS CONDITION CATEGORY</u></p> <p>Ratchets and Straps will be Audited at Truck and Trailer Inspections. The Condition Comment will be:</p> <ol style="list-style-type: none">1. PERFECT – In New condition or perfect working order2. IMPERFECT – In working condition but having minimum working life left3. DISCARD – In Poor working order and needing immediate replacement <p>This rating will become a measurement on how your Ratchets and Straps are being managed.</p>
---	---