Pokémon Card Game

Demo Link

https://velvety-mousse-38f1cf.netlify.app/

Objectives

The objective of this assignment is to design and develop a memory card game using CSS and JS.

Instructions:

- Create a card game utilizing Pokémon cards.
- Retrieve Pokémon randomly from the Pokiapi.co API server.
- Introduce game difficulty levels: easy, medium, and hard. Adjust the number of cards and time limits according to the chosen difficulty. Failure to complete the game within the specified time will result in a loss for the player.
- Ensure that each Pokémon can only be assigned to a single card and cannot be used for multiple cards.
- Add a start and a reset buttons to the game.
- Display a header showing the number of clicks the user has mad, the number of pairs left, number of pairs matched, and total number of pairs.
- Allow users to select a themes. For example, a user can choose between dark and light themes.
- Add a power up feature that allows the player see all the cards for short time

User Stories

- As a player, I want to play a card game utilizing Pokémon cards, So that I can enjoy the game with familiar and exciting Pokémon characters.

- As a game developer, I want to retrieve Pokémon randomly from the Pokiapi.co API server, So that each game session offers a unique and diverse set of Pokémon cards.

- As a player, I want to have different difficulty levels (easy, medium, and hard), So that I can choose the level of challenge that suits my skill and preference.

- As a player, I want the number of cards and time limits to adjust based on the chosen difficulty level, So that the game remains balanced and appropriately challenging.

- As a player, I want to ensure that each Pokémon can only be assigned to a single card, So that the game follows the rules of memory card games and offers a fair gameplay experience.

- As a player, I want the game to have a start button, So that I can initiate a new game session whenever I'm ready.

- As a player, I want the game to have a reset button, So that I can restart the current game session if I make a mistake or want to start over.

- As a player, I want to see a header displaying relevant game information, Such as the number of clicks I have made, the number of pairs left, the number of pairs matched, and the total number of pairs, So that I can track my progress and stay informed during the game.

- As a player, I want to be able to select different themes (e.g., dark and light), So that I can customize the visual appearance of the game according to my preference.

- As a player, I want a power-up feature that allows me to see all the cards for a short period of time, So that I can strategically plan my moves and improve my chances of finding matching pairs.

Suggested Development Strategy

- Step 1. Setup the files and the imports
- Step 2. Create Six cards. Add two images inside each card; front and back in each card. Have the cards inside a flex box.
- Step 3. Overlap the front and the back of each card so that only the back of the cards are visible.
- Step 4. Add a flip animation to the cards on hover.
- Step 4.1 Add the flip class to rotateY(180deg) to the .card:hover and transition in 1s
- Step 4.2 Make the rotation in 3d by adding perspective: 1000px; to the .card
- Step 5. Check if two cards are the same.
- Step 6a. If two cards are not the same, flip them back
- Step 6b. If two cards are not the same, flip them back with some delay
- Step 7. If two cards are the same, remove them from the game.
- Step 8. Corner case 1. If the user clicks on the same card twice, do nothing.
- Step 9. Corner case 2. If the user clicks on a card that is already matched, do nothing.
- Step 10. Corner case 3. If the user clicks on a card while two cards are already flipped, do nothing.
- Step 11a. Add the winning event. If user clicks on all the cards, display a winning message.
- Step 11b. Add a header showing the number of clicks the user has made, and the number of pairs left, number of pairs matched, and total number of pairs.
- Step 12a. Add a timer to the game.
- Step 12b. Show the time in the header.
- Step 13. Add a *reset* button to the game.
- Step 14. Add a *start* button to the game.
- Step 15.a Add a difficulty level to the game. Show the levels controls to the header.
- Step 15.b Add the logic to the difficulty levels.
- Step 16. Add themes
- Step 17. Add power-up logic. May be reveal all cards for short period of time.

Rubric [Out of 50]:

- [2 Marks] [complete/incomplete] Cards flip when clicked
- [2 Marks] [complete/incomplete] If the user clicks on the same card twice, do nothing.
- [2 Marks] [complete/incomplete] If the user clicks on a card that is already matched, do nothing.
- [2 Marks] [complete/incomplete] If the user clicks on a card while two cards are already flipped, do nothing.

- [7 Marks] [complete/incomplete] Winning Event is implemented. If user clicks on all the cards, display a winning message.
- [7 Marks] [complete/incomplete] Header is showing the number of clicks the user has made, and the number of pairs left, number of pairs matched, total number of pairs, and game timer.
- [7 Marks] [complete/incomplete] Start and Reset buttons are added to the game.
- [7 Marks] [complete/incomplete] Difficulty levels are added to the game.
- [7 Marks] [complete/incomplete] Themes are added to the game.
- [7 Marks] [complete/incomplete] Power-up logic is added to the game.