

**LERUKA**

**LERUKA**  
**Use-Case Specification: Start game**

**Version <1.3>**

## Revision History

Date	Version	Description	Author
31/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.
19/12/2015	1.1	Feature Narration hinzugefügt	Ruth W.
12/04/2016	1.2	Änderungen für Erläuterung der Punkte	Ruth W.
15/04/2016	1.3	Hinzufügen der Function Points	Ruth W.

## Table of Contents

[Use-Case Name](#)  
[Brief Description](#)  
[Mockup](#)  
[Flow of Events](#)  
[Basic Flow](#)  
[Alternative Flows](#)  
[Special Requirements](#)  
[Preconditions](#)  
[n/a](#)  
[Postconditions](#)  
[Extension Points](#)  
[Function Points](#)


## Use-Case Specification: Start Game

### 1. Use-Case Name

#### 1.1 Brief Description

With start game the user starts the game and the play figure starts running and also the points get increased. Also there are created obstacles in random distances.


#### 1.2 Mockup



### 2. Flow of Events

#### 2.1 Basic Flow

The user can start playing and points get increased.



**2.1.1 Narration**  
[Start Game feature file](#)

**2.2 Alternative Flows**  
n / a

**3. Special Requirements**  
n/a

**4. Preconditions**  
n/a

**5. Postconditions**  
n/a

## 6. Extension Points

n/a

## 7. Function Points

We calculated the function points with the following table. The Use Case “Start game” has 146,08 points.

**Domain Characteristic Table**

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR		
		Simple	Average	Complex
Number of User Input	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Outputs	<input type="text" value="2"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Inquiries	<input type="text" value="3"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Number of Files	<input type="text" value="14"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Number of External Interfaces	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>