LERUKA

LERUKA
Use-Case Specification: Start game

Version <1.4>

Revision History

| Date	Version	Description	Author
31/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.
19/12/2015	1.1	Feature Narration hinzugefügt	Ruth W.
12/04/2016	1.2	Änderungen für Erläuterung der Punkte	Ruth W.
15/04/2016	1.3	Hinzufügen der Function Points	Ruth W.
01/06/16	1.4	Anpassungen	Ruth W.

Table of Contents

Use-Case Specification: Start Game

1.   Use-Case Name

1.1   Brief Description

With start game the user starts the game and the play figure starts running and also the points get increased. Also there are created obstacles in random distances.

1.2   Mockup

2.   Flow of Events

2.1   Basic Flow

The user can start playing and points get increased.

2.1.1 Narration

Not possible to test with feature files.

2.2 Alternative Flows

n / a

3. Special Requirements

n/a

4. Preconditions

n/a

5. Postconditions

n/a

6. Extension Points

n/a

7. Function Points

We calculated the function points with the following table. The Use Case "Start game" has 146,08 points.

Domain Characteristic Table

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR Simple	Average	Complex
Number of User Input	0	●	○	○
Number of User Outputs	2	●	○	○
Number of User Inquiries	3	○	○	●
Number of Files	14	○	●	○
Number of External Interfaces	0	●	○	○