LERUKA Use-Case Specification: Register

Version <1.5>

Revision History

Date	Version	Description	Author	
26/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.	
31/10/2015	1.1	Aktivitäten Diagramm und Mockup eingefügt	Ruth W.	
19/12/2015	1.2	Feature Narration hinzugefügt	Ruth W.	
13/04/2016	1.3	Spielpunkte eingefügt	Kassandra F., Ruth W.	
15/04/2016	1.4	Hinzufügen der Function Points	Kassandra F.	
01/06/2016	1.5	Anpassungen	Ruth W.	

Table of Contents

<u>Use-Case Name</u>

Brief Description

Mockup

Flow of Events

Basic Flow

Narration

Alternative Flows

User name is already in use

Special Requirements

Preconditions

Postconditions

Extension Points

Functions Points

Use-Case Specification: Register

1. Use-Case Name

1.1 Brief Description

In "Registrieren" you could create a new user account.


1.2 Mockup



2. Flow of Events

2.1 Basic Flow

The user can select a display name and has to create a password.



2.1.1 Narration

Register feature file

Test result

2.2 Alternative Flows

2.2.1 User name is already in use

If the username is already taken the user will get a hint and the text field for the username will be focused.

3. Special Requirements

n/a

4. Preconditions

It must exist a connection to the server.

5. Postconditions

If the user has create a account the name has to be displayed in the user lists.

6. Extension Points

n/a

7. Functions Points

We calculated the function points with the following table from TINY TOOLS. The Use Case Register has 38,72 points.

Domain Characteristic Table

COUNT (value >= 0)	WEIGHTING FACTOR		
1		Average	Complex
1			
0	•	0	0
2	•	0	0
5	•	0	0
0	•	0	0
	(value >= 0) 1 0 2	(value >= 0) Simple 1	(value >= 0) Simple Average 1 Image: Average of the control o