LERUKA Use-Case Specification: Rate levels

Version <1.3>

Revision History

Date Version		Description	Author
26/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.
31/10/2015	1.1	Aktivitäten Diagramm und Mockup hinzugefügt	Ruth W.
06/04/2016	1.2	Allgemeine Änderungen Ruth W.	
15/04/2016	1.3	Hinzufügen der Function Points Kassandra F.	

Table of Contents

<u>Use-Case Name</u>

Brief Description

Mockup

Flow of Events

Basic Flow

Alternative Flows

Special Requirements

Preconditions

Postconditions

Extension Points

Functions Points

Use-Case Specification: Change Settings

1. Use-Case Name

1.1 Brief Description

In rate levels you could rate the different levels.


1.2 Mockup



2. Flow of Events

2.1 Basic Flow

For the user it is possible to rate every level.



2.2 Alternative Flows

n/a

3. Special Requirements

n/a

4. Preconditions

The user has to be logged in. And there has to be a connection to the server,

5. Postconditions

If the user has rated a level it has to be updated.

6. Extension Points

n/a

7. Functions Points

We calculated the function points with the following table from TINY TOOLS. The Use Case Rate Levels has 44.88 points.

Domain Characteristic Table

MEASUREMENT PARAMETER	COUNT (value >= 0)	WE Simple	EIGHTING FACT Average	OR Complex
Number of User Input	3	•	0	0
Number of User Outputs	1	•	0	0
Number of User Inquiries	1	•	0	0
Number of Files	5	•	0	0
Number of External Interfaces	0	•	0	0

Complexity Adjustment Table | FP Calculation