

LERUKA

LERUKA

Use-Case Specification: View personal highscore

Version <1.2>

Revision History

Date	Version	Description	Author
26/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.
31/10/2015	1.1	Aktivitäten Diagramm und Mockup hinzugefügt	Ruth W.
19/12/2015	1.2	Feature Narration hinzugefügt	Ruth W.

Table of Contents

- [Use-Case Name](#)
- [Brief Description](#)
- [Mockup](#)
- [Flow of Events](#)
- [Basic Flow](#)
- [Alternative Flows](#)
- [Special Requirements](#)
- [Preconditions](#)
- [Postconditions](#)
- [Extension Points](#)


Use-Case Specification: View personal highscore

1. Use-Case Name

1.1 Brief Description

“View personal highscore” should show members their personal top 5 scores.


1.2 Mockup



2. Flow of Events

2.1 Basic Flow

Users who are logged in can see their highscore.



2.1.1 Narration

Feature: View personal highscore

Scenario: View personal highscore works fine

Given I am logged in

And I press "Persönlicher Highscore"

Then I see "Dein Highscore"

Scenario: View personal highscore fails

Given I am not logged in

And I don't see "Persönlicher Highscore"

Then I should see "Leruka"

2.2 Alternative Flows

n/a

3. Special Requirements

n/a

4. Preconditions

Users have to be logged in.

5. Postconditions

n/a

6. Extension Points

n/a