





The registration page combines php processing with html form elements, demonstrating double scripting. The form uses post to submit participant details for validation. The participant enters their full name, age and parish. Php validates these values: The form collects the participant's email address and telephone number, together with optional contact preference, volunteering experience and availability. PHP validates the information before storing it in the session.




The form collects the participant's email address and telephone number, together with optional contact preference, volunteering experience and availability. PHP validates the information before storing it in the session. The participant selects a scheduled participation date. In the updated application, an associative array links each activity to its available dates, and PHP checks that the selected date belongs to the chosen activity. Validation and remembered preference: The application displays an error because no interest or skill was selected. Previously entered choices remain available for correction. The remembered activity message demonstrates retrieval of a non sensitive preference through cookie. Checkbox options are generated from the indexed skills array. Participants must select at least one skill. The Clear Session Skills button uses unset() to remove selected skills without ending the full session.




Review registration page: The confirmation page retrieves the selected preferences from $_SESSION and displays them for review. Clicking Confirm and Save writes the registration to the CSV file using PHP file handling. The confirmation page displays the participant's personal and contact information carried between pages through the session. An associative array connects field names to their display labels.







The administrator report reads saved CSV files using fopen() and fgetcsv(). Each registration is displayed in a table, and fclose() closes the file after reading. Older records display “Not specified” for additional fields that were not collected previously.




The Finish page asks the participant to confirm before clearing their session. The action is submitted through POST so that opening the page alone does not end the session.



After confirmation, session_unset() clears the session variables and session_destroy() ends the session. Saved CSV records remain available, while the separate activity preference cookie is retained.



The administrator login validates the submitted username and password. Incorrect credentials produce an error message, while successful authentication establishes an administrator session.



After successful login, the administrator can access the registration report. The requireAdmin() function checks administrator session status before allowing records to be displayed.

common.php uses session_start() to begin the session. The application uses isset() before accessing required session information. preferences.php creates the activity preference using setcookie() and retrieves it through $_COOKIE. Registrations are written using fputcsv() in saveRegistration().