



Product 545078:Spec 002, ITG C&J Core Playwear Kni:C119 Sae-A

Created Date	09/11/2018 12:09 CDT	Source	001 : Sae-A Trading Company Ltd.
Product Name	545078, ITG C&J Core Playwear Knit Dresses - Jersey Option 3	Specification	002 : C119 Sae-A
Packet Type			

Specification Summary

Specification Stage	Pre-Production	ABO Style	No
----------------------------	----------------	------------------	----

Additional Specification Attributes

Vendor Style #		Product Shrinkage	4%x4%
-----------------------	--	--------------------------	-------

Product General Attributes

Division	NIT APPAREL	Agency	NEWBORN/INFANT/TODDLER
Department	031-INFANT/TODDLER GIRL	Brand	Cat & Jack
Program Name	ITG C&J Opp Dresses	Collection Designator	
Material Category	Knit	Design Strategy	Internal design
Product Claims		Number of styles in PID	1
		Comments	

Product Season Attributes

Set Date		Fabric/Product Calendar	
Design Cycle	2019 C1 Spring		

Specification Internal Comments :

User	Entered On	Comments
Kelly.Salutz	08/20/2018 6:13 GMT	1. This is a preferred style. 2. Technical information copied from similar styles. Adjust as necessary for styling. 4. Sketch overrides information in the packet. 5. Complete the following sections in the packet based on the sketch: a. Update sketch to remove impression grid and any unnecessary layers and add any construction detail needed b. Technical Tab Points of Measure Section - add any points of measure needed to the evaluation. c. Technical Tab Construction and Assembly - add any assembly and construction information for this style to the evaluation All fabric and trim information is on the impression grid on sketch.

User	Entered On	Comments
		All fabric and trim information is on the impression grid on sketch. Cost as hanging Any measurement marked with 0 is to be determined by vendor, based on sketch. Contact Kelly Salutz with questions. Please wait to receive sample yardage before making samples as long as they arrive in Minneapolis by 12/29.
Jaimee.Howard	08/20/2018 6:13 GMT	Design Ref sample comments: No comments for changes. Proceed with fit sample as is

Specification External Comments :		
User	Entered On	Comments

BOM Materials

BOM Name:		001 : 535074, CJITG Product Creation Template				BOM Status:		In Progress			
-----------	--	---	--	--	--	-------------	--	-------------	--	--	--





Section: Fabric

	Component or Location	Material	Material Description	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Total Fiber Content	Total Fabric Weight X-Mill	Mechanical	Chemical	Thread Count EPI + PPI	Courses Per Inch - CPI	Wales Per Inch - WPI	Supplier Name	Supplier Article #	Comments
	dress, sleeves, binding	AP-33423-FS376 35-2018 C4 Winter	Standard Jersey Ex-mill 160gsm 60/40 cotton/ Recycled poly	S, AOP, FD		Jersey	60% Cotton, 40% Polyester	160.00	Spray/Tumble	N/A	0	50	0	Jung Woo Vina Co., Ltd	JW-15-SJ10-0419	*Correct fiber content : 60% Cotton, 40% Repreve Recycled polyester
	dress, sleeves, binding	AP-34115-FS445 73-2018 C4 Winter	Standard Jersey Ex-mill 180 gsm 60/40 cotton/recycled polyester, VN	S, AOP, FD		Jersey	60% Cotton, 40% Recycled Polyester	180.00	Spray/Tumble	N/A	0	44	0	Jung Woo Vina Co., Ltd	JW-16-SJ10-0165	






Section: Vendor Sourced Fabric

	Component or Location	Material	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Fiber Content	Construction	Fabric Finish	Ex-Mill Weight	Supplier	Supplier Article #	Comments
	panty	GVS jersey			Jersey	60% Cotton, 40% Polyester			160gsm			




Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	CB	T13674, CJ15_08 B01, Cat & Jack HTL w/ optional special sizing and/or callout, Heat Transfer	Label	CJ15_08 B01				Merchand ise Vendors					mm	
	SS	T5484, TA05_05 A1, TNB Satin Generic Care TA00000 0018628, Printed, White	Label	TA05_05 A1				Merchand ise Vendors					mm	
	SS	T14013, TNB16_0 3F03, DPCI Tracking w/ Country Of Origin for 2 pc sets- soft recycled, Printed, White	Label	TNB16_0 3F03				Merchand ise Vendors					mm	
	seams topstitch needle	T15090, Spun Polyester Thread, Spun polyester	Thread					Merchand ise Vendors				T-30	Tex	
	seams topstitch looper	T15470, Textured Polyester Thread, Textured polyester	Thread					Merchand ise Vendors				T-18	Tex	

Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
	where needed	T151,STANDARDIZED TD Clear Polyurethane Tape Elastic TA00000 0385465 Clear6	Elastic					Merchandise Vendors						0.25" at shoulder seam and skirt waist seam
 	panty WB	T15376, STANDARDIZED TD Braided Elastic 37G, Knit	Elastic					Merchandise Vendors				.375 in	Inches	
 	panty leg opening	T15376, STANDARDIZED TD Braided Elastic 37G, Knit	Elastic					Merchandise Vendors				.25in	Inches	

BOM Colorways**BOM Name:** 001 : 535074, CJITG Product Creation Template**BOM Status:** In Progress**Section: Fabric**

Component or Location	Material	C418CJGAOP137-1	C418CJGAOP144-4
dress, sleeves, binding	AP-33423-FS37635-2018 C4 Winter		 C418CJGAOP144-4
dress, sleeves, binding	AP-34115-FS44573-2018 C4 Winter	 C418CJGAOP137-1	

Section: Vendor Sourced Fabric

Component or Location	Material	C418CJGAOP137-1	C418CJGAOP144-4
panty	GVS jersey	almond cream	bleached aqua

Section: Trim				
Component or Location	Material	Trim Color	C418CJGAOP137-1	C418CJGAOP144-4
CB	T13674, CJ15_08B01, Cat & Jack HTL w/ optional special sizing and/or callout, Heat Transfer		HOT SAUCE	HOT SAUCE
SS	T5484, TA05_05A1, TNB Satin Generic Care TA000000018628, Printed, White			
SS	T14013, TNB16_03F03, DPCI Tracking w/ Country Of Origin for 2 pc sets- soft recycled, Printed, White			
seams topstitch needle	T15090, Spun Polyester Thread, Spun polyester		DTM to BODY GROUND ALMOND CREAM	DTM to BODY GROUND BLEACHED AQUA
seams topstitch looper	T15470, Textured Polyester Thread, Textured polyester		DTM to BODY GROUND ALMOND CREAM	DTM to BODY GROUND BLEACHED AQUA
where needed	T151, STANDARDIZED TD Clear Polyurethane Tape Elastic TA000000385465Clear6		CLEAR	CLEAR
panty WB	T15376, STANDARDIZED TD Braided Elastic 37G, Knit		WHITE	WHITE
panty leg opening	T15376, STANDARDIZED TD Braided Elastic 37G, Knit		WHITE	WHITE

Technical Overview**Name** 001all colorways-Active**Size Definition** Newborn/Infant/Toddler Knit Preemie - 7 Numeric-Active**Base Size** 3T**Size Definition Template**

Newborn/Infant/Toddler Knit Preemie - 7 Numeric-Active

Grade Rule Template

Newborn/Infant/Toddler Knit Grade Template-Active

Last Updated

08/21/2018 9:31 CDT

Note: Shaded areas are critical

<i>Measurement Set: 001all colorways-Active Sample Size: 3T UOM: in</i>									
POM #(-)POM Name	POM Special Instructions	Tol (+)	Tol (-)	12 MONTHS	18 MONTHS	2T	3T	4T	5T
A15E.R-NK WDTN EDGE	Binding neck finish	0.375	0.375	5.250	5.375	5.625	5.750	5.875	6.000
A25FE.R-FRT NK DROP EDGE	Use for neck drop above mid armhole	0.250	0.250	2.000	2.000	2.125	2.250	2.375	2.500
A35BE.R-BK NK DROP EDGE		0.250	0.250	1.500	1.500	1.500	1.500	1.500	1.500
A55.R-MIN NK STRTCH		0.000	0.000	20.500	20.500	21.500	21.500	22.000	22.000
B15.R-BUST/CHEST BLW A/H		0.750	0.750	20.000	21.000	22.000	23.000	24.000	25.000
F02.R-ACRS BK SHLDR		0.375	0.375	7.875	8.250	8.625	9.000	9.875	10.250
C01.R-HPS TO FRT WAIST POS		0.500	0.500	6.750	7.250	7.750	8.250	8.750	9.250
C15.R-WAIST BODICE TOP		0.750	0.750	19.000	20.000	21.000	22.000	23.000	24.000
H15.R-A/H DROP FRM HPS	Set In Slv	0.250	0.250	4.875	5.125	5.250	5.500	5.750	5.875
G01.R-CB TO SLV EDGE		0.500	0.500	15.000	16.000	17.250	18.500	19.750	21.000
L02.R-SLV OPNG HEM		0.500	0.500	5.750	5.750	6.000	6.000	6.250	6.250
E01.VG-SWEEP-Vendor to Grade	Vendor to advise based on styling - Vendor to Grade - Refer to the "Grading Best Methods" on POL	1.000	1.000	37.000	39.000	41.000	43.000	45.000	47.000
M25.SLD-HPS FRT LNGTH-Short Length Dress	Just Above Knee	0.500	0.500	16.500	17.750	19.500	20.750	22.125	23.500


Construction Overview**Name:** 001all colorways-Active**Note: Shaded areas are critical**

Construction Detail - 001all colorways-Active			
Section	Detail	Placement	Update
Care	Care instructions must begin with Wash before Wear		
Care	VENDOR IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH CARE LABELING REGULATIONS AND GUIDANCE – If appropriate for the product, Target prefers that owned brand products use the following care labeling instructions – “Machine Wash-Tumble Dry”. VENDOR provides settings per FTC Reg + Bleach/Iron. See http://www.ftc.gov/bcp/edu/pubs/business/textile/bus50.shtm or www.ftc.gov/bcp/edu/pubs/business/textile/bus21.shtm . If product's care labeling deviates from “machine wash tumble dry”, VENDOR must contact Target TD		
Other Details	Childrens apparel - Please reference POL for childrens safety guide		
Other Details	Please begin pattern work with appropriate Target Sloper (available to download on Partners OnLine). Also reference grade rules, if available.		
Other Details	Review Garment Standards and A & A Construction Guides from POL specific to division, fabrication and silhouette. For all children's garments, contact 3rd party lab for latest version of requirements.		
Other Details	Please contact the G TD located on POL Softlines Product Dev Communication Contacts that is closest to your sample room for any questions on this style		
Other Details	Vendor is responsible to ensure all label placements meet FTC and custom requirements.		
Expression of Fit	Worn over diaper for sizes 0/3mos - 24mos, over pull-up for size 3T, and over mannequin for sizes 4T-5T.		
Cutting Requirements	colorway AOP137-1 only : Plaid/Stripe is balanced at sleeve		
Cutting Requirements	colorway AOP137-1 only : Plaid/Stripe is horizontal alignment at top body		
Binding	Clean finish, top and bottom	neck binding	
Packing Instructions	Cost as Hanging Garment, commit will over ride		
Other Details	Shirring - 2 to 1fullness to be evenly distributed at waist.		
Other Details	12M & 18M ONLY: Ships with PANTY - refer to PID 507296 (woven) or 517289 (knit) for panty fit, construction and trims. Materials and Impressions for panty will still exist within dress/skirt PID.		
Pressing Requirements	Do not Hard Press		
SPI	12,+2/-1 (Topstitching/Seam)		
Seams/Topstitch	401 Chainstitch, all topstitching unless otherwise specified	neck binding	
Seams/Topstitch	406 2 needle coverstitch, 1/8"	sleeve opening, sweep	
Seams/Topstitch	514, Double Needle Overlock 2 needle, 4 thread overlock		

NIT3TG09
Details: Girl - all brands-
all categories

☐ Preferred ☐ Back up ☐ Virtual

☐ Style adopted for BBBG




Inspiration/EOF Digitals




Target respects the intellectual property rights of others. The photographs contained in this objective packet are intended to be used only for inspiration in creating new, original products and should not be directly copied. Likewise, the companies listed as "Benchmark Styles" should serve only to inspire a level of quality and style, and should not serve as an invitation to copy the products sold by these companies.


Kids Top HTL Care at Side Seam




NIT & BBBG Tops/Rompers



NIT & BBBG Dresses



NIT SNP/Bodysuit



***This generic image is for the interior label placement only. Follow the style specific image for all details.**

* DPCI under Fiber and Care Label

*See comments for placement overrides

Care Label Responsibility

IMPORTANT: Target may furnish, specify or adopt product specifications, performance standards, drawings, product claims, instructions, descriptions and/or other information related to the goods you sell to Target (the "Specifications"). Regardless of the Specifications, **VENDOR IS RESPONSIBLE** for: (1) product and packaging safety; (2) compliance with all applicable laws, rules, regulations, standards, codes, orders, directives, judicial and administrative decisions, and ordinances, of the country of origin, the country of transit, the United States and Canada, any state, province, or other subdivision thereof, and any agency or entity of the foregoing, including all laws relating to packaging and labeling (the "Laws"); (3) accuracy and substantiation of all product and packaging claims; (4) evaluating the necessity for, and creation of, product warnings; (5) providing products and packaging to Target that do not infringe the proprietary rights of any third party; and (6) compliance with all terms set forth on Target's Partners Online system and/or any other system used by Target. In addition, each vendor's products and packaging must comply with any specifications furnished, specified or adopted by Target. If a vendor believes there to be a conflict between Target's specifications and product safety, Laws, or the intellectual property rights of others, the vendor must contact Target promptly to discuss Target's specifications and ensure product safety and compliance with Laws. Vendors are **NOT** relieved from any obligations or liability for any reason or because of any action by Target or any third party including, but not limited to, any of the following: (a) the vendor has received a satisfactory lab test result, (b) Target has conducted testing, (c) Target has accepted or approved the vendor's product, designs, claims, materials or packaging, (d) Target has reviewed claim substantiation, and/or (e) Target has authorized an override of testing protocol or testing results. Target reserves the right to amend its testing protocols and packaging production guides at any time. No subsequent or prior communication between Target and a vendor may operate to modify the obligations set forth in this paragraph, unless specifically agreed to in a writing signed by a Target Vice President or Senior Vice President.

Cat & Jack™

TOPS


[hanging]
Standard Presentation

Primary Hangtag:

For Non-Reprieve: CJ16_50A01_KIDS_Core_Retail_HT.JPG

For Reprieve: CJ17_50A01_KIDS_Core_Retail_HT.JPG

Example



*Starting C1-18, packaging trims are the same for Store and ETA Target.com orders

Above image is intended for reference only.

For actual hangtag and order information,
refer to TOBP.

Floor ready specs can be found on POL.
Please refer to floor ready requirements for
in-store presentation.

B-1a