



nazwa	dane	
M_MS_Srf	Base pass vertex shader: 358 instructions	358
	Stats:	
	Resource Limit: 64	64
	Resources Used: 8	8
	RW Resource Limit: 16	16
	RW Resources Used: 0	0
	Sampler Limit: 32	32
	Samplers Used: 2	2
	Texture samplers: 5/16	
	Texture Lookups (Est.): VS(3), PS(3)	
	User interpolators: 2/4 Scalars (1/4 Vectors) (TexCoords: 2, Custom: 0)	
	Shader Count: 3	
	Preshaders: 12 (14 param fetches, 21 ops)	
M_deafult (sciany)	Base pass vertex shader: 370 instructions	370
	Stats:	
	Resource Limit: 64	64
	Resources Used: 9	9
	RW Resource Limit: 16	16
	RW Resources Used: 0	0
	Sampler Limit: 32	32
	Samplers Used: 2	2
	Texture samplers: 5/16	
	Texture Lookups (Est.): VS(3), PS(9)	
	Virtual Texture Lookups (Est.): 5	
	Virtual Texture Stacks: 5	
	User interpolators: 8/8 Scalars (2/4 Vectors) (TexCoords: 8, Custom: 0)	
	Shader Count: 5	
	Preshaders: 73 (137 param fetches, 496 ops)	
M_ceilinnng	Base pass vertex shader: 352 instructions	352
	Stats:	
	Resource Limit: 64	64
	Resources Used: 7	7
	RW Resource Limit: 16	16
	RW Resources Used: 0	0
	Sampler Limit: 32	32
	Samplers Used: 2	2
	Texture samplers: 4/16	
	Texture Lookups (Est.): VS(0), PS(3)	
	Shader Count: 3	
	Preshaders: 2 (2 param fetches, 4 ops)	
M_btnStart	Base pass vertex shader: 352 instructions	352
	Stats:	
	Resource Limit: 64	64

Resources Used: 7	7
RW Resource Limit: 16	16
RW Resources Used: 0	0
Sampler Limit: 32	32
Samplers Used: 2	2
Texture samplers: 4/16	
Texture Lookups (Est.): VS(0), PS(3)	
Shader Count: 3	
Preshaders: 2 (2 param fetches, 4 ops)	

Material	Base pass shader
M_MS_Srf	358
M_deafult	370
M_ceilinng	352
M_btnStart	352



Gdy wyższy słupki to materiał jest cięższy obliczeniowo, il
które GPU musi wykonać dla każdego pikseli
Bardziej zaawansowany wizualnie nie znaczy, że też droższ
maski, dodatkowe jakieś funkcje, wszystko ma znaczen



ość instrukcji shadera
a obiektu
y. Tekstury, dodatkowe
ie i może obciążać.