



Elena

A local AI developer assistant that
lives in my terminal.

Runs on my Mac. Free. Private.
Hands the heavy lifting to Claude.

github.com/Leslie-23/elena


swipe →

My code, servers and ports live on this machine. So does she.

- › Runs **qwen3:14b** through Ollama on an M1 Pro. No API bill.
- › Nothing leaves the Mac unless I approve it.
- › **24 tools:** files, git, ports, dev servers, memory, subagents, macOS.
- › Works **with** Claude Code and Codex, in both directions.

WHAT IT LOOKS LIKE

Ask in plain English.
She checks the machine.



elena • local developer assistant
Transport-For-Ghana • qwen3:14b
Mac: battery 100% • 172 GB • mem 24%

you > what's running on my dev ports?
→ listening_ports {"filter":"node"}
:: Checking which ports are in use... 1s


elena > Four Node servers are up:
6969 tapngo-api
8081 Metro for godriver_mobile
8082 tapngo-client-mobile
8088 campus-connect/client

PERFORMANCE

Making a 14B model feel fast on a laptop.

Thinking mode off by default

26.9s




3.7s



Same short answer. Thinking stays on where it pays: code reviews.

Prompt-cache warm-up at startup

13.8s



0.4s



First reply. It only worked once the warm-up request matched the real one exactly, down to the thinking flag.

MEASURED, NOT GUESSED

39% → 94%

on my eval: 10 tasks, 18 automatic checks, the same questions for every model.



Finding code, arithmetic from code, a decoy file, a planted prompt injection and three planted bugs. Small and self-built: a regression test, not a benchmark.

WHAT MOVED THE NUMBER

The model wasn't dumb. It was careless.

WHAT WENT WRONG

Answered without looking at the code

Gave up after one narrow search

Said "let me check..." and stopped

Did arithmetic in its head

THE FIX

A file list in its prompt, and "look first"

Search widens itself when a filter finds nothing

A nudge to actually take the step

A calculate tool: a parser, not eval

Guardrails live in code, not in the prompt.

- › Every command, server start and cloud handoff **asks first**, showing exactly what will run.
- › Her own tools never touch a shell. `; rm -rf` in a search is just text.
- › File access is sandboxed to the project, symlinks resolved.
- › Text in files and logs is data, never instructions.
- › When another agent drives her, she's read-only.

Elena and Claude Code hand work to each other.

eLena → cLauDe

Heavy work goes to Claude Code or Codex in the background: big refactors, deep reviews. Read-only unless I approve edits.



cLauDe → eLena

Over MCP, Claude asks Elena for local, free, private work: my notes, project scans, dev servers, Mac notifications.

\$0.46 → \$0.01 per small handoff, by switching off connectors the task didn't need.

TRY HER

One Line on macOS or Linux.

```
curl -fsSL https://raw.githubusercontent.com/Leslie-23/elena/main/install.sh | bash
```

Then type **eLena** in any project.

Next: a bigger eval on real repos, tests and CI, and smarter context management.