```
/*Main, About, Blog and Newletter Cascading Style Sheet*/
/* NOTE: ADD @media-screen AT THE END OF YOUR MAIN NORMAL CSS */
@font-face {
  font-family: IBM;
  src: url(IBMPlexSans-Regular.ttf);
  /*
  SOURCE: fonts.google.com/specimen/IBM+Plex+Sans
}
body {
  background-color: black;
  color: white;
  font-family: IBM;
  /*CSS will fall back onto any font that is avaiable, it starts at the beginning and moves forward, and
if a font isn't found the default HTML5 font is used.*/
  font-size: 1.5vw;
}
.altHome {
  text-decoration: none;
  color: rgb(255, 255, 255);
}
.wholeLogo {
  display: flex;
  justify-content: center;
  align-items: center;
  gap: 10px;
}
.logoImg {
  filter: invert(50%) sepia(51%) saturate(4126%) hue-rotate(163deg)
   brightness(100%) contrast(101%);
  width: 5vw;
  height: auto;
  opacity: 50%;
}
.headline {
  position: absolute;
}
.main {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
}
.navMain {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: row;
  gap: 50px;
.blogPageImg {
  width: 10vw;
  height: auto;
.signUpImg {
  filter: invert(50%) sepia(51%) saturate(4126%) hue-rotate(700deg)
    brightness(100%) contrast(101%);
  width: 10vw;
  height: auto;
.aboutImg {
```

```
filter: hue-rotate(500deg);
  width: 10vw;
  height: auto;
}
body {
  margin: 10px 20px 0px 20px;
}
.blogPreview {
  text-align: center;
}
.blog {
  text-align: center;
}
.signUpPreview {
  text-align: center;
.signUp {
  text-align: center;
}
.aboutPreview {
  text-align: center;
.about {
  text-align: center;
}
.navList > li {
  margin-top: 10px;
}
span > a {
  text-decoration: none;
  color: cadetblue;
  margin: 5px;
  padding: 5px;
span > a:hover {
  color: rgb(255, 255, 255);
  outline: 1px solid red;
  border-radius: 10px;
  background-color: rgba(4, 0, 255, 0.2);
}
li > a {
  text-decoration: none;
  color: cadetblue;
  margin: 5px;
  padding: 5px;
li > a:hover {
  color: rgb(255, 255, 255);
  outline: 1px solid red;
  border-radius: 10px;
  background-color: rgba(4, 0, 255, 0.2);
.asideSection {
  display: flex;
  flex-direction: column;
  align-items: center;
}
.asideMain {
  width: 100%;
```

```
display: grid;
  grid-template-columns: 50% 50%;
  gap: 2px;
}
/* START Main.html <700px CSS */
@media screen and (max-width: 700px) {
  body {
    font-size: 3vw;
  }
  .asideMain {
    display: flex;
    flex-direction: column;
    gap: 2px;
  }
  .blogPageImg {
    width: 20vw;
    height: auto;
  }
  .signUpImg {
    filter: invert(50%) sepia(51%) saturate(4126%) hue-rotate(700deg)
      brightness(100%) contrast(101%);
    width: 20vw;
    height: auto;
  }
  .aboutImg {
    filter: hue-rotate(500deg);
    width: 20vw;
    height: auto;
  }
  .navList {
    font-size: 4vw;
  }
}
/* END Main.html <700px CSS */
/* BLOG CSS */
ul > li {
  text-decoration: none;
  list-style-type: none;
}
.navHeader {
  display: flex;
  justify-content: center;
  align-items: center;
  gap: 10px;
.webDesignHeader {
  position: absolute;
.navList {
  display: flex;
  justify-content: center;
  gap: 20px;
}
.historyArticleImage {
  display: flex;
  justify-content: center;
.historyArticleImg {
  width: 50%;
  height: auto;
```

```
}
.outlineArticle-1 {
  outline: 2px solid red;
  padding: Opx 2Opx Opx 2Opx;
.designArticleImage {
  display: flex;
  justify-content: center;
  border-radius: 500px;
}
.outlineArticle-2 {
  outline: 2px solid rgb(255, 136, 0);
  padding: Opx 2Opx Opx 2Opx;
}
.designArticleImg {
  width: 50%;
 height: auto;
}
.designArticleBalanceImage {
  display: flex;
  justify-content: center;
}
.designArticleBalanceImg {
  width: 30vw;
  height: auto;
}
.designArticleVarietyImage {
  display: flex;
  justify-content: center;
}
.designArticleVarietyImg {
  width: 50vw;
  height: auto;
}
.designArticleUnityImage {
  display: flex;
  justify-content: center;
}
.designArticleUnityImg {
  width: 30vw;
  height: auto;
.designArticlePatternImage {
  display: flex;
  justify-content: center;
.designArticlePatternImg {
  width: 30vw;
  height: auto;
.designArticleContrastImage {
  display: flex;
 justify-content: center;
.designArticleContrastImg {
  width: 30vw;
  height: auto;
.outlineArticle-3 {
  outline: 2px solid rgb(0, 255, 255);
  padding: 0px 20px 0px 20px;
```

```
margin-bottom: 20px;
}
.exampleArticleImage {
  display: flex;
  justify-content: center;
}
.exampleArticleImg {
  width: 50%;
  height: auto;
}
p[class~="createDate"] {
  text-align: center;
div[class~="exampleHTML"] {
  margin-top: 20px;
  background-color: rgb(255, 145, 0);
  color: red;
  font-weight: 600;
div[class~="exampleCSS"] {
  margin-top: 20px;
  background-color: rgb(0, 68, 255);
  color: red;
  font-weight: 600;
.shadowText {
  text-shadow: 2px 2px red;
}
.TFX {
  writing-mode: vertical-lr;
}
.tag {
  color: rgb(0, 0, 255);
}
.comment {
  color: rgb(100, 255, 100);
.comment > .tag {
  color: rgb(100, 255, 100);
}
.selector {
  color: rgb(255, 238, 0);
.property {
  color: rgb(0, 255, 255);
span[class~="AS"] {
  color: green;
span[id~="atS"] {
  color: red;
}
.GC::before {
  content: "Here is ";
.strucS :first-child {
  color: blue;
}
/* The child element that is the first-child of strucS will have the property applied to it. */
.exampleBody-div-NPC :not(span) {
  color: orange;
}
```

```
div[class~="exampleBody"] {
  margin-top: 20px;
  background-color: white;
  color: black;
  padding: 20px;
}
.NthPC :nth-child(2) \{
  color: red;
}
/* The 2nd child element that is the child of the parent element will have the property applied to it.
*/
.VPCEmail::placeholder {
  color: white;
}
.VPCEmail:focus {
  outline: none;
}
.VPCEmail {
  width: 100%;
  border: 1px solid black;
  color: white;
  font-family: IBM;
  font-size: 1.5vw;
}
.VPCEmail:invalid {
  background-color: red;
}
.VPCEmail:valid {
  background-color: green;
}
.gradient {
  color: white;
  display: block;
  background: rgb(0, 0, 255);
  background: linear-gradient(
   90deg,
    rgba(0, 0, 255, 1) 0%,
    rgba(255, 0, 0, 1) 100%
 );
}
.transform {
  display: block;
  padding: 2vw;
  width: max-content;
  transform: rotate(45deg);
/* display:block is used here because of space allotment and transform not being applied to inline
elements. */
.transition {
  display: block;
  width: 50%;
  padding: 10px;
  color: white;
  background: red;
  transition: width 2s, background-color 2s;
.transition:hover {
  width: 100%;
  background-color: rgb(0, 255, 0);
}
```

```
/* ANIMATIONS */
@keyframes animation {
  from {
    background-color: red;
  }
  to {
   background-color: blue;
  }
}
.animations {
  color: white;
  animation: animation 1s linear 0s infinite alternate;
  /* Animation shorthand property
    animation: (animation-name) (animation-duration) (animation-type) (animation-delay) (animation-
iteration-count) (animation-direction)
  */
}
.exampleArticle {
  padding-bottom: 10px;
@media screen and (max-width: 700px) {
  .VPCEmail {
   font-size: 3vw;
  }
}
/* Added because email doesn't inherit body font size, because these is a pre-exisitng input element CSS
property, due to its higher specificity it affects affect font size. Hence I used class name to change
font size. */
/* Sign Up HTML */
.signUpHeading {
  font-weight: 100;
.userIconContainer {
  display: flex;
  align-items: center;
  flex-direction: column;
}
.userIconImg {
  filter: invert(1);
  width: 10vw;
  height: auto;
}
.userIconImage {
  display: flex;
  justify-content: center;
.wholeForm {
  display: flex;
  flex-direction: row;
  justify-content: center;
}
.form {
  display: flex;
  flex-direction: column;
  justify-content: center;
  gap: 30px;
.name::placeholder {
  color: rgb(105, 105, 105);
.name {
```

```
font-weight: 100;
  color: black;
  border: 0px;
  outline: 0px;
  font-size: 2vw;
  padding: 2vw 30vw 2vw 2vw;
.email::placeholder {
  color: rgb(105, 105, 105);
}
.email {
  font-weight: 100;
  color: black;
  border: 0px;
  outline: 0px;
  font-size: 2vw;
  padding: 2vw 30vw 2vw 2vw;
}
.submitBtn {
  background-color: aqua;
  color: white;
  font-size: 3vw;
  font-weight: bold;
  padding: 2vw 2vw 2vw;
  border: 0px;
  outline: 0px;
}
.submitBtn:hover {
  color: rgb(136, 0, 129);
  background-color: rgb(221, 186, 255);
}
@media screen and (max-width: 700px) {
  .name {
    font-size: 3vw;
  }
  .email {
    font-size: 3vw;
  }
/* ABOUT HTML */
.aboutSec {
  display: flex;
  flex-direction: column;
  align-items: center;
.aboutHeading {
  min-width: 100%;
  text-align: center;
.mySkillsHeading {
  min-width: 100%;
  text-align: center;
.graphicDesignImage {
  display: flex;
  justify-content: center;
.graphicDesignImg {
  width: 30vw;
  height: auto;
```

```
}
.developmentImage {
  display: flex;
  justify-content: center;
.developmentImg {
  width: 60vw;
  height: auto;
.strategyImage {
  display: flex;
  justify-content: center;
.strategyImg {
  width: 30vw;
  height: auto;
.researchImage {
  display: flex;
  justify-content: center;
}
.researchImg {
  width: 40vw;
  height: auto;
/* 11/10/2022 Completed MABN.css file, validated on "csslint.net", no errors were shown, but warning for
widely used properties. */
/* 05/11/2022 I conducted a validation using "jigsaw.w3.org/css-
validator/validator.html.en#validate_by_upload" this is another CSS Validation Service, no errors were
found*/
```