



Guangzhou Fude Electronic Technology Co., Ltd.

Guangzhou Fude Electronic Technology Co., Ltd. >> (42SHD0001-24B) High Torque 12V DC NEMA 17 Stepper Motor for 3D Printer

Search Products



Showroom

Product



Company Profile



fudemotor.en.made-in-china.com



(42SHD0001-24B) High Torque 12V DC NEMA 17 Stepper Motor for 3D Printer

Price: **US \$ 4-4.5/Piece**

Min Order: 10/Piece

Pay Type: T/T,Western Union,Paypal,Money Gram



Contact Supplier

Production Description

Product Specifications

Company Introduction

Product Description

- 1. NEMA 17 stepper motor, high performance, low heat, low noise and high torque.
- 2. Performance and parameters can be customized, just simply send your motor diagram or samples to us, the competitive price will be sent to you for your reference.

Motor Drawing

Casun®

Technical drawing of a motor assembly, showing side and front views with dimensions.

Side View Dimensions:

- Overall length: 34_{max}
- Distance from mounting face to centerline: 24 ± 0.5
- Mounting flange thickness: 2
- Distance from centerline to mounting face: 20
- Mounting flange outer diameter: $\Phi 22_{-0.052}^0$
- Mounting flange inner diameter: $\Phi 5_{-0.012}^0$
- Mounting flange height: 4.5 ± 0.1
- Motor body width: 12

Front View Dimensions:

- Overall width: 42.3_{max}
- Distance between mounting holes: 31 ± 0.1
- Distance from centerline to mounting hole center: 31 ± 0.1
- Overall height: 42.3_{max}
- Mounting hole diameter: $4-M3$
- Mounting hole depth: $\text{deep } 4.5 \text{ min}$
- Motor body height: 6.5
- Motor body width: 16
- Motor body type: $S6B-PH-K$

广州福得电子科技有限公司
GUANGZHOU FUDE ELECTRONIC TECHNOLOGY CO., LTD

42SHD0001-24B型步进电动机规格书

FT3. 162. 1545

A0									
版本	更改内容		签 字	日 期	图 样 标 记 重 量 比 例				
设 计		标 准 化							
		批 准							
审 核									
工 艺		日 期			共 1 张 第 1 张				

Model	Holding torque	Rated current	Resistance per phase	Inductance per phase	Detent torque	Rotor inertia	Lead wire	Motor length
	mN.m	A	ohm	mH	mN.m	g.cm ²	No.	mm
42SHD0512	200	0.7	12	15	7.5	20	4	26
42SHD0001	260	0.4	30	37	12	38	4	34
42SHD0002	280	0.6	22	28	12	38	4	


42SHD0009	200	0.4	30	21	12	38	6	
42SHD0029	200	1.2	2.1	1.2	12	38	6	
42SHD0202	400	0.5	25	50	18	57	4	40
42SHD0216	400	1.0	4.5	10	18	57	4	
42SHD0219	300	1.2	3.2	3.0	18	57	6	
42SHD0404	450	1.5	2.0	2.8	37	72	4	48
42SHD0441	420	1.2	3.2	6	37	72	4	
42SHD0801	600	1.5	2.0	3.2	42	102	4	60

You can choose the model from form.

Packing&payment&Delivery

Payment Term	T/T, PayPal, Western Union, Cash, Escrow
Accepted Payment Currency	USD, CNY
Packaging Detail	customized packages, carton box with foam
Delivery Detail	10 Day(s)
Delivety Port	huangpu,luogang,guangzhou
Accepted Delivery Terms	FOB,CIF,EXW


Axial Options




Hollow shaft



Plastic pulley




Gear



Knurling




Dowel




Threaded shaft




Through-hole




Spur gear




Single flat



Double flat






Spur gear



Helical gear

Wire Options



Send your message to this manufacturer

*

E-mail:

Enter your email address

To:

Guangzhou Fude Electronic Technology Co., Ltd.

*

Message:

We suggest you detail your product requirements and company information here.

*

Verification Code:

U R G K

Send

Other Products with This Manufacturers


More >



57mm NEMA 23 Hybrid Stepper Motor for Feeder



57X100mm 1.8 Deg. 3000mn. M NEMA 23 Stepper Motor



1.8 Degree Hybrid NEMA 23 Stepper Motor for CNC



Ce Approved Bipolar 57mm NEMA 23 Linear Non-Captive



NEMA 17 42 X42mm 2 Phase 12 Volt NEMA Stepper Motor