





Практическая работа 13 – Маршрут по умолчанию (нулевой маршрут)





Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 102, y: 525

Run

Time: 00:24:40

PC3

Physical Config Desktop Programming Attributes

GLOBAL Settings

Display Name: PC3

Interfaces: FastEthernet0

Gateway/DNS IPv4

☐ DHCP

☒ Static

Default Gateway: 192.168.0.3

DNS Server:

Gateway/DNS IPv6

☐ Automatic

☒ Static

Default Gateway:

DNS Server:

Server:PT Server0

PC:PT PC0

2960-24TT Switch0

PC:PT PC1

Scenario 0

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

None

Details

Toggle PCU List Window

Активация Windows

Чтобы активировать Windows, перейдите в раздел "Параметры".

10:17 23.02.2025

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1145, y: 100

Run

Time: 00:25:23

PC2

Physical Config Desktop Programming Attributes

GLOBAL Settings

Display Name: PC2

Interfaces: FastEthernet0

Gateway/DNS IPv4

☐ DHCP

☒ Static

Default Gateway: 192.168.1.3

DNS Server:

Gateway/DNS IPv6

☐ Automatic

☒ Static

Default Gateway:

DNS Server:

Server:PT Server0

PC:PT PC0

2960-24TT Switch0

PC:PT PC1

Scenario 0

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

None

Details

Toggle PCU List Window

Активация Windows

Чтобы активировать Windows, перейдите в раздел "Параметры".

10:18 23.02.2025

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 902 y: 531

PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.0.1

Pinging 192.168.0.1 with 32 bytes of data:

Reply from 192.168.0.1: bytes=32 time=1ms TTL=128
Reply from 192.168.0.1: bytes=32 time=1ms TTL=128
Reply from 192.168.0.1: bytes=32 time=1ms TTL=128
Reply from 192.168.0.1: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 192.168.1.3

Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.0.3: Destination host unreachable.
Reply from 192.168.0.3: Destination host unreachable.
Request timed out.
Reply from 192.168.0.3: Destination host unreachable.

Ping statistics for 192.168.1.3:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

PC-PT PC0

2900-24TT Switch0

PC-PT PC1

Server-PT Server0

Time: 00:31:55

Realtime Simulation

Сценарий 0

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Новый Сценарий

Сценарий MDU List Window

Активация Windows

Чтобы активировать Windows, перейдите в раздел "Параметры".

10:24 25.02.2025