

# Short PDF example of R Markdown

*Garret Christensen*

*05 October, 2017*

## One Click! Knit PDF and you're done.

You only have to install a package once, but you have to load the library every time you want to use it. You'll see that a bunch of ugly commands and output gets displayed. You probably wouldn't really want that in your actual paper.

Which is why you can turn off code (with `echo=FALSE`) and/or results (with `results='hide'`). You're not going to see anything from this chunk here:

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

## Loading the data


You can bring in the Stata data directly with the 'foreign' package. However, as far as I know, this package only works through Stata version 12 data. I might be wrong on that.

## Running Analysis

I ran some regression analysis. The results are very, very, very good.

## Graphics

Graphics can be easily inlaid. Here, I'll make a scatter plot of the WAZ vs HAZ for the children in the wASHB dataset.



## Equations

Equations written with LaTeX syntax works, so you can write short reports all in one file.

$$\frac{dN}{dt} = r * N * (1 - \frac{N}{K})$$

## Refer to Values

You can refer to values calculated in R by just surrounding “r” and the code with single accent marks. For example, the mean frequency is 0.4822888.

The mean frequency rounded to two decimal place is 0.48.

## Simple Output

You can just use built in R functionality.

## Fancier Output

Markdown is designed to be simple and also readable by humans in marked-up form. Like I said, mark`down`, not mark`up`. But you can still get really nicely formatted regression output with a couple of R packages, `xtable` or `stargazer`. (Very similar to `estout` or `outreg2` in Stata.)

Stargazer has three types of output (text, html, and LaTeX).

## TeX->PDF

When we Knit a Markdown as a PDF, it actually makes that PDF using LaTeX. (See [here](#).) So you can use the .tex output option from stargazer and get nice PDF documentation.

Table 1: Made Automatically in R

	<i>Dependent variable:</i>		
	free_chl_yn		
	(1)	(2)	(3)
treatw	0.364*** (0.040)	0.364*** (0.043)	0.365*** (0.041)
kiswahili			-0.011 (0.076)
english			0.034 (0.064)
Constant	0.013 (0.027)	0.013 (0.009)	-0.003 (0.053)
Observations	284	284	284
R <sup>2</sup>	0.223	0.223	0.224
Adjusted R <sup>2</sup>	0.220	0.220	0.216
Residual Std. Error	0.340 (df = 282)	0.340 (df = 282)	0.340 (df = 280)
F Statistic	81.002*** (df = 1; 282)	81.002*** (df = 1; 282)	26.982*** (df = 3; 280)

*Note:*

\*p<0.1; \*\*p<0.05; \*\*\*p<0.01

## Everything All in One Place?

You can do citations. Plots, graphs, and citations, what else do you need for a research paper?

You could also maybe try Sweave (direct combo of LaTeX and R). Or, just like in Stata, you could send your output to .tex files, and include those in your master paper file.