VETURIS XML API
REFERENCE MANUAL
V3.9

Table of contents

Changelog....3
General Issues....5
Communication and parameters....5
Script Example....6
List of Services....7
SearchAvailability....8
XML Request:....10
XML Response:....11
SearchAvailability. Filters....18
AdditionalInformation....20
XML Request:....20
XML Response:....21
ShowMoreRates – Requesting multiple rates....30
BookingConfirmation....33
XML Request:....33
XML Response:....35
Voucher....38
XML Request:....38
XML Response:....38
BookingCancellation....46
XML Request:....46
XML Response:....46
BookingList....51
XML Request:....51
XML Response:....52
CSV....55
Static Data....55
Hotel and Geography Data....56
General Error Response....58
Contact Information....59

Changelog

V3.9	31-10-2023	- Detailed new fields mandatory when you use <Paxes> in certification test
V3.8	14-07-2023	- BookingList now is a mandatory procedure to get certification - Improvements in the explanations and options for ShowMoreRates and PriceChange - Searches with multiple results are now controled in the request - XML examples are updated
V3.7	05-07-2023	- HotelDetailsAvailability, HotelList, HotelUpdates and AllDestinationsList are not longer available - SearchAvailability requests by zone name are deprecated
V3.6	08-06-2023	- Added the information to get cancellation policies in the SearchAvailability process, when they are available - Fixed typos and added info for deprecated functions
V3.5	10-05-2022	- Added more information about the BookingConfirmation control in case of identical bookings - Added <PriceChange> information
V3.3	01-02-2022	- Added the CSV geography files, to replace AllDestinationsRQ
V3.2	17-01-2022	- Minor changes and clarifications for some procedures - Limitations for some services to get static info that soon will be replaced (HotelListRQ, AllDestinationsListRQ)
V3.1	01-10-2020	- Added a new control for multiple rooms / paxes names - The header <resultadosRS currency="XXX"> replaces the use of <currency> in <SearchAvailability>
V3.0	21-10-2019	- Added all the info for the improved Test Environment - Added the access to the CSV for the clients in Test Environment - Minor changes in the description and glitches corrections
V2.4	13-09-2016	- Removed mandatory condition from Voucher service. - Added information to the Voucher service description. - Added Locator to Booking Confirmation Response. - Added ZoneList and NoteList to HotelList service - Added CSV to download hotelstatic information - Added “TimeLimit” parameter to SearchAvailability
V2.3	13-11-2015	- Changed the way the RoomID is presented in the

		AdditionalInformation response.
V2.2	05-11-2015	- Added new HotelUpdates service to download a list of hotel updates since a specific date. -Added new parameter to HotelList request (HotelID) -Max Rooms, Adults and Children added to SearchAvailability request specification. -Marked tag “Offer” as deprecated. -Changed “CountryCode” tag description in SearchAvailability request -Removed non-refundable amenity
V2.1	20-04-2015	- Adding 'Refundable' and 'Non-Refundable' rates in the 'SearchAvailability' response. Before, only the cheapest rate was available. - Adding new tag 'HotelList' in 'SearchAvailability'. - Adding new tag “ShowMoreRates” in the AdditionalInformation request to get additional rates in the AdditonalInformation service. - Marking some fields as 'Deprecated'. - Tag 'StrokePrice' is no lo longer available. - Adding tag 'Reference' in BookingConfirmation. - Adding list of available languages in the manual - CountryID tag in BookingConfirmation is 'integer' - Updating the URL of the live server. - New links to download static data.
V2.0	13-03-2014	- Adding the capability to book many rooms with different occupancy. - Adding new tag 'HotelInformation' in the SearchAvailability service.

General Issues

The purpose of this document is to outline the XML services that are available through Veturis API.

Communication and parameters

You will have to send three mandatory parameters:

- *xmlRQ*: XML request to be sent to the web service.
- *user*: An authorized user is required to access the system.
- *password*: A valid password.
- ***agencyUser***: A user for the client who will make the bookings
- ***agencyPassword***: password for the agencyUser

Please note that these are all POST parameters and should NOT be included in the request's XML.

XML requests must be sent using HTTP POST method to the following URL:

Test Server:

http://testxmlservices.veturis.com/xmlWebServices.php

Live Server:

https://xmlservices.veturis.com/xmlWebServices.php

Script Example

```
<?php
$xmlRQ = '<?xml version="1.0" encoding="UTF-8"?>
        <SearchAvailabilityRQ version="2.0" language="SPA">
          <Request>
            <HotelList>14742</HotelList>
            <Check_in_date>2023-11-21</Check_in_date>
            <Check_out_date>2023-11-22</Check_out_date>
            <Occupancy>
              <Rooms>1</Rooms>
              <Adults>2</Adults>
              <Children>0</Children>
            </Occupancy>
          </Request>
        </SearchAvailabilityRQ>';

$post_data = array('xmlRQ' => $xmlRQ, 'user'=>'youruser',
'password'=>'yourpassword','agencyUser'=> 'agencyuser',
'agencyPassword'=>'agencypassword');
$URL = "https://xmlservices.veturis.com/xmlWebServices.php";
$ch = curl_init($URL);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, $post_data);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
$output = curl_exec($ch);
curl_close($ch);
echo ($output);
?>
```

List of Services

- SearchAvailability (mandatory)
- AdditionalInformation (mandatory)
- BookingConfirmation (mandatory)
- Voucher
- BookingCancellation
- BookingList (mandatory)
- CSV / Static Data

Booking Workflow



SearchAvailability

This service is used to check the availability of hotels. You can request availability for a specific hotel or a list of hotels. You can request up to 1000 hotels in a single request. It is recommended that the hotels belong to the same zone in our geography (although it is not mandatory)

Other mandatory tags in order to do an availability search are:

- 'Occupancy' . In the case of multiple rooms, there are two ways of requesting occupancy in the SearchAvailability service:

  1. All the rooms have the same Occupancy. In this case, set a single 'Occupancy' tag, filling the tag 'Rooms' with the requested number of rooms. E.g. 3 rooms with 2 adults and 1 child in each room.

     ```
     <Occupancy>
       <Rooms>3</Rooms>
       <Adults>2</Adults>
       <Children>1</Children>
       <Ages>
         <Age>5</Age>
         <Age>2</Age>
         <Age>10</Age>
       </Ages>
     </Occupancy>
     ```

     As you can see in the example, you need to set an age tag for every child in the booking (in this case, one child per room)

  2. At least one of the rooms has a different occupancy. In this case, you'll have to set an 'Occupancy' tag for every room. E.g. 3 rooms with 2 adults and 1 room with 1 adult.

     ```
     <Occupancy>
        <Rooms>1</Rooms>
        <Adults>2</Adults>
        <Children>0</Children>
     </Occupancy>
     <Occupancy>
        <Rooms>1</Rooms>
        <Adults>2</Adults>
        <Children>0</Children>
     </Occupancy>
     <Occupancy>
     ```

```
            <Rooms>1</Rooms>
            <Adults>2</Adults>
            <Children>0</Children>
        </Occupancy>
        <Occupancy>
            <Rooms>1</Rooms>
            <Adults>1</Adults>
            <Children>0</Children>
        </Occupancy>
```

In the SearchAvailability response you receive the available results for a specific search.

The results are grouped by Hotel ID , Room ID and Board ID. Also, it is mandatory to consider the tag 'Amenity' ID, which provides additional information about the 'Room type'. For example:

```
<Room>
    <RoomType>
        <ID>41</ID>
        <Name>Suite</Name>
        <Amenities>
            <Amenity>
                <ID>70</ID>
                </Amenity>
        </Amenities>
        <NumberRooms>1</NumberRooms>
    </RoomType>
    <Board>....</Board>
    <Board>....</Board>
</Room>
<Room>
    <RoomType>
        <ID>41</ID>
        <Name>Suite</Name>
        <NumberRooms>1</NumberRooms>
    </RoomType>
    <Board>....</Board>
    <Board>....</Board>
</Room>
```

Amenity number ‘70’ is mandatory. So, in the case above, the response provides two different 'Room Types': “Suite” and “Suite Superior”.

There are two tags referring to “prices” in the availability response:

- **Price Agency** → Price for the agency
- **Price** → Price for the final customer. This is a recommended price unless the attribute “mandatory” equals “1”, in which case is an obligatory final price.

Both prices are “final prices”, because they include the total room price, supplements and discounts.

You can also set a “time limit” for the availability response. The “TimeLimit” tag is optional, and if you use it you will receive the response in the given time. Please note that this might affect the results, showing you less results that there might have been if you had waited for a full time response.

XML Request:

```
<?xml version="1.0" encoding="UTF-8"?>
<SearchAvailabilityRQ version="2.0" language="ENG">
      <Request>
            <HotelList>14742</HotelList>
            <Check_in_date>2023-12-21</Check_in_date>
            <Check_out_date>2023-12-22</Check_out_date>
            <Occupancy>
                  <Rooms>1</Rooms>
                  <Adults>2</Adults>
                  <Children>0</Children>
            </Occupancy>
      </Request>
</SearchAvailabilityRQ>
```

Name	Optional	Data Type	Length	Description
Request	N [1...1]	Request		
Request.**HotelList**	Y [0...1]	String		A list of Hotel ID separated by '/'. It's up to 1000 hotels, but keeping in mind the time limit requested
Request.**Check_in_date**	N [1...1]	Date	10	Check-in date: YYYY-MM-DD
Request.**Check_out_date**	N [1...1]	Date	10	Check-out date: YYYY-MM-DD
Request.**Occupancy**	N [1...n]			You can include many Occupancy groups
Request.Occupancy.**Rooms**	N [1...1]	Int		Number of rooms requested. Max 5 rooms per request
Request.Occupancy.**Adults**	N [1...1]	Int		Number of adults in each room. Max 6 per room.
Request.Occupancy.**Children**	N [1...1]	Int		Number of children in each room **(From 0 to 17 years).** Max 3 per room.
Request.Occupancy.**Ages**	Y* [0...1]			
Request.Occupancy.Ages.**Age**	N [1...n]	int		Children ages
Request.**Filters**	Y [0...1]	Group		Explained in “SearchAvailability. Filters” section.

Request.**CountryCode**	Y [0...1]	String		ISO 3166-1 alpha-3 Country Code. Guest's country of origin (nationality). If you do not use this code the default nationality for your account will be used. **It is highly recommended that you use this parameter** to avoid future problems with the booking.
Request.**HotelInformation**	Y [0...1]	String		If you set this tag to 'Y', you will receive further details of the hotels
Request.**TimeLimit**	Y [0...1]	int		This parameters lets you set a time limit in seconds for the search availability response. If you set this parameter, Veturis will return the response in the time given. Keep in mind that the lower the time, the fewer the results returned.

** Age is mandatory if there is at least one child*

XML Response:


```xml
<?xml version="1.0" encoding="UTF-8"?>
<resultadosRS>
   <Version>2.0</Version>
   <Language>ENG</Language>
   <Request>
      <Check_in_date>2023-12-21</Check_in_date>
      <Check_out_date>2023-12-22</Check_out_date>
      <Location />
      <Hotel>
         <HotelID>14742</HotelID>
      </Hotel>
      <Occupancy>
         <Adults>2</Adults>
         <Children>0</Children>
         <Rooms>1</Rooms>
      </Occupancy>
   </Request>
   <Response>
      <obj>33590.AMUBAP-ESPA3dfd6offL</obj>
      <TotalDestinationHotels>1</TotalDestinationHotels>
      <AvailablesHotel>1</AvailablesHotel>
      <SessionID>AMUBAP-ESPA3dfd6offL</SessionID>
      <Hotels>
         <Hotel>
            <HotelDetails>
               <ID>14742</ID>
               <Name>Paradise Park Fun Lifestyle</Name>
               <NameOriginal />
            </HotelDetails>
            <Accommodations>
               <Room>
                  <RoomType>
```

```
            <ID>1</ID>
            <Name>Double room</Name>
            <Amenities>
               <Amenity>
                  <ID>70</ID>
               </Amenity>
            </Amenities>
            <NumberRooms>1</NumberRooms>
         </RoomType>
         <Board>
            <Board_type>
               <ID>3</ID>
            </Board_type>
            <Currency>EUR</Currency>
            <Price mandatory="0">159.91</Price>
            <PriceAgency>136.72</PriceAgency>
            <DirectPayment>0</DirectPayment>
            <DATOS>14742H1_70H3Hk5nco</DATOS>
            <Offer />
            <Refundable>Y</Refundable>
         </Board>
      </Room>
      <Room>
         <RoomType>
            <ID>1</ID>
            <Name>Double room</Name>
            <Amenities>
               <Amenity>
                  <ID>167</ID>
               </Amenity>
            </Amenities>
            <NumberRooms>1</NumberRooms>
         </RoomType>
         <Board>
            <Board_type>
               <ID>3</ID>
            </Board_type>
            <Currency>EUR</Currency>
            <Price mandatory="0">189.04</Price>
            <PriceAgency>161.63</PriceAgency>
            <DirectPayment>0</DirectPayment>
            <DATOS>14742H1_167H3Hk5qhn</DATOS>
            <Offer />
            <Refundable>Y</Refundable>
            <Cancellation>
               <From>2023-12-19</From>
               <Price>161.63</Price>
            </Cancellation>
         </Board>
      </Room>
      <Room>
         <RoomType>
            <ID>14</ID>
            <Name>Studio</Name>
            <Amenities>
               <Amenity>
```

```
                <ID>167</ID>
            </Amenity>
        </Amenities>
        <NumberRooms>1</NumberRooms>
    </RoomType>
    <Board>
        <Board_type>
            <ID>3</ID>
        </Board_type>
        <Currency>EUR</Currency>
        <Price mandatory="0">188.63</Price>
        <PriceAgency>161.28</PriceAgency>
        <DirectPayment>0</DirectPayment>
        <DATOS>14742H14_167H3Hk5qgg</DATOS>
        <Offer />
        <Refundable>Y</Refundable>
    </Board>
</Room>
<Room>
    <RoomType>
        <ID>41</ID>
        <Name>Suite</Name>
        <NumberRooms>1</NumberRooms>
    </RoomType>
    <Board>
        <Board_type>
            <ID>3</ID>
        </Board_type>
        <Currency>EUR</Currency>
        <Price mandatory="0">209.87</Price>
        <PriceAgency>179.44</PriceAgency>
        <DirectPayment>0</DirectPayment>
        <DATOS>14742H41_H3Hk60pc</DATOS>
        <Offer />
        <Refundable>Y</Refundable>
    </Board>
</Room>
<Room>
    <RoomType>
        <ID>1</ID>
        <Name>Double room</Name>
        <Amenities>
            <Amenity>
                <ID>96</ID>
            </Amenity>
            <Amenity>
                <ID>167</ID>
            </Amenity>
        </Amenities>
        <NumberRooms>1</NumberRooms>
    </RoomType>
    <Board>
        <Board_type>
            <ID>3</ID>
        </Board_type>
        <Currency>EUR</Currency>
```

```
                <Price mandatory="0">172.40</Price>
                <PriceAgency>147.40</PriceAgency>
                <DirectPayment>0</DirectPayment>
                <DATOS>14742H1_96-167H3Hk5on0</DATOS>
                <Offer />
                <Refundable>Y</Refundable>
            </Board>
        </Room>
        <Room>
            <RoomType>
                <ID>42</ID>
                <Name>Junior Suite</Name>
                <NumberRooms>1</NumberRooms>
            </RoomType>
            <Board>
                <Board_type>
                    <ID>3</ID>
                </Board_type>
                <Currency>EUR</Currency>
                <Price mandatory="0">184.89</Price>
                <PriceAgency>158.08</PriceAgency>
                <DirectPayment>0</DirectPayment>
                <DATOS>14742H42_H3Hk5q54</DATOS>
                <Offer />
                <Refundable>Y</Refundable>
            </Board>
        </Room>
        <Room>
            <RoomType>
                <ID>1</ID>
                <Name>Double room</Name>
                <NumberRooms>1</NumberRooms>
            </RoomType>
            <Board>
                <Board_type>
                    <ID>3</ID>
                </Board_type>
                <Currency>EUR</Currency>
                <Price mandatory="0">164.85</Price>
                <PriceAgency>140.95</PriceAgency>
                <DirectPayment>0</DirectPayment>
                <DATOS>14742H1_H3Hk5nrr</DATOS>
                <Offer />
                <Refundable>Y</Refundable>
            </Board>
        </Room>
    </Accommodations>
  </Hotel>
 </Hotels>
</Response>
</resultadosRS>
```

Name	Optional	Data Type	Length	Description
Request	N [1...1]			Search Parameters
Request.**Check_in_date**	N [1...1]	Date	10	Check-in date: YYYY-MM-DD
Request.**Check_out_date**	N [1...1]	Date	10	Check-out date: YYYY-MM-DD
Request.**Location**	N [1...1]			
Request.Location.**ZoneID**	Y [0...1]	int		Zone ID. Will only be present if it was a zone based search.
Request.**Hotel**	N [1...1]			
Request.Hotel.**HotelID**	Y [0...1]	int		Hotel ID. It will only be present if it was a Hotel based search.
Request.**Occupancy**	N [1...n]			The occupancy is the same one as in the request.
Request.Occupancy.**Rooms**	N [1...1]	int		Number of rooms.
Request.Occupancy.**Adults**	N [1...1]	int		Number of adults in each room.
Request.Occupancy.**Children**	N [1...1]	int		Number of children in each room.
Request.Occupancy.**Ages**	Y [0...1]			
Request.Occupancy.Ages.**Age**	N [1...n]	int		Age of each child.
Response				
Response.**obj**	N [1...1]	string		This string is like a 'SessionID'. It is provided by the 'SearchAvailability' method and **it is required to complete the reservation process.**
Response.**TotalDestinationHotels**	N [1...1]	int		Total number of hotels in a destination.
Response.**AvailablesHotel**	N [1...1]	int		Total number of available hotels.
Response.**SessionID**	Y [0...1]	string		Session ID. Will not appear when no results are found.
Response.**Hotels**				Container for the available hotels
Response.Hotels.**Hotel**	N [1...n]			Container for each available hotel
Response.Hotels.Hotel.**HotelDetails**				
Response.Hotels.Hotel.HotelDetails.**ID**	N [1...1]	int		Hotel ID
Response.Hotels.Hotel. HotelDetails.**Name**	N [1...1]	string		The name of a hotel
Response.Hotels.Hotel. HotelDetails.**NameOriginal**	Y [0...1]	string		DEPRECATED
Response.Hotels.Hotel. HotelDetails.**Category**	Y [0...1]			
Response.Hotels.Hotel. HotelDetails.Category.**ID**	N [1...1]	int		Category ID of a hotel

Response.Hotels.Hotel. HotelDetails.Category.**Name**	N [1...1]	int		The name of the category of a hotel
Response.Hotels.Hotel.HotelDetails.**City**	Y [0...1]	string		The city where a hotel is located
Response.Hotels.Hotel. HotelDetails.**Latitud**	Y [0...1]	string		Latitude of the hotel
Response.Hotels.Hotel. HotelDetails.**Longitud**	Y [0...1]	string		Longitude of the hotel
Response.Hotels.Hotel. HotelDetails.**Photo**	Y [0...1]			
Response.Hotels.Hotel. HotelDetails.Photo.**Width**	N [1...1]	int		The width of a photo
Response.Hotels.Hotel. HotelDetails.Photo.**Height**	N [1...1]	int		The height of a photo
Response.Hotels.Hotel. HotelDetails.Photo.**URL**	N [1...1]	Dec		URL of a photo
Response.Hotels.Hotel. HotelDetails.**ImportantNote**	Y [0...1]	string		Important note.
Response.Hotels.Hotel. **Accommodations**				
Response.Hotels.Hotel. Accommodations.**Room**	N [1...n]			
Response.Hotels.Hotel. Accommodations.Room.**RoomType**	N [1...1]			
Response.Hotels.Hotel. Accommodations.Room.RoomType.**ID**	N [1...1]	int		Room ID
Response.Hotels.Hotel. Accommodations.Room. RoomType.**Name**	Y [1...1]	string		Room Name
Response.Hotels.Hotel. Accommodations.Room.**Amenities**	Y [0...1]			
Response.Hotels.Hotel. Accommodations.Room.Amenities. **Amenity**	Y [0...n]			
Response.Hotels.Hotel. Accommodations.Room.Amenities. Amenity.**ID**	N [1...1]	int		Amenity ID
Response.Hotels.Hotel.Accommodations. Room.RoomType.**NumberRooms**	N [1...1]	Int		Number of rooms
Response.Hotels.Hotel.Accommodations. Room.Room.**Board**	N [1...n]			
Response.Hotels.Hotel.Accommodations. Room.Room.Board.**Board_type**	N [1...1]			
Response.Hotels.Hotel.Accommodations. Room.Room.Board.Board_type.**ID**	N [1...1]	int		Board ID

Response.Hotels.Hotel.Accommodations.Room.Room.Board.**Currency**	N [1...1]	string	3	Currency
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**Price**	N [1...1]	Dec		Total Price of the reservation for the customer. (Hotel, room, board). Recommended price unless mandatory is set to “1”
Response.Hotels.Hotel.Accommodations.Room.Room.Board.Price [attribute **mandatory**]	N [1...1]	Int		If set to 1 the final price shown to the customer must be the one shown in the price tag and can not be modified.
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**PriceAgency**	N [1...1]	Dec		Total Price of the reservation for the agency. (Hotel, room, board).
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**DirectPayment**	N [1...1]	int		Direct Payment at the hotel. 0 → Not Direct Payment 1 → Direct Payment
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**DATOS**	N [1...1]	string		An encrypted string which contains information about the selected item (Hotel, room, board). **This parameter is necessary in order to complete the reservation process**
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**Offer**	N [1...1]	string		Deprecated (will be removed in future releases)
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**Refundable**	N [1...1]	string		Possible values 'Y' → Refundable 'N' → Not refundable '-' → Unknown. In this case, you'll have to call the method 'AdditionalInformation' in order to get the cancellation policies.
Response.Hotels.Hotel.Accommodations.Room.Room.**Board.Cancellation**	Y* [0...1]			Appears when it's available from the hotel/channel. They are never binding for the booking
Response.Hotels.Hotel.Accommodations.Room.Room.**Board.Cancellation.From**	Y* [0...1]	Date	10	Date when the cancellation policy start being applied
Response.Hotels.Hotel.Accommodations.Room.Room.Board.**Cancellation.Price**	Y* [0...1]	Int		The price in case of cancellation from the previous date

**This element will appear only when we have a close aproximation to the hotel cancellation policies*

SearchAvailability. Filters

Many filters are available when you do an availability search.

- Hotel Category
- Price
- Room Type
- Amenity
- Board basis.
- **Refundable**

You have to include the 'Filters' tag in order to filter the availability results. Below is an explanation of this filter. All the filters are optional.

All ID required for the filters can be download from our services in CSV format, as explained in the section "CSV: Static Data".

Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<SearchAvailabilityRQ version="2.0" language="SPA">
      <Request>
            <HotelList>H_14542</HotelList>
            <Check_in_date>2023-12-21</Check_in_date>
            <Check_out_date>2023-12-22</Check_out_date>
            <Occupancy>
                  <Rooms>1</Rooms>
                  <Adults>2</Adults>
                  <Children>1</Children>
                  <Ages>
                        <Age>1</Age>
                  </Ages>
            </Occupancy>

            <Filters>
                  <Prices>
                        <PriceTo>100</PriceTo>
                  </Prices>
                  <Boards>
                        <Board>2</Board>
                  </Boards>
                  <Refundable>Y</Refundable>
            </Filters>
      </Request>
</SearchAvailabilityRQ>
```

Name	Optional	Occurrence	Data Type	Description
Filters				
Filters.**Categories**	Y [0...1]	1		
Filters.Categories.**Category**	N [1...n]	n	int	Category ID.
Filters.**Prices**	Y [0...1]	1		
Filters.Prices.**PriceFrom**	Y [0...1]	1	Decimal	Lowest Price shown
Filters.Prices.**PriceTo**	Y [0...1]	1	Decimal	Highest Price shown
Filters.**RoomTypes**	Y [0...1]	1		
Filters.RoomTypes.**RoomType**	N [1...n]	n	Int	Room Type ID.
Filters.**Amenities**	Y [0...1]	1		
Filters.Amenities.**Amenity**	N [1...n]	n	Int	Amenity ID.
Filters.**Boards**	Y [0...1]	1		
Filters.Boards.**Board**	N [1...n]	n	Int	Board ID.
Filters.**Refundable**	Y[0...1]	1	Boolean	Shows only refundable rates for each hotel and room

AdditionalInformation

This service is used to provide additional information about the booking as an intermediate step between the availability results and the booking confirmation. AdditionalInformation informs you of the total price of the reservation, and gives you detailed prices of the rooms, supplements, and / or (if there are any) discounts, offers, essential information for the customers. It also informs of the cancellation policy. **The date and cancellations times shown are GMT+1, UTC+1 (or 2 during the summer)**

You can add the tag 'ShowMoreRates' set to 'Y' to get some additional rates and look for refundable rates (more information in page 33)

Please note that the final price is shown in the PriceAgency tag that is a direct child of AdditionalInformationRS tag and it is the same shown in the availability response. ***The supplements and discounts detailed are merely informative.***

Another very important field in this webservice is “EssentialInformation” which is information the client needs in order to be fully informed of the hotel's conditions before making the booking. It is mandatory to show this information to the customer, not doing so may cause issues with the booking.

XML Request:

```
<?xml version="1.0" encoding="UTF-8"?>
<AdditionalInformationRQ version="3.8" language="ENG">
      <Request>
            <obj>33590.AMUBAP-ESPA3dfd6offL</obj>
            <DATOS>13208_H3Hk5q54</DATOS>
      </Request>
</AdditionalInformationRQ>
```

Name	Optional	Occurrence	Data Type	Length	Description
Request	N [1...1]	1			
Request.**obj**	N [1...1]	1	string		This string is like a 'SessionID'. It is provided by the 'SearchAvailability' method and it is required to complete the reservation process
Request.**DATOS**	N [1...1]	1	string		A string which contains information about the selected item (Hotel, room, board). It is provided by the 'SearchAvailability' method and it is required to complete the reservation process.

Request.**ShowMoreRates**	Y [0..1]	1	String		If this tag is set to 'Y', additional rates will be provided, for example refundable rates.

XML Response:


```
<AdditionalInformationRS>
      <HotelDetails>
            <ID>13208</ID>
            <Name>Mercure Madrid Plaza de España</Name>
            <Category>
                  <ID>7</ID>
                  <Name>4 STARS</Name>
            </Category>
            <Address>Tutor 1, 28008 Madrid</Address>
            <City>MADRID</City>
            <Location>
                  <Country>
                        <ID>15</ID>
                        <Name>SPAIN</Name>
                  </Country>
                  <Destination>
                        <ID>154</ID>
                        <Name>Madrid</Name>
                  </Destination>
                  <Zone>
                        <ID>545</ID>
                        <Name>Madrid</Name>
                  </Zone>
            </Location>
            <Photo>
                  <Width>57</Width>
                  <Height>90</Height>
                  <URL>http://hoteles.veturis.com/hotel-Mercure-Madrid-Plaza-de-
Espana-F13208_18_thumbs.jpg
                  </URL>
            </Photo>
      </HotelDetails>
      <SearchAvailabilityDetails>
      <Check_in_date>2023-12-21</Check_in_date>
      <Check_in_day_of_week>Jueves</Check_in_day_of_week>
      <Check_out_date>2023-12-22</Check_out_date>
      <Check_out_day_of_week>Viernes</Check_out_day_of_week>
      <Days>1</Days>
      <RoomID>42_</RoomID>
      <Occupancy>
         <Rooms>1</Rooms>
         <Adults>2</Adults>
         <Children>0</Children>
      </Occupancy>
      <RoomName numberOfRooms="1" RoomID="42_">Junior suite</RoomName>
      <BoardID>3</BoardID>
      <BoardName>Half-board</BoardName>
   </SearchAvailabilityDetails>
```

```
   <AgencyBalance>
      <Balance>0.00</Balance>
      <Credit>10000.00</Credit>
      <AmountAvailable>10000.00</AmountAvailable>
   </AgencyBalance>
   <AdditionalInformation>
      <status>1</status>
      <CommentsAllow>Y</CommentsAllow>
      <OnRequest>0</OnRequest>
      <CountryCodeAvailability>ESP</CountryCodeAvailability>
      <Rooms>
         <Room>
            <RoomID>42_</RoomID>
            <From>2023-12-21</From>
            <To>2023-12-22</To>
            <numberOfRooms>1</numberOfRooms>
            <Adults>2</Adults>
            <Children>0</Children>
            <Price>184.89</Price>
            <PriceAgency>158.08</PriceAgency>
         </Room>
      </Rooms>
      <Cancellation>
         <Period>
            <From>2023-12-19</From>
            <To>2023-12-21</To>
            <Hour>00:00:00</Hour>
            <Amount>184.89</Amount>
            <PriceAgency>158.08</PriceAgency>
         </Period>
      </Cancellation>
      <Suplements />
      <Discounts />
      <Offers />
      <Meals />
      <EssentialInformation>
         <Information>
            <Description>There are areas in which the hotels charge a tourist
tax. Normally this tax is not included in the price of the booking.The client
will be responsible for paying such a tax.</Description>
            <From>2023-12-21</From>
            <To>2023-12-22</To>
         </Information>
      </EssentialInformation>
      <fechaInicioCancelacion>2023-12-19</fechaInicioCancelacion>
      <horaInicioCancelacion>00:00:00</horaInicioCancelacion>
      <fechaLimiteSinGastos>2023-12-18</fechaLimiteSinGastos>
      <horaLimiteSinGastos>23:59</horaLimiteSinGastos>
      <PaymentTypes>
         <Type code="SL">Saldo</Type>
      </PaymentTypes>
   </AdditionalInformation>
   <PriceChange>160.25</PriceChange>
   <PVP mandatory="0">184.89</PVP>
   <PriceAgency>158.08</PriceAgency>
   <PendingPayments>0</PendingPayments>
   <PendingPaymentsDeadLine>2023-07-17</PendingPaymentsDeadLine>
```

```
   <MandatoryPaxes>N</MandatoryPaxes>
</AdditionalInformationRS>
```

Name	Optional	Data Type	Length	Description
HotelDetails				
HotelDetails.**ID**	N [1...1]	int		Hotel ID
HotelDetails.**Name**	N [1...1]	string		The name of a hotel
HotelDetails.**Category**	N [1...1]			
HotelDetails.Category.**ID**	N [1...1]	int		Category ID of a hotel
HotelDetails.Category.**Name**	N [1...1]	int		The name of the category of a hotel
HotelDetails.**Address**	N [1...1]	string		The address of a hotel
HotelDetails.**City**	N [1...1]	string		The city where a hotel is located
HotelDetails.**Location**	N [1...1]			
HotelDetails.Location.**Country**	N [1...1]			
HotelDetails.Location.Contry.**ID**	N [1...1]	int		Country ID
HotelDetails.Location.Country.**Name**	N [1...1]	string		The name of a country
HotelDetails.Location.**Destination**	N [1...1]			
HotelDetails.Location.Destination.**ID**	N [1...1]	int		Destination ID
HotelDetails.Location.Destination.**Name**	N [1...1]	string		The name of a destination
HotelDetails.Location.**Zone**	N [1...1]			
HotelDetails.Location.Zone.**ID**	N [1...1]	int		Zone ID
HotelDetails.Location.Zone.**Name**	N [1...1]	string		The name of a zone
HotelDetails.**Photo**	N [1...1]	group		Information, URL and size for a hotel photo
HotelDetails.Photo.**Width**	N [1...1]	int		The width of a photo
HotelDetails.Photo.**Height**	N [1...1]	int		The height of a photo
HotelDetails.Photo.**URL**	N [1...1]	string		The URL of a photo
SearchAvailabilityDetails				
SearchAvailabilityDetails.**Check_in_date**	N [1...1]	Date	10	Check-in date: YYYY-MM-DD
SearchAvailabilityDetails. **Check_in_day_of_week**	N [1...1]	string		Check-in day of the week
SearchAvailabilityDetails.**Check_out_date**	N [1...1]	Date	10	Check-out date: YYYY-MM-DD
SearchAvailabilityDetails. **Check_out_day_of_week**	N [1...1]	string		Check-out day of the week
SearchAvailabilityDetails.**Days**	N [1...1]	int		Days of overnight stay

SearchAvailabilityDetails.**RoomID**	N [1...1]	int		Room ID: This is formed by the Room ID in the availability plus the amenities of the room. The Room ID will always contain and underscore (_) after it and the amenities are separated by a dash (-). Example: 1_1-70 : Double room superior-sea view Note that the underscore after the RoomID will exist always, whether the Room has or hasn't got any amenities.
SearchAvailabilityDetails.**Occupancy**	N [1...n]			Requested occupancy
SearchAvailabilityDetails.Occupancy.**Rooms**	N [1...1]	int		Number of requested Rooms in this occupancy
SearchAvailabilityDetails.Occupancy.**Adults**	N [1...1]	int		Number of requested Adults in this occupancy
SearchAvailabilityDetails.Occupancy.**Children**	N [1...1]	int		Number of requested Children in this occupancy
SearchAvailabilityDetails.Occupancy.**Ages**	Y [0...1]			
SearchAvailabilityDetails.Occupancy. Ages.**Age**	N [1...n]	int		Age of each child.
SearchAvailabilityDetails.**RoomName**	N [1...n]	string		The name of a Room
SearchAvailabilityDetails.RoomName [attribute **numberOfRooms**]	N [1...1]	int		The number of rooms of this type
SearchAvailabilityDetails.**BoardID**	N [1...1]	int		Board ID
SearchAvailabilityDetails.**BoardName**	N [1...1]	string		The name of a Board
AgencyBalance	N [1...1]			
AgencyBalance.**Balance**	N [1...1]	float		Balance in the agency's account.
AgencyBalance.**Credit**	N [1...1]	float		Credit available.
AgencyBalance.**AmountAvailable**	N [1...1]	float		Credit left.
AdditionalInformation				
AdditionalInformation.**status**	N [1...1]	bool		1 → OK 0 → KO
AdditionalInformation.**CommentsAllow**	N [1...1]			Y → True N → False
AdditionalInformation.**OnRequest**	N [1...1]	bool		Added for future compatibility. For the moment, it will always be 0, as we don't work with onRequest bookings.
AdditionalInformation.**Rooms**	N [1...1]			
AdditionalInformation.Rooms.**Room**	N [1...n]			

AdditionalInformation.Rooms.Room.**RoomID**	N [1...1]	int		Room ID: This is formed by the Room ID in the availability plus the amenities of the room. The Room ID will always contain and underscore (_) after it and the amenities are separated by a dash (-). Example: 1_1-70 : Double room superior-sea view. Amenities are listed in ascending order. Note that the underscore after the RoomID will exist always, whether the Room has or hasn't got any amenities.
AdditionalInformation.Rooms.Room.**From**	N [1...1]	Date	10	Check-in date: YYYY-MM-DD
AdditionalInformation.Rooms.Room.**To**	N [1...1]	Date	10	Check-out date: YYYY-MM-DD
AdditionalInformation.Rooms. Room.**numberOfRooms**	N [1...1]	int		Number of rooms
AdditionalInformation.Rooms.Room.**Adults**	N [1...1]	int		Number of adults in a room
AdditionalInformation.Rooms.Room.**Children**	N [1...1]	int		Number of children in a room
AdditionalInformation.Rooms.Room.**BoardID**	N [1...1]	int		Board ID
AdditionalInformation.Rooms.Room.**Price**	N [1...1]	Dec		Price of a room for the customer
AdditionalInformation.Rooms.Room.**PriceAgency**	N [1...1]	Dec		Price of a room for the agency. THIS IS NOT THE FINAL PRICE.
AdditionalInformation.**Cancellation**	N [1...1]			
AdditionalInformation. Cancellation.**Cancellation**				Cancellation Policies
AdditionalInformation.Cancellation.**Period**	N [1...n]			
AdditionalInformation.Cancellation. Period.**From**	N [1...1]	Date	10	The date after which a cancellation policy applies: YYYY-MM-DD
AdditionalInformation.Cancellation. Period.**To**	N [1...1]	Date	10	The date before which a cancellation policy applies YYYY-MM-DD
AdditionalInformation.Cancellation. Period.**Hour**	N [1...1]	Time	5	The time after which a cancellation policy applies. HH:MM
AdditionalInformation.Cancellation. Period.**Amount**	N [1...1]	Dec		Amount that will be charged for cancellation. (customer)
AdditionalInformation.Cancellation. Period.**PriceAgency**	N [1...1]	Dec		Amount that will be charged for cancellation (agency)
AdditionalInformation.**Supplements**	N [1...1]			
AdditionalInformation. Supplements.**Supplement**	Y [0...n]			

AdditionalInformation. Supplements.Supplement.**From**	N [1...1]	Date	10	The date the supplement begins on: YYYY-MM-DD
AdditionalInformation. Supplements.Supplement.**To**	N [1...1]	Date	10	The date the supplement ends on: YYYY-MM-DD
AdditionalInformation. Supplements.Supplement.**Obligatory**	N [1...1]	int	1	1: Obligatory 0: Optional
AdditionalInformation. Supplements.Supplement.**Type**	N [1...1]	string		Type: I-> The supplement is included in the price. N-> The supplement is not included in the price. When a supplement is not included, it refers to the price of the room, not the final price of the booking, which always includes the supplements. D-> The customer will have to pay for the supplement at the hotel. Direct Payment. **This is the only kind of supplement that will not be included in the final "PriceAgency" tag price**.
AdditionalInformation. Supplements.Supplement.**Description**	N [1...1]	string		Text description of a supplement
AdditionalInformation. Supplements.Supplement.**Paxes_number**	N [1...1]	int		Number of passengers
AdditionalInformation. Supplements.Supplement.**Price**	N [1...1]	Dec		Price of a supplement for the customer
AdditionalInformation. Supplements.Supplement.**PriceAgency**	N [1...1]	Dec		Price of a supplement for the agency
AdditionalInformation.**Discounts**	N [1...1]			
AdditionalInformation.Discounts.**Discount**	Y [0...n]			
AdditionalInformation.Discounts.**From**	N [1...1]	Date	10	The date a discount begins on: YYYY-MM-DD
AdditionalInformation.Discounts.**To**	N [1...1]	Date	10	The date a discount ends on: YYYY-MM-DD
AdditionalInformation.Discounts.**Obligatory**	N [1...1]	int	1	1: Obligatory 0: Optional

AdditionalInformation.Discounts.**Type**	N [1...1]	string		Type: I-> The discount is included in price N-> The discount is not included in the price **Please note that when it's included it refers to the room price, and not the final "PriceAgency" tag price, where the discounts applicable are ALWAYS included.**
AdditionalInformation.Discounts.**Description**	N [1...1]	string		Text description of a discount
AdditionalInformation. Discounts.**Paxes_number**	N [1...1]	int		Number of passengers
AdditionalInformation.Discounts.**Price**	N [1...1]	Dec		Amount of the discount for the customer
AdditionalInformation.Discounts.**PriceAgency**	N [1...1]	Dec		Amount of the discount for the agency
AdditionalInformation.**Offers**	N [1...1]			
AdditionalInformation.Offers.**Offer**	Y			
AdditionalInformation.Offers.**Name**	N [1...1]	string		The name of an offer
AdditionalInformation.Offers.**Description**	N [1...1]	string		The description of an offer
AdditionalInformation.**EssentialInformation**	N [1...1]			This tag contains essential information for the booking that you must show to the customer.
AdditionalInformation. EssentialInformation.**Information**	Y [0...n]			The information in this tag usually refers to taxes, additional charges at destination, different location to pick up keys and other essential information the customer must receive.
AdditionalInformation. EssentialInformation.Information.**From**	N [1...1]	Date	10	Check-in date: YYYY-MM-DD
AdditionalInformation. EssentialInformation.Information.**To**	N [1...1]	Date	10	Check-out date: YYYY-MM-DD
AdditionalInformation. EssentialInformation.Information.**Description**	N [1...1]	string		Essential Information
AdditionalInformation. **fechaInicioCancelacion**	N [1...1]	Date	10	Date from which a cancellation policy applies: YYYY-MM-DD
AdditionalInformation.**horaInicioCancelacion**	N [1...1]	Time	10	Time from which a cancellation policy applies: YYYY-MM-DD
AdditionalInformation.**fechaLimiteSinGastos**	N [1...1]	Date	10	Date after which a cancellation policy applies: YYYY-MM-DD

AdditionalInformation.**horaLimiteSinGastos**	N [1...1]	Time	10	Time from which a cancellation policy applies: HH:MM
AdditionalInformation.**PaymentTypes**	N [1...1]			Allowed payment methods.
AdditionalInformation.PaymentTypes.**Type**	N [1...1]	string		Payment type for agencies.
AdditionalInformation.PaymentTypes.Type **[**attribute **code]**	Y [0...1]			Code: SL ----> Payment Code for agencies. Use this code by default. If this payment type does not appear, it means the booking process will fail as your credit is not enough or the booking can not be completed for other reason.
PVP	N [1...1]	Dec		Total price for the customer
PriceAgency	N [1...1]	Dec		Total price for the agency. **THIS IS THE FINAL PRICE OF THE BOOKING.**
PendingPayments	Y [0..1]	String		Deprecated
PendingPaymentsDeadLine	Y [0...1]	String		Deprecated
Rates	Y [0...1]			Additional rates, they are provided if the tag 'ShowMoreRates' is set to 'Y' in the AdditionalInformation request.
Rates.**Rate**	Y [0...n]			
Rates.Rate.**DATOS**	N [1...1]	String		A encrypted string that contains rate's details. This code is required to complete the reservation process, in the case that you select this rate.
Rates.Rate.**IDHotel**	N [1...1]	Int		Veturis Hotel ID.
Rates.Rate.**MinAmount**	Y [0...1]	float		Final price to sell to the customer.
Rates.Rate.**Mandatory**	Y [0...1]	bool		If set to 1, the price in MinAmount is obligatory.
Rates.Rate.**PriceChange**	Y[0..1]	Float		In case of a change of price between SearchAvailability and this step, **we will offer an alternative price in order to be able to continue the booking**. If this information appears and you do not process it, you will get an error in the booking confirmation.
Rates.Rate.**Price**	N [1...1]	Float		Price of the reservation for the customer

Rates.Rate.Price.**PriceAgency**	N [1...1]	Float		Price of the reservation for the agency.
Rates.Rate.**AdditionalInformation**	N [1...1]			This group contains the same details than the 'AdditionalInformation' tag
MandatoryPaxes	N [1...1]	String		N' --> Name is NOT mandatory for all the paxes 'Y' --> Name is mandatory for all the paxes 'H' --> One name mandatory for each booked room

ShowMoreRates – Requesting multiple rates

When you are requesting the AdditionalInformation for one specific combination of room and board (with the label <DATOS>), you can request also more rates, if they are available.

For example, you get a non-refundable rate from the SearchAvailability service, but you are interested in a refundable one. Then, if send the tag 'ShowMoreRates' in the AdditionalInformation request, you can get some additional rates such as refundable rates. Every 'Rate' tag contains a 'DATOS' tag.

Please, keep in mind that this label should never be used to request each item/rate returned in SearchAvailability, only the ones in which the client could be really interested. Also, if there is not any other available rate for the room, the response will be only the original rate.

XML Request

```
<?xml version="1.0" encoding="UTF-8"?>
<AdditionalInformationRQ version="2.0" language="ENG">
      <Request>
            <obj>33590.AMUBAP-ESPA3dfd6offL</obj>
            <DATOS>137044_H3Hk5q54</DATOS>
            <ShowMoreRates>Y</ShowMoreRates>
      </Request>
</AdditionalInformationRQ>
```

XML Response

```
<?xml version="1.0" encoding="UTF-8"?><AdditionalInformationRS
version="2.0"><HotelDetails>
            <ID>137044</ID>
            <Name> <![CDATA[Langham Huntington, Pasadena, Los Angeles]]> </Name>
            <Category>
            <ID>9</ID>
            <Name><![CDATA[5 stars]]></Name>
            </Category>
            <Address>
            <![CDATA[1401 SOUTH OAK KNOLL AVENUE ]]>
            </Address>
            <City>
            <![CDATA[Pasadena]]>
            </City>
            <Location>
            <Country>
            <ID>41</ID>
            <Name><![CDATA[U.S.A.]]]></Name>
```

```
            </Country>
            <Destination>
            <ID>512</ID>
            <Name><![CDATA[California-CA]]></Name>
            </Destination>
            <Zone>
            <ID>3047</ID>
            <Name><![CDATA[Pasadena]]></Name>
            </Zone>
            </Location>
            <Photo>
            <Width>90</Width>
            <Height>67</Height>
            <URL><!
[CDATA[https://cdnh.octanio.com/photos/13/icono_137044.jpg]]></URL>
            </Photo>
            <ZipCode><![CDATA[]]></ZipCode>
            <Latitude><![CDATA[34.119976]]></Latitude>
            <Longitude><![CDATA[-118.133597]]></Longitude>
            </HotelDetails>
            <SearchAvailabilityDetails>
            <Check_in_date>2024-04-27</Check_in_date>
            <Check_in_day_of_week>Saturday</Check_in_day_of_week>
            <Check_out_date>2024-04-29</Check_out_date>
            <Check_out_day_of_week>Monday</Check_out_day_of_week>
            <Days>2</Days>
            <RoomID>41_890</RoomID>
<Occupancy><Rooms>1</Rooms><Adults>3</Adults><Children>1</Children><Ages><Age>5<
/Age></Ages></Occupancy><RoomName numberOfRooms="1" RoomID="41_890"><!
[CDATA[Suite one bed]]></RoomName>
            <BoardID>1</BoardID>
            <BoardName>
            <![CDATA[Accommodation Only]]>
            </BoardName>
            </SearchAvailabilityDetails>
            <AgencyBalance>
            <Balance>-5000.00</Balance>
            <Credit>10000.00</Credit>
            <AmountAvailable>5000.00</AmountAvailable>
            </AgencyBalance><AdditionalInformation>
            <status>1</status>
            <CommentsAllow>Y</CommentsAllow>
<OnRequest>0</OnRequest><CountryCodeAvailability>ESP</CountryCodeAvailability><R
ooms><Room><RoomID><!
[CDATA[41_890]]></RoomID><OccupationID>0</OccupationID><From>2024-04-
27</From><To>2024-04-
29</To><numberOfRooms>1</numberOfRooms><Adults>3</Adults><Children>1</Children>

<Rates>
 <Rate>
  <DATOS>137044_H3Hk5q54</DATOS>
  <Price>1731.02</Price> <PriceAgency>1731.02</PriceAgency>  </Room></Rooms>
  <Cancellation><Period><From>2023-08-15</From><To>2024-03-01</To><Hour>
  <![CDATA[00:00:00]]></Hour><Amount>1731.02</Amount><PriceAgency>1731.02
  </PriceAgency></Period></Cancellation> <EssentialInformation> <Information>
  <Description>Free Wireless Internet</Description> <From>2024-04-27</From>
  <To>2024-04-29</To> </Information><Information><Description><![CDATA[These
```

```
  hotel rates are only available when sold as part of a package i.e. combined
  with one or more transport components (flight, train or car) and sold as one
  price to the customer. In addition, at no time should the hotel rate be
  disclosed to the customer or marked-up in anyway.]]></Description>
  </Information></EssentialInformation><fechaInicioCancelacion>2023-08-15
   </fechaInicioCancelacion><horaInicioCancelacion>00:00:00
   </horaInicioCancelacion> <fechaLimiteSinGastos>2024-03-01
   </fechaLimiteSinGastos><horaLimiteSinGastos>23:59</horaLimiteSinGastos>
   <PaymentTypes><Type code="SL">Saldo</Type></PaymentTypes>
      </AdditionalInformation><PVP mandatory="0">1731.02</PVP>
      <PriceAgency>1731.02</PriceAgency><MandatoryPaxes>N</MandatoryPaxes>
  </Rate>
  <Rate>
   <DATOS>137044_H2Hk7f512fa</DATOS>
   <Price>1800.01</Price><PriceAgency>1800.01</PriceAgency></Room></Rooms>
   <Cancellation><Period><From>2023-08-15</From><To>2024-04-27</To><Hour>
   <![CDATA[00:00:00]]></Hour><Amount>1800.01</Amount><PriceAgency>1800.01
   </PriceAgency> </Period></Cancellation><EssentialInformation> <Information>
   <Description>Free Wireless Internet</Description><From>2024-04-27</From>
   <To>2024-04-29</To></Information><Information><Description><![CDATA[These
   hotel rates are only available when sold as part of a package i.e. combined
   with one or more transport components (flight, train or car) and sold as one
   price to the customer. In addition, at no time should the hotel rate be
   disclosed to the customer or marked-up in any way.]]></Description>
   </Information> </EssentialInformation><fechaInicioCancelacion>2023-08-15
   </fechaInicioCancelacion><horaInicioCancelacion>00:00:00
   </horaInicioCancelacion> <fechaLimiteSinGastos>2024-04-27
   </fechaLimiteSinGastos><horaLimiteSinGastos>23:59</horaLimiteSinGastos>
   <PaymentTypes><Type code="SL">Saldo</Type></PaymentTypes>
     </AdditionalInformation><PVP mandatory="0">1800.01</PVP>
     <PriceAgency>1800.01</PriceAgency><MandatoryPaxes>N</MandatoryPaxes>
  </Rate>
 </Rates>
</AdditionalInformationRS>
```


Name	Optional	Data Type	Length	Description
Rates	Y [0...1]			Additional rates, offered only when there is at least another rate with better cancellation policies
Rates.**Rate**	Y [0...n]			
Rates.Rate.**DATOS**	N [1...1]	String		A encrypted string that contains rate's details. In the case that you select a new rate, this code is required to complete the reservation process with the new cancellation policies

BookingConfirmation

This is the main service in the reservation process. Payment and booking confirmation are made through this service. Details about the customer (or company) are requested.

It is important to consider both the tag 'ConfirmationStatus' and 'BookingID' in the Booking response. A booking will be valid if in the XML response you receive 'ConfirmationStatus' set to '1' and 'BookingID' contains a valid ID. **If during the booking process you don't obtain a response from our system (confirmation with a locator or an error indication), you should review if the booking was done using BookingList, or contact our booking department.**

XML Request:

```
<?xml version="1.0" encoding="UTF-8"?>
<BookingConfirmationRQ version="2.0" language="ENG">
      <Request>
            <obj>33590.AMUBAP-ESPA3dfd6offL</obj>
            <DATOS>14742H42_H3Hk5q54</DATOS>
            <client>
                  <name>MrTest</name>
                  <surnames>Testing</surnames>
                  <documentNumber>11111111H</documentNumber>
                  <country>15</country>
                  <region>test</region>
                  <EMail>xmlsupport@traveltech.es</EMail>
                  <PostCode>29010</PostCode>
                  <Phone>112233445</Phone>
            </client>
            <paxes >
                  <pax>
                        <name>Pasajera</name>
                        <surname>Uno</surname>
                  </pax>
                  <pax>
                        <name>Pasajero</name>
                        <surname>Dos</surname>
            </paxes>
            <company>
                  <nameCompany>test</nameCompany>
                  <cifCompany>test</cifCompany>
                  <addressCompany>test test</addressCompany>
                  <postalCodeCompany>11111111h</postalCodeCompany>
                  <provinceCompany>test</provinceCompany>
                  <regionCompany>test</regionCompany>
            </company>
            <payment>
                  <Type>SL</Type> <!-- The code SL is mandatory -->
            </payment>
            <comment><text>a test comment for the hotel</text></comment>
            <Reference>a test reference</Reference>
            <PriceChange>160.25</PriceChange>
```

```
    </Request>
</BookingConfirmationRQ>
```

Name	Optional	Data Type	Length	Description
Request	N [1...1]			
Request.**obj**	N [1...1]	string		This string is like a 'SessionID'. It is provided by the 'SearchAvailability' method and it is required to complete the reservation process.
Request.**DATOS**	N [1...1]	string		A string which contains information about the selected item (Hotel, room, board). It is provided by the 'SearchAvailability' method and it is required to complete the reservation process.
Request.**Client**	N [1...1]			
Request.Client.**name**	N [1...1]	string		Customer's name
Request.Client.**surnames**	N [1...1]	string		Customer's surname
Request.Client.**documentNumber**	Y [0...1]	string	15	Document Number
Request.Client.**country**	Y [0...1]	Int		Customer's country ID. Please use the Country ID provided by the 'AllDestinationsList' service. E.g, if the customer's country is 'Spain', use the Country ID '15'.
Request.Client.**region**	Y [0...1]	string		The name of a region
Request.Client.**EMail**	Y [0...1]	string		E-mail. A voucher for the booking will be sent to the client. If you do not wish this to happen, please send this field empty or input the agency email.
Request.Client.**PostCode**	Y [0...1]	string		Postal Code
Request.Client.**Phone**	Y [0...1]	string		Telephone
Request.p**axes**	Y[0...1]			To send the data for all passengers
Request.paxes.**pax**	N**[1...N]			Start the info for each pax
Request.paxes.pax.**name**		string		Name of one of the passengers
Request.paxes.pax.**surname**		string		Surname of one of the passengers
Request.paxes.pax.**documentNumber**		string		ID number or passport. If it's not detailed, please send <documentNumber />
Request.paxes.pax.**expirationDocument Date**		Date		Date of expiration of the previous document. If it's not detailed, please send <expirationDocumentDate />

Request.paxes.pax.**dateOfBirth**		Date		Passenger day of birth. If it's not detailed, please send <dateOfBirth />
Request.paxes.pax.**countryID**		string		Passenger country of birth. If it's not detailed, please send <countryID />
Request.**company**	Y [0...1]			
Request.company.**nameCompany**	N* [1...1]	string		Company name
Request.company.**cifCompany**	N* [1...1]	string		Company Identification Number
Request.company.**addresCompany**	N* [1...1]	string		Company Address
Request.company.**postalCodeCompany**	N* [1...1]	string		Company Postal Code
Request.company.**ProvinceCompany**	N* [1...1]	string		Province, city...
Request.company.**regionCompany**	N* [1...1]	string		Region, country....
Request.**payment**	N [1...1]			
Request.payment.**Type**	N [1...1]	string		Code 'SL' → Mandatory The code SL is the only allowed during confirmation. If you do not input this code the booking will not be confirmed.
Request.**comment**	Y [0...1]			
Request.comment.**text**	N* [1...1]	string		Client's hotel requirements (garage, separate beds, etc.). Please wrap your comment in a CDATA tag and avoid using special characters such as **&, /, > and <**
Request.**Reference**	Y [0...1]	string		You can use this tag to provide a reference by the agency.
Request.**PriceChange**	Y***[0...1]	Float		After getting a price change during the AdditionalInformation step, it's necessary to accept it and send it to continue with the booking process

* This element can be empty
** If the label Paxes is included, you have to send the data for every passenger. The system will use it in each room, consecutively following the potencial occupancy.
*** If you do not send the price change value after getting a <PriceChange> in AdditionalInformation, you will get an error in the BookingConfirmation response

XML Response:

Even though the confirmation is an atomic process on the client's side, internally the process consists of three steps: pre-booking, payment and confirmation.

In case an error occurs in one of these steps:

```
<!-- Pre-booking error -->
<?xml version="1.0" encoding="UTF-8"?>
<BookingConfirmationRS>
```

```
  <ReservationStatus>0</ReservationStatus>
  <PaymentStatus>0</PaymentStatus>
  <ConfirmationStatus>0</ConfirmationStatus>
  <BookingID/>
  <SecurityCode/>
  <ERROR>1</ERROR>
  <Errors>
    <Error type="ERROR_PRERESERVA">An error message</Error>
    <Error type="ERROR_GENERAL">An error message</Error>
  </Errors>
</BookingConfirmationRS>

<!-- Payment error -->
<BookingConfirmationRS>
      <ReservationStatus>0</ReservationStatus>
      <PaymentStatus>0</PaymentStatus>
      <ConfirmationStatus>0</ConfirmationStatus>
      <BookingID></BookingID>
      <SecurityCode></SecurityCode>
      <ERROR>1</ERROR>
      <Errors>
            <Error type="ERROR_DATA"><![CDATA[Datos de formulario
incorrectos]]></Error>
            <Error type="ERROR_DATA" field="Type"><![CDATA[Error en el sistema de
pago, consulte a Veturis a la mayor brevedad]]></Error>
      </Errors>
</BookingConfirmationRS>

<!-- Confirmation Error -->
<BookingConfirmationRS>
    <ReservationStatus>1</ReservationStatus>
    <PaymentStatus>1</PaymentStatus>
    <ConfirmationStatus>0</ConfirmationStatus>
    <BookingID>12099810</BookingID>
    <SecurityCode>d7a52586eb7e109f86974c92e2d8bc3e</SecurityCode>
    <ERROR>1</ERROR>
    <Errors>
        <Error type="ERROR_CONFIRMACION">
            <![CDATA[An error message]]>
        </Error>
        <Error type="ERROR_GENERAL">
            <![CDATA[An error message]>
        </Error>
    </Errors>
</BookingConfirmationRS>
```

Please, keep in mind that in every error scenario, you are not going to get a locator for the booking. **Also, that 502/504 errors in the response are communication problems that can be out of Veturis control,** you should contact us as soon as possible.

In case the reservation is made properly, you obtain a response such as:

```
<!-- Pre-booking, payment and confirmation correct -->
<BookingConfirmationRS>
  <ReservationStatus>1</ReservationStatus>
```

```
  <PaymentStatus>1</PaymentStatus>
  <ConfirmationStatus>1</ConfirmationStatus>
  <BookingID>10873025</BookingID>
  <SecurityCode>fdae3f750e95f06cd01570453a084c1b</SecurityCode>
  <Locator>XVU7843</Locator>
</BookingConfirmationRS>
```

Name	Optional	Data Type	Length	Description
ReservationStatus	N [1...1]	bool		Pre-booking status. 1---> OK 0---> Error
PaymentStatus	N [1...1]	bool		Payment process status: 1---> Payment OK 0---> Payment Error
ConfirmationStatus	N [1...1]	bool		Confirmation Status 1---> OK. Reservation process finishes 0---> Error.
BookingID	N [1...1]	string		Booking ID. It will be empty if the booking process fails.
SecurityCode	N [1...1]	string		Security Code. It will be empty if the booking process fails.
Locator	Y [0...1]	string		Locator for the booking if it was confirmed correctly. It will be absent from the response only if the booking is not confirmed correctly.
ERROR	Y	bool		Value will be '1' if there is any problem in the reservation process.
Errors	Y			
Errors.**Error**	Y	string		Description of the error.
EssentialInformation	Y			
EssentialInformation.**Information**	Y			Includes one or several descriptions, order by date
EssentialInformation.Information.**From**	Y	Date		When the information starts
EssentialInformation.Information.**To**	Y	Date		When the information finishes
EssentialInformation.Information.Description	*N [1...1]	String		Information into a [CDATA[]]

Voucher

This service is used to obtain a booking voucher after confirmation. Please note that this **service IS NOT the confirmation**, and a failure to obtain the voucher **does not mean the booking is not confirmed.** The BookingConfirmation service and its response should be used for this purpose.

XML Request:

```
<VoucherRQ>
  <Request>
    <BookingID>10848254</BookingID>
    <Seg>c0a27390ff155db73b27edfe2cf6a041</Seg>
  </Request>
</VoucherRQ>
```

Name	Optional	Data Type	Length	Description
Request	N [1...1]	Group		
Request.**BookingID**	N [1...1]	string		Booking ID
Request.**Seg**	N [1...1]	string		Security Code

XML Response:

```
<?xml version="1.0" encoding="UTF-8"?>
<VoucherRS version="2.0" language="ENG" currency="EUR">
  <Booking id="990">
    <BookingStatus>C</BookingStatus>
    <BookingModificationStatus>M</BookingModificationStatus>
    <Locator>167850</Locator>
    <OnRequest>0</OnRequest>
    <AgencyReference>TR7864-Y</AgencyReference>
    <CreationDate>2024-04-01</CreationDate>
    <CheckInDate>2024-04-05</CheckInDate>
    <CheckOutDate>2024-04-07</CheckOutDate>
    <Price>172.50</Price>
    <NetPrice>148.49</NetPrice>
```

```
    <MinAmount />
    <CancellationDate/>
    <CancellationTime />
    <CancellationPrice/>
    <CustomerName>John Doe</CustomerName>
    <Hotel id="756">Hotel Ritz Madrid</Hotel>
    <City>Madrid</City>
    <Zone id="545">Madrid</Zone>
    <Destination id="154">Madrid</Destination>
    <Country id="15">España</Country>

    <Comments>
      <Comment type="customer" fromdate="2024-04-05" todate="2024-04-07">Me
gustaría tener vistas al mar</Comment>
      <Comment type="hotel" fromdate="2024-04-05" todate="2024-04-07">El hotel
requiere la entrada antes de las 13:00</Comment>
    </Comments>
    <Payment type="N"></Payment>
    <Rooms>
      <Room roomsnumber="1">
        <CheckInDate>2024-04-05</CheckInDate>
        <CheckOutDate>2024-04-07</CheckOutDate>
        <Adults number="1"></Adults>
        <Children number="1">
          <Child Age="3"></Child>
        </Children>
        <Babies number="1"></Babies>
        <RoomType id="1">Double Room</RoomType>
        <Amenities>
          <Amenity id="1">Sea View</Amenity>
          <Amenity id="27">Air-conditioning</Amenity>
        </Amenities>
        <CompleteRoomName>Double Room Sea View Air-
conditioning</CompleteRoomName>
        <BoardType id="">Breakfast included</BoardType>
        <Price>172.50</Price>
      </Room>
    </Rooms>
    <Supplements>
      <Supplement id="" type="S" paymenttype="I" obligatory="Y">
        <FromDate>2024-04-05</FromDate>
        <ToDate>2024-04-07</ToDate>
        <Description></Description>
        <Price>0.00</Price>
      </Supplement>
    </Supplements>
    <Offers>
      <Offer id="">
        <FromDate>2024-04-05</FromDate>
        <ToDate>2024-04-07</ToDate>
        <Description></Description>
      </Offer>
    </Offers>
    <CancellationPolicies>
      <CancellationPolicy>
        <FromDate>2024-04-03</FromDate>
        <ToDate>2024-04-04</ToDate>
```

```
        <Time>12:00</Time>
        <Price>86.25</Price>
        <NetPrice></NetPrice>
      </CancellationPolicy>
      <CancellationPolicy>
        <FromDate>2024-04-04</FromDate>
        <ToDate>2024-04-05</ToDate>
        <Time>12:00</Time>
        <Price>172.50</Price>
        <NetPrice></NetPrice>
      </CancellationPolicy>
    </CancellationPolicies>
    <HotelAddress>Avenida de Los Reyes Católicos</HotelAddress>
    <HotelZipCode>28080</HotelZipCode>
    <HotelTelephoneNumber>91555555</HotelTelephoneNumber>
    <HotelCategory id="7">4 ESTRELLAS</HotelCategory>
    <ServiceProvider>
      <Name>Veturis S.L.</Name>
      <FiscalIdentificationCode>A35987070</FiscalIdentificationCode>
      <City>Santa Cruz de Tenerife</City>
      <Country id="15">Spain</Country>
      <Address>Plaza Candelaria 28 edificio Olympo, oficina 286, 2° planta
</Address>
      <ZipCode>38003</ZipCode>
      <Email>reservas@veturis.com</Email>
      <TelephoneNumber>
        <CountryCode>34</CountryCode>
        <Number>952020715</Number>
      </TelephoneNumber>
      <FaxNumber>
        <CountryCode></CountryCode>
        <Number></Number>
      </FaxNumber>
      <Logo>http://www.veturis.com/images/logo.png</Logo>
    </ServiceProvider>
    <RetailAgency id="1">
      <Name>Your Agency</Name>
      <CustomerServiceTelephoneNumber>555-5555</CustomerServiceTelephoneNumber>
      <CustomerServiceHours>Monday to Friday 8.00 to 20.00, Saturdays and
Sundays 11.00 to 19.00</CustomerServiceHours>
      <Logo>http://www.veturis.com/images/logo.png</Logo>
      <VoucherStamp>http://portal.veturis.com/images/square.gif</VoucherStamp>
    </RetailAgency>
    <VoucherLogo>http://portal.veturis.com/images/logo.gif</VoucherLogo>
    <SecondVoucherLogo> http://portal.veturis.com/images/logoVeturis.jpg
</SecondVoucherLogo>
    <VoucherStamp> http://http://portal.veturis.com/images/square.gif
</VoucherStamp>
    <PayableBy>
      <Name>Veturis S.L.</Name>
      <FiscalIdentificationCode>A35987070</FiscalIdentificationCode>
    </PayableBy>
    <OtherFields>
      <Field>
        <Name>Localizador del Proveedor</Name>
        <Value>102-167850</Value>
      </Field>
```

```
    </OtherFields>
  </Booking>
</VoucherRS>
```

Name	Optional	Data Type	Length	Description
Booking	N [1...n]	Group		
Booking [attribute **id**]	N [1...1]	int		Booking ID
Booking.**BookingStatus**	N [1...1]	string	1	Booking Status Code: N-> Booking does not exist PC-> Pending confirmation C-> Confirmed PA-> Pending cancellation A-> Cancelled
Booking.**BookingModificationStatus**	Y [0...1]	string	1	Modification Status Code: N -> There isn't a modification PM -> Pending modification M -> Modified
Booking.**Locator**	Y [0...1]	string		Booking Locator
Booking.**AgencyReference**	Y [0...1]	string	<=20	Agency booking reference
Booking.**CreationDate**	N [1...1]	Date	10	Date when the booking is created
Booking.**CheckInDate**	N [1...1]	Date	10	Check-in Date YYYY-MM-DD
Booking.**CheckOutDate**	N [1...1]	Date	10	Check-out Date YYYY-MM-DD
Booking.**Price**	N [1...1]	dec		Total price for the customer
Booking.**NetPrice**	N [1...1]	dec		Net Price
Booking.**CancellationFeeDate**	Y [0...1]	Date	10	Deadline date YYYY-MM-DD
Booking.**CancellationDate**	Y [0...1]	Date	10	Date when the booking is cancelled
Booking.**CancellationTime**	Y [0...1]	Time	8	Time when the booking is cancelled.
Booking.**CancellationPrice**	Y [0...1]	dec		Amount charged to a cancelled booking
Booking.**CustomerName**	N [1...1]	string	<=255	The name of the customer
Booking.**Hotel**	N [1...1]	string	<=50	The name of a hotel
Booking.Hotel [attribute **id**]	N [1...1]	int		Hotel ID
Booking.**City**	N [1...1]	string	<=25	City where the hotel is located
Booking.**Zone**	N [1...1]	string	<=50	The name of a zone
Booking.**Zone** [attribute **id**]	N [1...1]	int		Zone ID

Booking.**Destination**	N [1...1]	string	<=50	The name of a destination
Booking.**Destination** [attribute **id**]	N [1...1]	int		Destination ID
Booking.**Country**	N [1...1]	string	<=50	The name of a country
Booking.Country [attribute **id**]	N [1...1]	int		Country ID
Booking.**Comments**	N [1...1]	Group		Comments
Booking.Comments.**Comment**	Y [0...n]	Group		
Booking.Comments.Comment [attribute **type**]	N [1...1]	string	<=8	Type of comment: customer -> Customer requirements hotel -> Hotel Comments
Booking.Comments.Comment [attribute **fromdate**]	N [1...1]	Date	10	
Booking.Comments.Comment [attribute **todate**]	N [1...1]	Date	10	
Booking.**Payment**	N [1...1]	-		
Booking.Payment [attribute **type**]	N [1...1]	string		Type of payment: N -> Normal D -> Direct Payment at the hotel
Booking.**Rooms**	N [1...1]	Group		Rooms
Booking.Rooms.**Room**	N [1...n]	Group		
Booking.Rooms.Room [attribute **roomsnumber**]	N [1...1]	int	>=1	*Number of rooms*
Booking.Rooms.Room.**CheckInDate**	N [1...1]	Date	10	Check-in date YYYY-MM-DD
Booking.Rooms.Room.**CheckOutDate**	N [1...1]	Date	10	Check-out date YYYY-MM-DD
Booking.Rooms.Room.**Adults**	N [1...1]	Group		Adults
Booking.Rooms.Room.Adults [attribute **number**]	N [1...]	int		Number of adults in each room
Booking.Rooms.Room.**Children**	Y [0...1]	Group		Children
Booking.Rooms.Room.Children [attribute **number**]	N [1...1]	int		Number of children in each room
Booking.Rooms.Room.Children.**Child**	N [1...n]	-		Child
Booking.Rooms.Room.Children.Child [attribute **age**]	N [1...1]	int		Child Age
Booking.Rooms.Room.**Babies**	Y [0...1]	-		Babies
Booking.Rooms.Room.Babies [attribute **number**]	N [1...1]	int		Number of babies in each room
Booking.Rooms.Room.**RoomType**	N [1...1]	string	<=50	The name of a room
Booking.Rooms.Room.RoomType [attribute **id**]	N [1...1]	int		Room ID

Booking.Rooms.Room.**Amenities**	Y [0...1]	Group		Amenities
Booking.Rooms.Room.Amenities. **Amenity**	N [1...n]	string		The name of an amenity
Booking.Rooms.Room.Amenities. Amenity [attribute **id**]	N [1...1]	int		Amenity ID
Booking.Rooms.Room. **CompleteRoomName**	N [1...1]	string	<=255	Complete name of a room, including amenities. e.g. “Double Room Superior”
Booking.Rooms.Room.**BoardType**	N [1...1]	string	<=50	The name of a board
Booking.Rooms.Room.BoardType [attribute **id**]	N [1...1]	int		Board ID
Booking.Rooms.Room.**Price**	N [1...1]	dec		Price of a room for the customer
Booking.**Supplements**	Y [0...1]	Group		
Booking.Supplements.**Supplement**	N [1...n]	Group		
Booking.Supplements.Supplement [attribute **id**]	N [1...1]	int		Supplement ID
Booking.Supplements.Supplement [attribute **type**]	N [1...1]	string	1	Type of Supplement: S -> Supplement D -> Discount
Booking.Supplements.Supplement [attribute **paymenttype**]	N [1...1]	string	1	Payment type: D -> Direct Payment at the hotel I -> Supplement included in prices N -> Supplement not included in prices yet.
Booking.Supplements.Supplement [attribute **obligatory**]	N [1...1]	string	1	The supplement is obligatory N -> Not obligatory, it's optional Y -> Obligatory
Booking.Supplements.Supplement. **FromDate**	N [1...1]	Date	10	The date a supplement begins on. YYYY-MM-DD
Booking.Supplements.Supplement. **ToDate**	N [1...1]	Date	10	The date a supplement ends on. YYYY-MM-DD
Booking.Supplements.Supplement. **Description**	N [1...1]	string	<=255	Description of the supplement
Booking.Supplements.Supplement.**Price**	N [1...1]	int		Price of a supplement for the customer.
Booking.**Offers**	Y [0...1]	Group		
Booking.Offers.**Offer**	N [1...n]	Group		
Booking.Offers.Offer [attribute **id**]	N [1...1]	int		Offer ID
Booking.Offers.Offer.**FromDate**	N [1...1]	Date	10	Date YYYY-MM-DD
Booking.Offers.Offer.**ToDate**	N [1...1]	Date	10	Date YYYY-MM-DD
Booking.Offers.Offer.**Description**	N [1...1]	string	<=255	Offer Description

Booking.Offers.Offer.**Price**	N [1...1]	int		Total price of the offer for the customer.
Booking.**CancellationPolicies**	N [1...n]	Group		
Booking.CancellationPolicies. **CancellationPolicy**	N [1...n]	Group		
Booking.CancellationPolicies. CancellationPolicy.**FromDate**	N [1...1]	Date	10	Date after which the cancellation policy applies
Booking.CancellationPolicies. CancellationPolicy.**ToDate**	N [1...1]	Date	10	Date before which the cancellation policy applies
Booking.CancellationPolicies. CancellationPolicy.**Time**	N [1...1]	Time	8	Time after which the cancellation policy applies
Booking.CancellationPolicies. CancellationPolicy.**Price**	N [1...1]	dec		Amount that will be charged for the cancellation
Booking.CancellationPolicies. CancellationPolicy..**NetPrice**	N [1...1]	dec		DEPRECATED
Booking.**HotelAddress**	N [1...1]	string	<=150	The address of a hotel
Booking.**HotelZipCode**	N [1...1]	string	<=10	Postal Code
Booking.**HotelTelephoneNumber**	N [1...1]	string	<=20	Telephone of a hotel
Booking.**HotelMap**	Y [0...1]	string	<=255	URL to a picture with the location map of a hotel
Booking.**HotelCategory**	N [1...1]	string	<=50	The name of the category of a hotel
Booking.**HotelCategory** [attribute **id**]	N [1...1]	int		Category ID
Booking.**ServiceProvider**	N [1...1]	Group		Provider details
Booking.ServiceProvider.**Name**	N [1...1]	string	<=255	Provider name
Booking.ServiceProvider. **FiscalIdentificationCode**	N [1...1]	string	255	Company identification number
Booking.ServiceProvider.**City**	N [1...1]	string	<=25	City where the provider is located
Booking.ServiceProvider.**Country**	N [1...1]	string	<=50	Country where the provider is located
Booking.ServiceProvider.Country [attribute **id**]	N [1...1]	int		Country ID
Booking.ServiceProvider.**Address**	Y [0...1]	string	<=255	Address of a provider
Booking.ServiceProvider.**ZipCode**	Y [0...1]	string	<=10	Postal Code
Booking.ServiceProvider.**Email**	N [1...1]	string		E-mail
Booking.ServiceProvider. **TelephoneNumber**	N [1...n]	Group		
Booking.ServiceProvider. TelephoneNumber.**CountryCode**	N [1...1]	string	<=6	Country calling code
Booking.ServiceProvider. TelephoneNumber.**Number**	N [1...1]	string	<=20	Telephone number

Booking.ServiceProvider.**FaxNumber**	Y [0...n]	Group		
Booking.ServiceProvider.FaxNumber. **CountryCode**	N [1...1]	string	<=6	Country calling code
Booking.ServiceProvider.FaxNumber. **Number**	N [1...1]	string	<=20	Fax number
Booking.ServiceProvider.**Logo**	Y [0...1]	string	<=255	URL to a provider logo (picture)
Booking.**RetailAgency**	N [1...1]			Agency details
Booking.RetailAgency [attribute **id**]	N [1...1]	int		Agency ID
Booking.RetailAgency.**Name**	N [1...1]	string	<=255	The name of an agency
Booking.RetailAgency. **CustomerServiceTelephoneNumber**	N [1...1]	string	255	Customer Service Telephone Number
Booking.RetailAgency. **CustomerServiceHours**	N [1...1]	string	255	Customer Service Hours of operation
Booking.RetailAgency.**Logo**	N [1...1]	string	255	Agency logo
Booking.RetailAgency.**VoucherStamp**	N [1...1]	string	255	Agency stamp
Booking.**VoucherLogo**	N [1...1]	string	255	Agency logo in the voucher
Booking.**SecondVoucherLogo**	N [1...1]	string	255	Secondary Agency logo in the voucher
Booking.**VoucherStamp**	N [1...1]	string	255	Agency stamp
Booking.**PayableBy**	N [1...1]			
Booking.PayableBy.**Name**	N [1...1]	string	<=255	“Payable by” name
Booking.PayableBy. **FiscalIdentificationCode**	N [1...1]	string	<=255	Company identification number
Booking.**OtherFields**	Y [0...1]	Group		A list of other fields (names and values) which are variable. Extra details which are not contemplated in other tags.
Booking.OtherFields.**Field**	N [1...n]	Group		Field
Booking.OtherFields.**Name**	N [1...1]	string	<=255	Field Name
Booking.OtherFields.**Value**	N [1...1]	string	<=255	Field Value

BookingCancellation

This service has two objectives:

1. If the parameter 'CancelConfirm' is '0', information about the booking and the cancellation policies will be returned, but the cancellation won't be executed.
2. If the parameter 'CancelConfirm' is '1', the booking will be cancelled.

Even though it is not mandatory to make a request to this service (only if you wish to cancel it), its implementation is obligatory to pass our certification. Also, any cancellation attempt where the response is different from '1' should never be considered successfully done.

XML Request:

```
<?xml version="1.0" encoding="UTF-8"?>
<BookingCancellationRQ>
  <Request>
    <BookingID>10848254</BookingID>
    <SecurityCode>c0a27390ff155db73b27edfe2cf6a041</SecurityCode>
    <CancelConfirm>1</CancelConfirm>
  </Request>
</BookingCancellationRQ>
```

Name	Optional	Data Type	Length	Description
Request	N [1...1]	Group		
Request.**BookingID**	N [1...1]	string		Booking ID
Request.**SecurityCode**	N [1...1]	string		Security Code
Request.**CancelConfirm**	Y [0...1]	Bool		Optional tag, if 'CancelConfirm' is '1', booking will be cancelled

XML Response:

Depending on both the booking status (C, PC, A) and the action requested, some fields and values will be displayed or not.

```
<!--If CancelConfirm is 0 and the booking is confirmed (C)-->
<?xml version="1.0" encoding="UTF-8"?>
<BookingCancellationRS>
  <BookingStatus>C</BookingStatus>
  <HotelName><![CDATA[Santiago]]></HotelName>
  <BookingPrice>49.00</BookingPrice>
```

```
  <CheckInDate>2024-11-11</CheckInDate>
  <CheckOutDate>2024-11-12</CheckOutDate>
  <Rooms>
    <Room roomsnumber="1">
      <CheckInDate>2024-10-11</CheckInDate>
      <CheckOutDate>2024-10-12</CheckOutDate>
      <Adults number="2"/>
      <Children number="0"/>
      <Babies number="0"/>
      <RoomType id="1">Habitacion Doble</RoomType>
      <Amenities/>
      <CompleteRoomName>Habitacion Doble</CompleteRoomName>
      <BoardType id="2">Alojamiento y desayuno</BoardType>
      <Offer id=""/>
      <Price>49.00</Price>
    </Room>
  </Rooms>
  <FechaAnulacionSinGastos>2024-10-10</FechaAnulacionSinGastos>
  <CancellationPolicies>
    <CancellationPolicy>
      <FromDate>2024-10-11</FromDate>
      <Time>12:00:00</Time>
      <Price>49.00</Price>
    </CancellationPolicy>
  </CancellationPolicies>
  <CurrentCancellationPrice>0.00</CurrentCancellationPrice>
</BookingCancellationRS>

<!--If CancelConfirm is 0 and the booking is in pending confirmation state
(PC)-->
<?xml version="1.0" encoding="UTF-8"?>
<BookingCancellationRS>
  <BookingStatus>PC</BookingStatus>
  <HotelName>Hacienda del Sol</HotelName>
  <BookingPrice>60.00</BookingPrice>
  <CheckInDate>2024-11-11</CheckInDate>
  <CheckOutDate>2024-11-12</CheckOutDate>
      <Rooms>
        <Room roomsnumber="1">
          <CheckInDate>2024-10-22</CheckInDate>
          <CheckOutDate>2024-10-24</CheckOutDate>
          <Adults number="2"/>
          <Children number="0"/>
          <Babies number="0"/>
          <RoomType id="14">Estudio</RoomType>
          <Amenities/>
          <CompleteRoomName>Estudio</CompleteRoomName>
          <BoardType id="1">Alojamiento</BoardType>
          <Offer id=""/>
          <Price>60.00</Price>
        </Room>
      </Rooms>
  <FechaAnulacionSinGastos>2024-10-19</FechaAnulacionSinGastos>
  <CancellationPolicies>
    <CancellationPolicy>
      <FromDate>2024-10-20</FromDate>
      <Time>00:00:00</Time>
```

```
      <Price>30.00</Price>
    </CancellationPolicy>
  </CancellationPolicies>
  <ERROR>1</ERROR>
  <Errors>
    <Error><![CDATA[La reserva aún no está confirmada]]></Error>
  </Errors>
</BookingCancellationRS>

<!-- Booking cancelled (A) -->
<?xml version="1.0" encoding="UTF-8"?>
<BookingCancellationRS>
  <BookingStatus>A</BookingStatus>
  <HotelName><![CDATA[Macia Real De La Alhambra]]></HotelName>
  <BookingPrice>37.64</BookingPrice>
  <CheckInDate>2024-11-11</CheckInDate>
  <CheckOutDate>2024-11-12</CheckOutDate>
  <Rooms>
    <Room roomsnumber="1">
      <CheckInDate>2024-11-12</CheckInDate>
      <CheckOutDate>2024-11-13</CheckOutDate>
      <Adults number="2"/>
      <Children number="0"/>
      <Babies number="0"/>
      <RoomType id="1">Habitacion Doble</RoomType>
      <Amenities/>
      <CompleteRoomName>Habitacion Doble</CompleteRoomName>
      <BoardType id="1">Alojamiento</BoardType>
      <Offer id=""/>
      <Price>37.64</Price>
    </Room>
  </Rooms>
  <FechaAnulacionSinGastos>2024-11-10</FechaAnulacionSinGastos>
  <CancellationPolicies>
    <CancellationPolicy>
      <FromDate>2024-11-11</FromDate>
      <Time>00:00:00</Time>
      <Price>37.64</Price>
    </CancellationPolicy>
  </CancellationPolicies>
  <CurrentCancellationPrice>0.00</CurrentCancellationPrice>
  <ERROR>1</ERROR>
  <Errors>
    <Error><![CDATA[Esta reserva está ya ANULADA]]></Error>
  </Errors>
</BookingCancellationRS>

<!-- Booking becomes cancelled -->
<?xml version="1.0" encoding="UTF-8"?>
<BookingCancellationRS>
  <BookingStatus>A</BookingStatus>
  <HotelName><![CDATA[Macia Real De La Alhambra]]></HotelName>
  <BookingPrice>37.64</BookingPrice>
  <CheckInDate>2024-11-11</CheckInDate>
  <CheckOutDate>2024-11-12</CheckOutDate>
  <Rooms>
    <Room roomsnumber="1">
```

```
      <CheckInDate>2024-11-12</CheckInDate>
      <CheckOutDate>2024-11-13</CheckOutDate>
      <Adults number="2"/>
      <Children number="0"/>
      <Babies number="0"/>
      <RoomType id="1">Habitacion Doble</RoomType>
      <Amenities/>
      <CompleteRoomName>Habitacion Doble</CompleteRoomName>
      <BoardType id="1">Alojamiento</BoardType>
      <Offer id=""/>
      <Price>37.64</Price>
    </Room>
  </Rooms>
  <FechaAnulacionSinGastos>2024-11-10</FechaAnulacionSinGastos>
  <CancellationPolicies>
    <CancellationPolicy>
      <FromDate>2024-11-11</FromDate>
      <Time>00:00:00</Time>
      <Price>37.64</Price>
    </CancellationPolicy>
  </CancellationPolicies>
  <CurrentCancellationPrice>0.00</CurrentCancellationPrice>
  <CancellationPrice>0.00</CancellationPrice>
</BookingCancellationRS>
```

Name	Optional	Data Type	Length	Description
BookingStatus	N [1...1]	string	1	Booking Status Code: N-> Booking does not exist PC-> Pending Confirmation C-> Confirmed PA-> Pending Cancellation A-> Cancelled
HotelName	N [1...1]	string		The name of a hotel
BookingPrice	N [1...1]	Dec		Total Price for the customer
CheckInDate	N [1...1]	Date	10	Check-in date YYYY-MM-DD
CheckOutDate	N [1...1]	Date	10	Check-out date YYYY-MM-DD
Rooms	N [1...1]	Group		Rooms
Rooms.**Room**	N [1...n]			
Rooms.Room [attribute **roomsnumber**]	N [1...1]	int	>=1	Number of rooms
Rooms.Room.**CheckInDate**	N [1...1]	Date	10	Check-in date YYYY-MM-DD
Rooms.Room.**CheckOutDate**	N [1...1]	Date	10	Check-out date YYYY-MM-DD
Rooms.Room.**Adults**	N [1...1]			Adults
Rooms.Room.Adults [attribute **number**]	N [1...1]	int		Number of adults in a room
Rooms.Room.**Children**	Y [0...1]			Children

Rooms.Room.Children [attribute **number**]	N [1...1]	int		Number of children in a room
Rooms.Room.**Babies**	Y [0...1]			Babies
Rooms.Room.Babies [attribute **number**]	N [1...1]	int		Number of babies in a room
Rooms.Room.**RoomType**	N [1...1]	string	<=50	The name of a room
Rooms.Room.RoomType [attribute **id**]	N [1...1]	int		Room ID
Rooms.Room.**Amenities**	Y [0...1]	Group		Amenities
Rooms.Room.Amenities.**Amenity**	N [1...n]			The name of an amenity
Rooms.Room.Amenities.Amenity [attribute **id**]	N [1...1]	int		Amenity ID
Rooms.Room.**CompleteRoomName**	N [1...1]	string	<=255	Complete name of a room, including amenities. e.g. Habitación doble Vistas al mar”
Rooms.Room.**BoardType**	N [1...1]	string	<=50	The name of a board
Rooms.Room.BoardType [attribute **id**]	N [1...1]	int		Board ID
Rooms.Room.**Offer**	Y [0...1]	string	<=50	The name on an offer
Rooms.Room.Offer [attribute **id**]	N [1...1]	int		Offer ID
Rooms.Room.**Price**	N [1...1]	dec		*Total price of a room for the customer*
FechaAnulacionSinGastos	N [1...1]	Date		Deadline date
CancellationPolicies	N [1...1]	Group		
CancellationPolicies.**CancellationPolicy**	N [1...n]	Group		
CancellationPolicies.CancellationPolicy. **FromDate**	N [1...1]	Date	10	Date after which a cancellation policy applies YYYY-MM-DD
CancellationPolicies.CancellationPolicy. **Time**	N [1...1]	Time	5	Time after which a cancellation policy applies. HH:MM
CancellationPolicies.CancellationPolicy. **Price**	N [1...1]	Dec		Amount that will be charged for cancellation
CurrentCancellationPrice	N [1...1]	Dec		Amount that will be charged if the booking is cancelled at the moment.
CancellationPrice	N [1...1]	Dec		Amount that will be charged if the booking has been cancelled.
ERROR	Y [0...1]	Bool		Error. If value is '1', an error has occurred
Errors	N [1...1]	Group		
Errors.**Error**	N [1...n]	string		The description of an error.

BookingList

This service is used to get basic details about a reservation. You can use several parameters in the request in order to search a booking in the Veturis system.

Please note that:

- Maximum number of returned bookings is 1000.
- If you make a search by date, the difference between 'Date from' and 'Date to' must be less than 31 days.

Important notes:

- If you send a BookingID value, other parameters in the request will be ignored.
- If you send a HotelID value, the parameter 'HotelName' will be ignored.

It is mandatory that you implement this service to avoid differences between your saved bookings and Veturis'. Also, you can review any problematic booking easy and quickly.

XML Request:

```
<?xml version="1.0" encoding="UTF-8"?>
<BookingListRQ version="2.0" language="SPA">
  <Request>
    <BookingID>990</BookingID>
    <Locator>167850</Locator>
    <AgencyReference>TR7864-Y</AgencyReference>
    <BookingDateRange type="2">
      <FromDate>2024-04-01</FromDate>
      <ToDate>2024-04-25</ToDate>
    </BookingDateRange>
    <CustomerName>John Doe</CustomerName>
    <HotelID>756</HotelID>
    <HotelName>Ritz</HotelName>
    <BookingStatus>C</BookingStatus>
  </Request>
</BookingListRQ>
```

Name	Optional	Data Type	Length	Description
Request		Group		
Request.**BookingID**	Y* [0...1]	int		Booking ID
Request.**Locator**	Y* [0...1]	string	<=255	Booking Locator
Request.**AgencyReference**	Y* [0...1]	string	<=255	Agency Booking reference

Request.**BookingDateRange**	Y* [0...1]			Search by date range.
Request.**BookingDateRange** [attribute **type**]	N [1...1]	int	1	Search by date types: 1->Reservation date 2->Check-in date 3->Check-out date 4->Cancellation date 5->Deadline date YYYY-MM-DD
Request.BookingDateRange.**FromDate**	N [1...1]	Date	10	Date From
Request.BookingDateRange.**ToDate**	N [1...1]	Date	10	Date To
Request.**CustomerName**	Y* [0...1]	string	<=255	Customer name
Request.**HotelID**	Y* [0...1]	int		Hotel ID
Request.**HotelName**	Y* [0...1]	string	<=255	The name of a hotel
Request.**BookingStatus**	Y* [0...1]	string	1	Booking Status Code: N-> Booking does not exist PC-> Confirmation pending C-> Confirmed PA-> Cancellation pending A-> Cancelled

** Though all parameters are optional, a valid request must include at least one parameter.*

XML Response:

```
<?xml version="1.0" encoding="UTF-8"?>
<BookingListRS version="2.0" language="ENG" currency="EUR">
  <Booking id="990">
    <BookingStatus>C</BookingStatus>
    <BookingModificationStatus>M</BookingModificationStatus>
    <Locator>167850</Locator>
    <OnRequest>0</OnRequest>
    <AgencyReference>TR7864-Y</AgencyReference>
    <CreationDate>2024-04-01</CreationDate>
    <CheckInDate>2024-04-05</CheckInDate>
    <CheckOutDate>2024-04-07</CheckOutDate>
    <Price>172.50</Price>
    <NetPrice>148.49</NetPrice>
    <MinAmount/>
    <CancellationFeeDate>2024-04-03</CancellationFeeDate>
    <CancellationDate>2024-04-04</CancellationDate>
    <CancellationTime>11:37</CancellationTime>
    <CancellationPrice>86.25</CancellationPrice>
    <CustomerName><![CDATA[John Doe]]></CustomerName>
    <Hotel id="756"><![CDATA[Hotel Ritz Madrid]]></Hotel>
    <City><![CDATA[Madrid]]></City>
    <Zone id="545"><![CDATA[Madrid]]></Zone>
    <Destination id="154"><![CDATA[Madrid]]></Destination>
    <Country id="15"><![CDATA[España]]></Country>
  </Booking>
</BookingListRS>
```

Name	Optional	Data Type	Length	Description
Booking	N [1...n]	Group		
Booking [attribute **id**]	N [1...1]	int		Booking ID
Booking.**BookingStatus**	N [1...1]	string	1	Booking Status Code: N-> Booking does not exist PC-> Confirmation pending C-> Confirmed PA-> Cancellation pending A-> Cancelled
Booking. **BookingModificationStatus**	Y [0...1]	string	1	Modification Status Code: N -> There isn't a modification PM -> Modification pending M -> Modified
Booking.**Locator**	Y [0...1]	string		Booking Locator
Booking.**OnRequest**				
Booking.**AgencyReference**	Y [0...1]	string	<=20	Agency booking reference
Booking.**CreationDate**	N [1...1]	Date	10	Date when the booking is created
Booking.**CheckInDate**	N [1...1]	Date	10	Check-in Date YYYY-MM-DD
Booking.**CheckOutDate**	N [1...1]	Date	10	Check-out Date YYYY-MM-DD
Booking.**Price**	N [1...1]	dec		Total price for the customer
Booking.**NetPrice**	N [1...1]	dec		Net Price
Booking.**CancellationFeeDate**	Y [0...1]	Date	10	Deadline date YYYY-MM-DD
Booking.**CancellationDate**	Y [0...1]	Date	10	Date when the booking is cancelled. It can be empty.
Booking.**CancellationTime**	Y [0...1]	Time	8	Time when the booking is cancelled.
Booking.**CancellationPrice**	Y [0...1]	dec		Amount charged for a cancelled booking
Booking.**CustomerName**	N [1...1]	string	<=255	The name of the customer
Booking.**Hotel**	N [1...1]	string	<=50	The name of a hotel
Booking.Hotel [attribute **id**]	N [1...1]	int		Hotel ID
Booking.**City**	N [1...1]	string	<=25	City where the hotel is located
Booking.**Zone**	N [1...1]	string	<=50	The name of a zone
Booking.Zone [attribute **id**]	N [1...1]	int		Zone ID
Booking.**Destination**	N [1...1]	string	<=50	The name of a destination
Booking.Destination [attribute **id**]	N [1...1]	int		Destination ID

Booking.**Country**	N [1...1]	string	<=50	The name of a country
Booking.Country [attribute **id**]	N [1...1]	int		Country ID
Booking.**HotelLocator**	Y[0...1]	String		HCN, Hotel Confirmation Number, if the hotel/channel is able to provide us with this information

CSV

Static Data

A CSV list of Room types, Amenities, Hotel Categories and Boards can be downloaded using the following links. Note that **mapping the amenities is mandatory,** as amenities give essential information about the room (superior, deluxe or shared bathroom, for example).

Test Server:

- **Rooms: http://testxmlservices.veturis.com/rooms.php**
- **Amenities: http://testxmlservices.veturis.com/amenities.php**
- **Hotel Categories: http://testxmlservices.veturis.com/categories.php**
- **Boards: http://testxmlservices.veturis.com/boards.php**

Live Server:

- **Rooms: http://xmlservices.veturis.com/rooms.php**
- **Amenities: http://xmlservices.veturis.com/amenities.php**
- **Hotel Categories: http://xmlservices.veturis.com/categories.php**
- **Boards: http://xmlservices.veturis.com/boards.php**

You can use the optional GET parameter “language” to download the information in the required language. The available language codes are:

Code	Language
ENG	English
SPA	Spanish
CHI	Chinese
FRE	French
GER	German
ITA	Italian
PT	Portuguese
RUS	Russian
CZE	Czech
DUT	Dutch
POL	Polish
RUM	Romanian
ARA	Arabic

Hotel and Geography Data

Besides being able to download our hotel and geography information via XML, you can choose to do so in CSV files. Keep in mind that CSV data is updated once a day, but we do not provide partial updates as we do it in our XML (HotelUpdates webservice). If you choose to download hotel information this way, you will download all the hotels information every time.

There are two ways to download our static CSV data:

- Manually, via an HTML form at: http://xmlservices.veturis.com/veturisCSV.php

You will need to input your credentials and choose the file and language you wish to download.

- Making your own POST request to http://xmlservices.veturis.com/getStaticData.php

Even if Veturis recommend the access for this data to clients in LIVE Environment, you can download the data en Test Environment from this adresses:

- Manually, in http://testxmlservices.veturis.com/veturisCSV.php
- POST request to http://testxmlservices.veturis.com/getStaticData.php

Before getting the CSV data in test, you will need a whitelisted IP and test access credentials.

If you choose the second option, there are four required parameters you will need to send in the request:

1. **user**: the same user as in the XML webservices
2. **password**: the same password as in the XML webservices
3. **file**: the code of the file you wish to download. Please refer to the list of files below.
4. **language** (optional): if you do not send this parameter, Spanish information will be downloaded. Please refer to the list of languages above, in the “Static Data” section.

List of Files:

Code	File	Description

SD_HH	Hotels	The list of all our hotels with the basic information. This is the main file to download.
SD_HD	DescriptionHotel	Description for the hotels. The description will be in the requested language, if a translation does not exist it will be in either English or Spanish.
SD_HP	PhotosHotel	URLs of the hotel photos.
SD_HZ	ZonesHotel	All the zones each hotels is located in. The main zone appears also in the “Hotels” file.
SD_HS	ServicesFacilities	All the services for each hotel.
SD_HC	CharacteristicFacilities	All the characteristics for each hotel.
SD_HN	NotesList	All the notes for each hotel.
SD_GP	Countries	Codes for all countries with Veturis hotels
SD_GD	Destinations	Codes for all destinations in each country
SD_GZ	Zones	Codes for all zones in each destination

Script example (PHP):

```
<?php
$ch2=curl_init();
$file2 = fopen('nameOfYourFile.zip','w+');
curl_setopt($ch2, CURLOPT_URL,
"http://xmlservices.veturis.com/getStaticData.php");
curl_setopt($ch2, CURLOPT_FILE, $file2); //auto write to file
curl_setopt($ch2, CURLOPT_TIMEOUT, 5040);
curl_setopt($ch2, CURLOPT_POST, 1);
curl_setopt($ch2, CURLOPT_POSTFIELDS,
"user=youruser&password=yourpassword&file=SD_HH&language=ENG");
curl_setopt($ch2, CURLOPT_FOLLOWLOCATION, true);
curl_exec($ch2);
curl_close($ch2);
fclose($file2);
?>
```

General Error Response

If you do not follow the indications of the grammar for the requests, and/or send an empty field whichi is requested as mandatory, you will get an error with this structure.

```
<?xml version="1.0" encoding="UTF-8"?>
<ResponseDetails version="0.1" language="SPA" currency="EUR">
  <Status>KO</Status>
  <Error>
      <![CDATA[ Error 1824: Element 'BookingID': '' is not a valid value of the
local atomic type. in / on line 1 ]]>
      </Error>
</ResponseDetails>
```

Contact Information

For any questions and further information, please contact Traveltech at:

xmlsupport@traveltech.es

Tel - Europe Support: +34 951 013 440 (Option 1)

Tel - Asia Support: : +662 2 116 7646 / +662 2 116 7648