



---

# INSTITUTO TECNOLÓGICO SUPERIOR DE JEREZ

---

04 de marzo del 2020

Jerez, Zac

Ingeniería en sistemas computacionales

Semestre: 6

Alumna: Leticia carrera venegas

Correo: Letycv25@gmail.com

Num control: S17070155

Actividad: Reporte de práctica

Administración de bases de datos


Docente: MTI Salvador Acevedo Sandoval

# Objetivo

Realizar un REPORTE DE PRACTICA relativo a la instalación en su DEBIAN, de las bases de datos de ejemplo que tiene mysql.


## Procedimiento

1. Capturas de pantalla y descripción de los pasos realizados para la instalación de cada base de datos.




## World

### Crear base de datos



### Instalar




## Sakila

```
root@localhost [world]> create database sakila;  
Query OK, 1 row affected (0.00 sec)
```


```
root@charlie:/BD# mysql -u root -p < sakila-schema.sql  
Enter password:
```

```
root@charlie:/BD# mysql -u root -p sakila < sakila-data.sql  
Enter password:  
root@charlie:/BD#
```

## Employee

 176.48.16.8 - PuTTY

```
root@localhost [world]> create database employee;  
Query OK, 1 row affected (0.01 sec)
```

 176.48.16.8 - PuTTY

```
root@charlie:/BD# ls  
sakila-data.sql sakila-schema.sql test_db-master world.sql  
root@charlie:/BD# cd /BD /test_db-master  
root@charlie:/BD# cd /BD/test_db-master  
root@charlie:/BD/test_db-master# mysql -u root -p < employees.sql  
Enter password:  
INFO  
CREATING DATABASE STRUCTURE  
INFO  
storage engine: InnoDB  
INFO  
LOADING departments  
INFO  
LOADING employees  
INFO  
LOADING dept_emp  
INFO  
LOADING dept_manager  
INFO  
LOADING titles  
INFO  
LOADING salaries  
data_load_time_diff  
NULL  
root@charlie:/BD/test_db-master#
```

## Menagerie

```
root@localhost [world]> create database menagerie;  
Query OK, 1 row affected (0.00 sec)
```

176.48.16.8 - PuTTY

```
root@charlie:/BD/test_db-master# mysql -u root -p --local-infile=1  
Enter password:  
Welcome to the MySQL monitor.  Commands end with ; or \g.  
Your MySQL connection id is 59  
Server version: 5.5.62-0+deb8u1 (Debian)  
  
Copyright (c) 2000, 2018, Oracle and/or its affiliates. All rights reserved.  
  
Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.  
  
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.  
  
root@localhost [(none)]> USE menagerie;  
Database changed  
root@localhost [menagerie]> SOURCE cr_pet_tbl.sql  
ERROR:  
Failed to open file 'cr_pet_tbl.sql', error: 2  
root@localhost [menagerie]> exit;  
Bye  
root@charlie:/BD/test_db-master# cd /BD/menagerie-db  
root@charlie:/BD/menagerie-db# mysql -u root -p --local-infile=1  
Enter password:  
Welcome to the MySQL monitor.  Commands end with ; or \g.  
Your MySQL connection id is 60  
Server version: 5.5.62-0+deb8u1 (Debian)
```

```
176.48.16.8 - PuTTY
Your MySQL connection id is 60
Server version: 5.5.62-0+deb8u1 (Debian)

Copyright (c) 2000, 2018, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

root@localhost [(none)]> USE menagerie;
Database changed
root@localhost [menagerie]> SOURCE cr_pet_tbl.sql
Query OK, 0 rows affected, 1 warning (0.00 sec)

Query OK, 0 rows affected (0.10 sec)

root@localhost [menagerie]> LOAD DATA LOCAL INFILE 'pet.txt' INTO TABLE pet;
Query OK, 8 rows affected (0.05 sec)
Records: 8 Deleted: 0 Skipped: 0 Warnings: 0

root@localhost [menagerie]> SOURCE ins_puff_rec.sql
Query OK, 1 row affected (0.02 sec)

root@localhost [menagerie]> SOURCE cr_event_tbl.sql
Query OK, 0 rows affected, 1 warning (0.00 sec)


Query OK, 0 rows affected (0.21 sec)

root@localhost [menagerie]> LOAD DATA LOCAL INFILE 'event.txt' INTO TABLE event;
Query OK, 10 rows affected, 2 warnings (0.02 sec)
Records: 10 Deleted: 0 Skipped: 0 Warnings: 2

root@localhost [menagerie]>
```

## Resultado

2. Captura de pantalla de la conexión a cada BD desde MySQL, donde aparezca su conexión a través de su cliente SSH (por ejemplo, Putty).
3. Además de una consulta de todas las bases de datos.

 176.48.16.8 - PuTTY  

```
root@localhost [employees]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| employees |
| menagerie |
| mysql |
| performance_schema |
| sakila |
| usuarios_sistema |
| world |
| world_x |
+-----+
9 rows in set (0.00 sec)
```

4. Una consulta de todas las tablas de las 5 bases de datos.

### World

 176.48.16.8 - PuTTY  

```
Database changed
root@localhost [world]> show tables;
+-----+
| Tables_in_world |
+-----+
| city |
| country |
| countrylanguage |
+-----+
3 rows in set (0.00 sec)
```

### Sakila

```
Database changed
root@localhost [sakila]> show tables;
+-----+
| Tables_in_sakila |
+-----+
| actor             |
| actor_info        |
| address           |
| category          |
| city              |
| country           |
| customer          |
| customer_list     |
| film              |
| film_actor        |
| film_category     |
| film_list         |
| film_text         |
| inventory         |
| language          |
| nicer_but_slower_film_list |
| payment           |
| rental            |
| sales_by_film_category |
| sales_by_store    |
| staff             |
| staff_list        |
| store             |
+-----+
23 rows in set (0.00 sec)

root@localhost [sakila]> 
```

## Employees

176.48.16.8 - PuTTY

```
root@localhost [employees]> show tables;
+-----+
| Tables_in_employees |
+-----+
| current_dept_emp     |
| departments          |
| dept_emp             |
| dept_emp_latest_date |
| dept_manager         |
| employees            |
| salaries             |
| titles               |
+-----+
8 rows in set (0.00 sec)
```

## Menagerie

176.48.16.8 - PuTTY

```
root@localhost [menagerie]> show tables;
+-----+
| Tables_in_menagerie |
+-----+
| event               |
| pet                 |
+-----+
2 rows in set (0.00 sec)
```

5. Una consulta de todos los registros de una tabla, para cada una de las BD.

## World



```
root@localhost [world]> SELECT *FROM countrylanguage;
```

CountryCode	Language	IsOfficial	Percentage
ABW	Dutch	T	5.3
ABW	English	F	9.5
ABW	Papiamentu	F	76.7
ABW	Spanish	F	7.4
AFG	Balochi	F	0.9
AFG	Dari	T	32.1
AFG	Pashto	T	52.4
AFG	Turkmenian	F	1.9
AFG	Uzbek	F	8.8
AGO	Ambo	F	2.4
AGO	Chokwe	F	4.2
AGO	Kongo	F	13.2
AGO	Luchazi	F	2.4
AGO	Luimbe-nganguela	F	5.4
AGO	Luvale	F	3.6
AGO	Mbundu	F	21.6
AGO	Nyaneka-nkhumbi	F	5.4
AGO	Ovimbundu	F	37.2
AIA	English	T	0.0
ALB	Albaniana	T	97.9
ALB	Greek	F	1.8
ALB	Macedonian	F	0.1
AND	Catalan	T	32.3
AND	French	F	6.2
AND	Portuguese	F	10.8
AND	Spanish	F	44.6

YUG	Albaniana	F	16.5
YUG	Hungarian	F	3.4
YUG	Macedonian	F	0.5
YUG	Romani	F	1.4
YUG	Serbo-Croatian	T	75.2
YUG	Slovak	F	0.7
ZAF	Afrikaans	T	14.3
ZAF	English	T	8.5
ZAF	Ndebele	F	1.5
ZAF	Northsotho	F	9.1
ZAF	Southsotho	F	7.6
ZAF	Swazi	F	2.5
ZAF	Tsonga	F	4.3
ZAF	Tswana	F	8.1
ZAF	Venda	F	2.2
ZAF	Xhosa	T	17.7
ZAF	Zulu	T	22.7
ZMB	Bemba	F	29.7
ZMB	Chewa	F	5.7
ZMB	Lozi	F	6.4
ZMB	Nsenga	F	4.3
ZMB	Nyanja	F	7.8
ZMB	Tongan	F	11.0
ZWE	English	T	2.2
ZWE	Ndebele	F	16.2
ZWE	Nyanja	F	2.2
ZWE	Shona	F	72.1

```
984 rows in set (0.00 sec)
```

```
root@localhost [world]>
```

## Sakila

```
176.48.16.8 - PuTTY

root@localhost [sakila]> SELECT *FROM store;
+-----+-----+-----+-----+
| store_id | manager_staff_id | address_id | last_update      |
+-----+-----+-----+-----+
| 1 | 1 | 1 | 2006-02-15 04:57:12 |
| 2 | 2 | 2 | 2006-02-15 04:57:12 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

## Employees

```
176.48.16.8 - PuTTY

root@localhost [employees]> select * from titles LIMIT 0,20;
+-----+-----+-----+-----+
| emp_no | title              | from_date | to_date          |
+-----+-----+-----+-----+
| 10001 | Senior Engineer    | 1986-06-26 | 9999-01-01      |
| 10002 | Staff              | 1996-08-03 | 9999-01-01      |
| 10003 | Senior Engineer    | 1995-12-03 | 9999-01-01      |
| 10004 | Engineer           | 1986-12-01 | 1995-12-01      |
| 10004 | Senior Engineer    | 1995-12-01 | 9999-01-01      |
| 10005 | Senior Staff       | 1996-09-12 | 9999-01-01      |
| 10005 | Staff              | 1989-09-12 | 1996-09-12      |
| 10006 | Senior Engineer    | 1990-08-05 | 9999-01-01      |
| 10007 | Senior Staff       | 1996-02-11 | 9999-01-01      |
| 10007 | Staff              | 1989-02-10 | 1996-02-11      |
| 10008 | Assistant Engineer | 1998-03-11 | 2000-07-31      |
| 10009 | Assistant Engineer | 1985-02-18 | 1990-02-18      |
| 10009 | Engineer           | 1990-02-18 | 1995-02-18      |
| 10009 | Senior Engineer    | 1995-02-18 | 9999-01-01      |
| 10010 | Engineer           | 1996-11-24 | 9999-01-01      |
| 10011 | Staff              | 1990-01-22 | 1996-11-09      |
| 10012 | Engineer           | 1992-12-18 | 2000-12-18      |
| 10012 | Senior Engineer    | 2000-12-18 | 9999-01-01      |
| 10013 | Senior Staff       | 1985-10-20 | 9999-01-01      |
| 10014 | Engineer           | 1993-12-29 | 9999-01-01      |
+-----+-----+-----+-----+
20 rows in set (0.00 sec)
```

## Menagerie

```
176.48.16.8 - PuTTY

root@localhost [menagerie]> select * from event;
+-----+-----+-----+-----+
| name   | date       | type   | remark                                     |
+-----+-----+-----+-----+
| Fluffy | 1995-05-15 | litter | 4 kittens, 3 female, 1 male |
| Buffy  | 1993-06-23 | litter | 5 puppies, 2 female, 3 male |
| Buffy  | 1994-06-19 | litter | 3 puppies, 3 female |
| Chirpy | 1999-03-21 | vet    | needed beak straightened |
| Slim   | 1997-08-03 | vet    | broken rib |
| Bowser | 1991-10-12 | kennel | NULL |
| Fang   | 1991-10-12 | kennel | NULL |
| Fang   | 1998-08-28 | birthday | Gave him a new chew toy |
| Claws  | 1998-03-17 | birthday | Gave him a new flea collar |
| Whistler | 1998-12-09 | birthday | First birthday |
+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

## Conclusión

Instalación de las bases de datos world, sakila, employees y menagerie.