
A TEMPLATE FOR ARXIV STYLE *

Author1, Author2

Affiliation

Univ

City

{Author1, Author2}email@email

Author3

Affiliation

Univ

City

email@email

ABSTRACT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Keywords First keyword · Second keyword · More

1 Introduction

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

2 Contribution

3 Notation and Definitions

Definitions and assumptions

- We will use j when referring to a stabilizer, i when referring to a generator, k when referring to a bit
- We take e_Z to be the error vector
- We take σ_Z
- Let \mathcal{C}_Z be a code which can correct Z errors and \mathcal{C}_X be a code which can correct X errors.

**Citation*: Authors. Title. Pages.... DOI:000000/11111.

- Let $H_X \in F_2^{M \times N}$ be the parity check matrix for \mathcal{C}_X as well as the generator for \mathcal{C}_Z .
- Let $H_Z \in F_2^{M \times N}$ be the parity check matrix for \mathcal{C}_Z as well as the generator for \mathcal{C}_X .
- Let M be the number of stabilizers. Let us also only consider the case where M is the number of generators. This results from when H_Z and H_X have the same number of rows.
- Let N be the number of bits.
- Assume H_X is the adjacency matrix of a (δ, γ) -left-expander bipartite graph where A is the set of bits and B is the set of stabilizers. Assume the graph is Δ_B, Δ_S regular.

For the rest of the paper, we will only consider Z errors. The algorithm and analysis remain the same if considering X errors, but H_Z must be used as the generator matrix and H_X must be used as the parity check matrix.

Notation

4 Background

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Section 4.

4.1 Small Set Flip

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

$$\xi_{ij}(t) = P(x_t = i, x_{t+1} = j | y, v, w; \theta) = \frac{\alpha_i(t) a_{ij}^{w_t} \beta_j(t+1) b_j^{v_{t+1}}(y_{t+1})}{\sum_{i=1}^N \sum_{j=1}^N \alpha_i(t) a_{ij}^{w_t} \beta_j(t+1) b_j^{v_{t+1}}(y_{t+1})} \quad (1)$$

4.1.1 Headings: third level

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Paragraph Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

5 Algorithm: K-Top Probabilistic Flip Method (K-Top PFM)

5.1 A Moral Reason/ Intuition

The algorithm is essentially the same as Small Set Bit Flip [TODO: CITE] with a minor difference, only a constant number of generators are checked. The idea here is that given a syndrome σ and a parity check matrix, H_X , the i th row of $H_X^T \sigma$ equals the number of error-ed checks that a qubit touches. Then, the k th row of $H_Z H_X^T \sigma$ is roughly correlated to the number of error-ed checks that the qubits in the k th generator touch. This rough correlation comes from the fact that we are working with expander codes. So then, if you get the generators touching the most error-ed stabilizers, it

Algorithm 1: sort-top-K(T)**Data:** A vector $T \in \mathbb{Z}_2^N$ **Result:** A set S of the top K indices in T

- 1 $S \leftarrow$ indices of a descending radix sort of T 's rows;
- 2 **return** A set of the top K indices in S ;

Algorithm 2: probabilistic-set-flip(E)**Data:** A syndrome $\sigma_0 \in \mathbb{F}_2^M$ **Result:** Deduced error \hat{E} if the algorithm converges and \perp otherwise

- 1 $\hat{E} \leftarrow 0^N$;
- 2 $\sigma \leftarrow \sigma_0$;
- 3 **while** $\exists F \in \mathcal{F} : |\sigma_Z| - |\sigma_Z \oplus H_Z \mathbf{k}| > 0$ **do**
- 4 $T \leftarrow H_Z H_X^T \sigma$;
- 5 $\text{generators} \leftarrow \text{sort-top-K}(T)$;
- 6 $\text{to-check} \leftarrow \bigcup_{i \in \text{generators}} \mathcal{P}(\mathcal{C}_{Z_i})$;
- 7 $\mathbf{k} \leftarrow \arg \max_{\mathbf{k} \in \text{to-check}} \frac{|\sigma_Z| - |\sigma_Z \oplus H_Z \mathbf{k}|}{|\mathbf{k}|}$;
- 8 $\hat{E} \leftarrow \hat{E} \oplus \mathbf{k}$;
- 9 $\sigma \leftarrow \sigma \oplus \sigma_X(\mathbf{k})$;
- 10 **end**
- 11 **return** \hat{E} if $|\sigma| = 0$, \perp otherwise.

would stand to reason that flipping some subset of qubits from a “highly error-ed generator” would result in decreasing the syndrome.

6 PFM Analysis

Definitions

Let us start by defining a slew of random variables

- Let $S_j = 1$ if and only if $\sigma_{Z_j} = 1$ and 0 otherwise.
- Let $L_j = 1$ iff $S_j = 0 \wedge \exists k \in \Gamma(\text{stabilizer } j)$ such that $e_{Z_k} = 1$ and 0 otherwise. In other words, think of L_j as indicating whether stabilizer L_j is “lying” about not neighboring an error-ed bit.
- Let \aleph_i be the number of unique stabilizers in the neighborhood of a generator. More formally,

$$\aleph_i = \bigcup_{k \in H_{X_i}} \Gamma(k).$$

- Let G_i be the number of stabilizers in the neighborhood of a generator such that the stabilizer is flagged. More formally,

$$G_i = \sum_{j \in \aleph_i} S_j$$

- Let G'_i be T_i in the algorithm. Note that G'_i equals TODO: reference here

$$G'_i = \sum_{k \in H_{X_i}} \sum_{j \in \Gamma(k)} S_j$$

- Define E_i to be the number of “lying” stabilizers in \aleph , or,

$$E_i = \sum_{j \in \aleph_i} L_j$$

- E'_i be equal to the sum of the number of neighboring “lying” stabilizers of each bit in generator i . Specifically,

$$E'_i = \sum_{k \in H_{X_i}} \sum_{j \in \Gamma(k)} L_j$$

- Define $\mathcal{O}_i^G = G'_i - G_i$. \mathcal{O}_i^G can be thought of as the number of “over-counted” flagged stabilizers which contribute to G'_i .
- Define $\mathcal{O}_i^E = E'_i - E_i$. \mathcal{O}_i^E can be thought of as the number of “over-counted” lying stabilizers which contribute to E'_i .

Distributions on the random variables

Observations and Lemmas

Lemma 6.1. *For a generator, given E_i and G_i , we can find some correction vector $\mathbf{k} \in \mathbb{F}_2^N$ such that $|\sigma_Z| - |\sigma_Z \oplus H_Z \mathbf{k}| \geq G_i - E_i$ and $|\mathbf{k}| \leq \frac{1-\delta}{\Delta_B} (G_i + E_i)$ for $G_i > E_i$.*

Proof. TODO: part 1 is that there are 3 types of stabilizers in neighbourhood. Those from G' , those from E , and those in neither. If those in neither, there is no neighbourhood in their error, so you can leave those bits alone. Then, by flipping bits connected to G' you decrease syndrome by G' , but you add in at most E'

part 2: each flipping bit effects at least $(1-\delta) \Delta_B$ stabilizers □

Probability of single generator error

Probability of error

Error Probability Graphs

7 PFM Numerical Simulations

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Section 4.

8 PFM Future Outlook

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Section 4.

9 Conclusion

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Section 4.

10 Acknowledgments

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Section 4.

11 Examples of citations, figures, tables, references

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui. [1, 2] and see [3].

The documentation for natbib may be found at

<http://mirrors.ctan.org/macros/latex/contrib/natbib/natnotes.pdf>

Of note is the command `\citet`, which produces citations appropriate for use in inline text. For example,

```
\citet{hasselmo} investigated\dots
```

produces

Hasselmo, et al. (1995) investigated...

<https://www.ctan.org/pkg/booktabs>

11.1 Figures

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam




Figure 1: Sample figure caption.

Table 1: Sample table title

Part		
Name	Description	Size (μm)
Dendrite	Input terminal	~ 100
Axon	Output terminal	~ 10
Soma	Cell body	up to 10^6

elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi. See Figure 1. Here is how you add footnotes.² Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetur eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

11.2 Tables

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetur tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo. See awesome Table 1.

11.3 Lists

- Lorem ipsum dolor sit amet
- consectetur adipiscing elit.
- Aliquam dignissim blandit est, in dictum tortor gravida eget. In ac rutrum magna.

12 Conclusion

Your conclusion here

Acknowledgments

This was supported in part by.....

²Sample of the first footnote.

References

- [1] George Kour and Raid Saabne. Real-time segmentation of on-line handwritten arabic script. In *Frontiers in Handwriting Recognition (ICFHR), 2014 14th International Conference on*, pages 417–422. IEEE, 2014. [11](#)
- [2] George Kour and Raid Saabne. Fast classification of handwritten on-line arabic characters. In *Soft Computing and Pattern Recognition (SoCPaR), 2014 6th International Conference of*, pages 312–318. IEEE, 2014. [11](#)
- [3] Guy Hadash, Einat Kermany, Boaz Carmeli, Ofer Lavi, George Kour, and Alon Jacovi. Estimate and replace: A novel approach to integrating deep neural networks with existing applications. *arXiv preprint arXiv:1804.09028*, 2018. [11](#)