

MobloTSim with Bluemix

Here you can find information about MobloTSim, an Android application for simulating an Internet of Things environment.

First you have to [register your device](#) in Bluemix, to have a device id and other data for authentication. Then you can start the [MobloTSim](#) application and add devices to simulate. You can [visualise the data](#) in Bluemix.

Register devices in Bluemix

Some kind of authentication is always required for devices to connect to the cloud. There are two options with Bluemix. There is a [demo service](#), where everybody freely can register devices, and the authentication is less strict. The other option is when the developer wants to deploy her or his [own cloud application](#) with an IoT service.

Demo version (Bluemix Play)

If you don't want to create a Bluemix account, you can still try out the platform with various demo projects. One of these project is the Play project, where everybody can register devices:

<https://play.internetofthings.ibmcloud.com/dashboard/#/devices/browse>

For the MobloTSim application there are some already registered devices that you can use, but it is possible that other users will use the same preregistered device, which can lead to unexpected behaviour (connection failures).

The information about the already registered devices are the followings:

(Organization ID: play)

Device type: MobloTSimType

Device ID: MobloTSimDevice01


and

(Organization ID: play)


Device type: MobloTSimType

Device ID: MobloTSimDevice02

If you want to register other devices, just click on the +Add Device button. There is an option to select or create a device type. You can select the already existing MobloTSimType or create a new type by clicking on the Create Device type button.



The next step is to create a Device, where the only required field is the device id, which is a unique name for the device. At the end of the process the authentication information is displayed for the new device.



Own Bluemix application

If you want to deploy your own cloud application which can handle IoT devices, you should register the devices in your own dashboard. Further information can be found at the end of this tutorial, in the [visualisation part](#). Basically after creating a cloud application, an IoT service should be added, where you can register devices. For more information visit the

Bluemix tutorials:

<http://www.ibm.com/developerworks/learn/cloud/bluemix/quick-start/index.html>

MobloTSim

The MobloTSim is an Android application for simulating devices in an Internet of Things environment. The application can be downloaded from

<https://github.com/sed-szeged/MobloTSim>.


After starting the application there are 3 buttons on the main screen. The Cloud button is to add or edit the cloud connection settings, the Devices button is to add, edit, start and stop devices, and the third, Information button is to provide information about the application in general.

Cloud

In this part of the application the connection settings can be managed for connected clouds.

There is a built-in cloud connection called “Bluemix quickstart” to connect to the Bluemix IoT demo project. This connection can be deleted, the recreation is easy, because there is a separate type for it. The demo project visualises the data from the device in a chart at

<https://quickstart.internetofthings.ibmcloud.com/>. For more information please refer to the [visualisation](#) part.



The selected cloud from the drop down list is the currently actual one, so the devices will send the data to it (i.e. usually to a gateway service in that cloud). To add your own Bluemix



application as a target, you can edit the myBluemix built-in cloud, or create a new, custom Bluemix typed cloud.

Devices

This part of the application manages the devices.

You can create, edit, remove, start and stop devices. There are two built-in devices, so you can try out the simulator with the quickstart application (as a gateway) in Bluemix. Just click on the Start button of a selected device and it starts to send data to the Bluemix quickstart demo project.

In the device settings screen, you can edit the type ID, device ID, authentication token, which are known from the Bluemix device registration. The rest of the fields are for the data generalization part.



Visualise the data in Bluemix

There are two options to visualise the data generated by the MobloTSim application. The Bluemix quickstart demo project is the fastest way to test it. The other option is a bit more

time consuming, but you can deploy your own cloud application which can handle (process and also react to) the data from the simulated IoT sensors.


Quickstart

Visit the <https://quickstart.internetofthings.ibmcloud.com/> URL, where after accepting the IBM's Term of Use, type in the device ID (displayed in the simulator). The chart will visualise the data from the given device in real-time.

IBM Watson IoT Platform

QUICKSTARTSERVICE STATUSDOCUMENTATIONBLOG

SIGN IN


Quickstart

No sign-up required to see how easy it is to connect your device to Watson IoT Platform and view live sensor data

Last message received at 15:21:16


MobIoTSimDevice01

status.data



Event	Datapoint	Value
status	data	8

I've seen my data, what next?

Use your device in an application created with IBM Bluemix.
[Click here](#) for more details.

Go to your Bluemix account

Note: When you sign up for a trial you may have to wait up to 24 hours to receive your log-in information

Create an app using the Internet of Things Starter from the Catalog


Note: You will have to name your app and wait for a few minutes for it to start running

When your app is running, select the app URL or type it into the browser to open the Node-RED flow editor

<http://<appname>.mybluemix.net>

Import the flow for your device into the Node-RED flow editor

IBM Watson IoT Platform



Terms of Use
Support
Privacy

Recipes
Documentation
Answers

API
Status
Quickstart

Deploy an own application

You can deploy a custom cloud application to Bluemix and add an IoT service, where you can register devices and communicate with them by the MQTT protocol. There are many runtimes supported. To get started with Bluemix and the IoT capabilities, the following tutorials are recommended:

- General tutorial:
<https://console.ng.bluemix.net/docs/starters/IoT/iot500.html>

- Deploying a visualisation app:
https://console.ng.bluemix.net/docs/services/loT/visualizingdata_sample.html

There is a revised version of the Bluemix visualisation application in the following git repo:
<https://github.com/sed-szeged/MobloTSimBluemixGateway>



IBM Internet of Things Foundation

[Use a different API key and Auth Token](#)

