


# POSIZIONE DEGLI ELEMENTI

# Posizione degli elementi



# Cambiare il flusso

- position

- top, bottom, left, right
- z-index

<https://developer.mozilla.org/en-US/docs/Web/CSS/position>

[https://www.w3schools.com/css/css\\_positioning.asp](https://www.w3schools.com/css/css_positioning.asp)

<https://www.csssolid.com/css-position.html>

- float

- clear

<https://developer.mozilla.org/en-US/docs/Web/CSS/float>

[https://www.w3schools.com/css/css\\_float.asp](https://www.w3schools.com/css/css_float.asp)

# Proprietà position

## position

**Values:** static | relative | absolute | fixed | inherit

**Default:** static

**Applies to:** all elements

**Inherits:** no

- **static:** posizione normale
- **relative:** posizionabile rispetto al suo posto
- **absolute:** posizionabile rispetto al suo contenitore
- **fixed:** posizionabile rispetto al viewport

# Specificare la posizione

**top, right, bottom, left**

**Values:** *length measurement | percentage | auto | inherit*

**Default:** *auto*

**Applies to:** *positioned elements (where position value is relative, absolute, **or** fixed)*

**Inherits:** *no*

- Specifica la distanza rispetto all'**elemento o blocco contenitore**
- **Containing block:** primo antenato con **position non static** (o il body)

# Modalità di posizionamento

**Static Position**



**Relative Position**



**Absolute Position**



**Fixed Position**



# Gestire sovrapposizioni

## z-index

**Values:** *number* | auto | inherit

**Default:** auto

**Applies to:** *positioned elements*

**Inherits:** *no*


```
#A {
  z-index: 10;
  position: absolute;
  top: 200px;
  left: 200px;
}
```

```
#B {
  z-index: 5;
  position: absolute;
  top: 225px;
  left: 175px;
}
```

```
#C {
  z-index: 1;
  position: absolute;
  top: 250px;
  left: 225px;
}
```



*By default, elements later in the document stack on top of preceding elements.*



*You can change the stacking order with the z-index property. Higher values stack on top of lower values.*

# Esempi

- Dropdown

[https://www.w3schools.com/css/css\\_dropdowns.asp](https://www.w3schools.com/css/css_dropdowns.asp)

[https://www.w3schools.com/css/tryit.asp?filename=trycss\\_dropdown\\_button](https://www.w3schools.com/css/tryit.asp?filename=trycss_dropdown_button)

[https://www.w3schools.com/css/tryit.asp?filename=trycss\\_dropdown\\_image](https://www.w3schools.com/css/tryit.asp?filename=trycss_dropdown_image)

- Altri

[https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS\\_layout/Practical\\_positioning\\_examples](https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS_layout/Practical_positioning_examples)

- Fixed

<https://www.w3.org/Style/Examples/007/menus.en.html#L384>

[https://www.w3schools.com/howto/howto\\_css\\_fixed\\_menu.asp](https://www.w3schools.com/howto/howto_css_fixed_menu.asp)





# float

## float

**Values:** left | right | none | inherit

**Default:** none

**Applies to:** all elements

**Inherits:** no

- muove un elemento tutto a destra o tutto a sinistra permettendo agli altri elementi di circondarlo

# Esempio

*Inline image in the normal flow*

*space next to the image is held clear*



They went down, down, down, till at last they came to a passage with a door at one end, which was only fastened with a latch. The eldest Princess opened it, and they found themselves immediately in a lovely little wood, where the leaves were spangled with drops of silver which shone in the brilliant light of the moon. They next crossed another wood where the leaves were sprinkled with gold, and after that another still, where the leaves glittered with diamonds.

*Inline image floated to the right.*

They went down, down, down, till at last they came to a passage with a door at one end, which was only fastened with a latch. The eldest Princess opened it, and they found themselves immediately in a lovely little wood, where the leaves were spangled with drops of silver which shone in the brilliant light of the moon. They next crossed another wood where the leaves were sprinkled with gold, and after that another still, where the leaves glittered with diamonds.




*image moves over and text wraps around it*

```
img {
  float: right;
}
p {
  padding: 15px;
  background-color: #F
  border: 2px solid #6
}
```

# Esempio

*Indicates outer margin edge  
(this rule would not appear in the actual web page)*



```
img {
  float: right;
  margin: 10px;
}
```

Esempio: ogre-fl.html

# Caratteristiche

- Si staccano dal flusso normale ma influenzano il contenuto dei blocchi intorno
- Sono contenuti nell'area del contenuto dell'elemento che li contiene
- I margini sono mantenuti



# clear dei float

## clear


**Values:** left | right | both | none | inherit

**Default:** none

**Applies to:** block-level elements only

**Inherits:** no

```
img {
  float: left;
  margin-right: 10px;
}
h2 {
  clear: left;
  margin-top: 2em;
}
```



# Contenere i float



**Hand-stitched iPhone motif**

[More info](#)

L'elemento contenitore non si allunga per contenere il float

Nell'elemento contenitore devo dichiarare  
overflow auto o hidden

```
#container {
  overflow: auto;
  width: 100%;
  background-color: #GGG;
  padding: 1em;
}
```



**Hand-stitched iPhone motif**

[More info](#)

Esempio: float-test.html



# Esempi

- Navbar float

[https://www.w3schools.com/css/tryit.asp?filename=trycss\\_dropdown\\_navbar](https://www.w3schools.com/css/tryit.asp?filename=trycss_dropdown_navbar)


[https://www.w3schools.com/css/css\\_image\\_gallery.asp](https://www.w3schools.com/css/css_image_gallery.asp)

# FLEXBOX DISPLAY

<https://css-tricks.com/snippets/css/a-guide-to-flexbox/>


# Flexbox

container




```
.container {  
    display: flex; /* or inline-flex */  
}
```

items




[https://www.w3schools.com/css/css3\\_flexbox.asp](https://www.w3schools.com/css/css3_flexbox.asp)

# flex-direction



```
.container {
  flex-direction: row | row-reverse | column |
column-reverse;
}
```

# flex-wrap



```
.container{  
  flex-wrap: nowrap | wrap | wrap-reverse;  
}
```

# justify-content

```
.container {  
  justify-content: ...  
}
```

flex-start



flex-end



center



space-between



space-around




space-evenly




# align-items & align-content

## align-items:




## align-content:



# order


```
.item {  
    order: <integer>; /* default is 0 */  
}
```





# align-self

```
.item {  
    align-self: auto | flex-start | flex-end | center |  
    baseline | stretch;  
}
```



- <https://blog.logrocket.com/responsive-image-gallery-css-flexbox/>

# Menu

serif

sans-serif

script

display

dingbats

- Navigazione verticale o orizzontale
- tipicamente si applica uno stile ad una lista ul

Esempio: [test-menu.html](#)

Esempio: [test-menu-sub.html](#)