

# CMP6200

## Individual Undergraduate Project

### 2024 - 2025

A2 - Literature Review and Methods

# University Artificially Intelligent Assistant



Course: Computer & Data Science  
Student Name: Lewis Higgins  
Student Number: 22133848  
Supervisor Name: Dr. Atif Azad

# Contents

<b>1</b>	<b>Report Introduction</b>	<b>2</b>
1.1	Aims and Objectives . . . . .	2
1.2	Literature Search Methodology . . . . .	3
<b>2</b>	<b>Literature Review</b>	<b>5</b>
2.1	Themes . . . . .	5
2.2	Review of Literature . . . . .	7
2.2.1	Artificial Intelligence (AI) . . . . .	7
2.2.2	Chatbots / Digital assistants . . . . .	8
2.2.3	Natural language processing (NLP) . . . . .	9
2.2.4	Large language models . . . . .	9
2.2.5	User experience and Human-Computer Interaction . . . . .	10
2.3	Theory . . . . .	11
2.4	Summary . . . . .	11
<b>3</b>	<b>Appendix</b>	<b>12</b>
3.1	Gantt Chart . . . . .	12
	<b>References</b>	<b>15</b>
	<b>Bibliography</b>	<b>16</b>

# Report Introduction

## Draft notice

This is a very early draft of this literature review and will be subject to major change over the next month. I've marked sections that I've taken from the proposal, or ones that I'm currently uncertain of, with boxes similar to this one. The format of the document is currently quite strange, with often random page breaks - this is temporary as I edit the draft and will be fixed in future versions. Furthermore, this draft is over the word count even WITH missing sections.

## 1.1 Aims and Objectives

### Copied from proposal

These are still subject to change pending the grade from my proposal.

This project aims to aid new and existing students alike while they are attending university with helpful information about the university itself, such as university societies, locations/campuses, and policies through the medium of a digital chatbot companion to converse with. Its objectives are to:

- Develop a chatbot capable of accurately answering user queries related to university buildings, policies, and societies with a minimum 95% accuracy rate.
- Conduct a thorough literature review on the surrounding topics, namely AI, LLMs and NLP.
- Create effective documentation for all stages of development, highlighting challenges faced during the process.
- Manage time effectively to ensure all project milestones are met on a consistent and regular timeframe.
- Evaluate the effectiveness of an AI assistant on university student acclimatization.

## 1.2 Literature Search Methodology

My literature search will be performed using multiple reputable databases for academic papers, including:

- IEEE Xplore
- Scopus / Elsevier
- Google Scholar
- BCU Online Library

By using multiple different databases to source my information from, I can ensure that any potentially relevant literature will be found. Figure 1.1 depicts how in a search for 1685 articles about employee retention strategies and turnover, only 582 (25.7%) appeared in multiple databases (Wanyama, McQuaid, and Kittler, 2022), meaning that the remaining 74.3% of articles were exclusive to the single database in which they were found, emphasising the importance of searching multiple databases.




Figure 1.1: Distribution of searched articles across databases. (Wanyama, McQuaid, and Kittler, 2022)

All searches performed for recent literature will be on papers published during or after 2017, with a preference to more recent literature, due to the constantly evolving fields my project is based on. The search terms I will use to retrieve the data I will be studying are:

- Artificial Intelligence / AI
- Chatbots / Digital Assistants
- Natural Language Processing / NLP
- Large Language Models / LLMs

- User Experience / UX

By using these specific terms that are directly relevant to the core themes of my project, I will be ensuring that I only retrieve literature that will be of crucial use in its development.

# Literature Review

## 2.1 Themes

To develop the artefact and conduct thorough background research on relevant literature to further my knowledge of the subject areas, key general themes of the project were identified. From these themes, further keywords to be used in the literature search were derived to ensure that retrieved literature is directly relevant to my research and development of the final artefact. Due to the constantly evolving fields the project focuses on, it will be necessary to limit the results to only those written in recent years (2018 earliest) as there are frequent new developments in the subject areas.

### Uncertainty

Chatbots / Digital assistants are highlighted red due to my uncertainty of whether they should be a key theme of the literature review. This is because recent ones use NLP and LLMs, which already have their own themes I intend to review.

Theme	Description	Keywords
AI	A field of computing dedicated to allowing computers to simulate human learning by training them on large amounts of data so that they can recognise patterns to classify or predict unknown data. AI can only be as good as the data it is trained upon, and can develop biases if it is fed too much data of a certain type.	Generative AI, Human-Centred AI, Explainable AI, AI Ethics, AI Bias
Chatbot Digital Assistant	Software that simulates a natural conversation between the computer and end user. Many chatbots, including the one I intend to develop, utilise recent developments such as Generative AI and natural language processing (NLP) to interpret and respond to user queries. (IBM, 2024c)	NLP, Microsoft Bot Framework, Watson Assistant, ChatGPT
Natural Language Processing	NLP refers to the use of machine learning to encode and process text to understand it in a similar way to humans, which can be used to allow direct two-way conversation between users and computers.	Deep learning, Tokenization, Sentiment analysis, Entity linking
LLMs	Large Language Models are a type of AI dedicated to the recognition and generation of text. As suggested by their name, they are trained on enormous amounts of text data, which allows them to have active conversations with users. There are many different LLMs, and as their size and complexity increases, so too does the necessary processing power.	Retrieval augmented generation (RAG), Fine-tuning, Prompt engineering, Impact on industry, GPT4o, LLaMA, Gemini, Claude
User Experience (UX)	The end user's overall experience of using a system, such as its ease of use and whether it is enjoyable to use (Cambridge Dictionary, 2024). In the context of my project, it will refer to the user's ability to smoothly converse with the chatbot and how human-like it is.	Conversational design, usability, market research, human-computer interaction

## 2.2 Review of Literature

### 2.2.1 Artificial Intelligence (AI)

Researchers have always wanted to harness the processing power of computers to act in a similar manner indistinguishable from that of humans, most notably from as long ago as 1950, where the question was posed 'Can machines think?' (Turing, 1950). Ever since, constant innovations were made in computer intelligence and machine learning, from playing games of checkers at a better level than human players (Samuel, 1959) to classifying the contents of millions of images using convolutional neural networks (Krizhevsky, Sutskever, and Hinton, 2012). Recently, AI is used across many disciplines and for different purposes to complete tasks faster than, and in some cases better than, human workers. Wirtz et al. (2018) write that 'service robots'<sup>1</sup> can complete a variety of tangible or intangible actions, such as reading and sending text as a chatbot, seen in Figure 2.1.




Figure 2.1: Service robots categorization by task-type and recipient of service (Wirtz et al., 2018).

Today, AI is still a constantly evolving field that is seeing bleeding-edge developments on a highly frequent basis, and more recently, is becoming instrumental in many people's work and private lives with the introduction of large language models (LLMs) (Maedche et al., 2019). However, when developing a project that utilises AI, it is important that they are ethical and human-centred in the development process, which is known as Human-Centred AI (HCAI). Another issue is the "black-box problem" - the inability to know an

<sup>1</sup>Defined as "system-based autonomous and adaptable interfaces that interact, communicate and deliver service to an organization's customers" (Wirtz et al., 2018, p.909)



AI's reasoning, meaning that eXplainable AI (XAI) is a growing necessity (Miró-Nicolau, Jaume-i-Capó, and Moyà-Alcover, 2025). In focusing on HCAI and XAI, the focus shifts from the machine executing the algorithms, and instead to the user and their experience using the AI (Shneiderman, 2020). In his article, Shneiderman strongly advocates for the promotion of HCAI for the benefit of both companies and their users, which is a commonly accepted idea due to the ethical risks of using AI. Because AI calculates outcomes from its training data rather than understanding social norms and perspectives, the use of it in sociotechnical systems poses serious risks due to the 'traps' it can fall into, because it cannot account for every possibility such as the personal tendencies and biases of its users (Selbst et al., 2019), and therefore developers require a shift in focus - from the final product at the end of development to the development process itself and end users, which also echoes Shneiderman's views.

### 2.2.2 Chatbots / Digital assistants

Missing section - To be done in future draft/final.

This theme overlaps too heavily with NLP and LLMs to really be its own theme, as it would just be a repetition of what is said in those sections. Shortly before submitting this draft, I did form an idea for how I would write this section, though I have already delayed this draft once already and would likely have had to do so again to implement this section.

### 2.2.3 Natural language processing (NLP)

The ability for a computer to interpret and understand human language greatly enhances the scale of their capabilities. This was recognised during the 1950s, where machine translation from Russian to English was demonstrated for the first time, albeit in a basic form (Jones, 1994). NLP has persistently been a key topic in computing, and even more so become in recent years, with its applications becoming very wide in scope with modern processing power, performing tasks such as sentiment analysis, which is the classification of the intent of a sentence, whether positive or negative for example, using recent developments in AI such as recurrent neural networks (RNNs) via libraries like TensorFlow (Abadi et al., 2016). Another use of NLP, as previously mentioned in a rudimentary form in the 1950s, is language translation. Back then, there were very limited technical options compared to those that exist today, and with today's RNNs, translation can be extremely accurate, albeit more computationally intensive. Both of these applications use RNNs, which are neural networks that are often superior to their alternatives such as convolutional (CNNs) and feedforward neural networks (FNNs) when analysing text due to the fact that they can retain information in their internal memory, which can allow them to recall context, allowing them to determine the linguistic relations between sentences within a document (Tang, Qin, and Liu, 2015), which is especially useful in conversational interfaces where the user may say "it" to contextually refer to a previous noun from their last prompt.

### 2.2.4 Large language models

LLMs are colossal machine learning models that leverage NLP to generate text. To do so, the training data required is immense, reaching 45 terabytes of pure text data for ChatGPT in 2023 (Dwivedi et al., 2023). This data is harvested from the web (Dubey et al., 2024) and social media due to it being one of the largest repositories of opinionated text data (Wang et al., 2016), such as posts on platforms like Facebook and X. However, meticulous care is taken into the specific sources used to remove Personally Identifiable Information (PII) to minimise privacy and ethical concerns (Dubey et al., 2024). They are currently used widely across an assortment of industries in place of technical support and human resources systems, and can be supplied with text prompts from users which will cause the LLM to generate a response. Vaswani et al. (2017) proposed the Transformer architecture, which became a staple in LLMs due to the major reduction in necessary processing power to produce higher-quality results. The architecture they proposed underpins many massive LLMs today, including ChatGPT. Even with this revelation, however, LLMs are still extremely performance-intensive, requiring more than 8 top-range server-grade GPUs to run some of the most powerful high-parameter open-source models of today like LLaMA 3.1's 405 billion parameter model (Dubey et al., 2024). However, it is also important to note that the amount of parameters in a model does not entirely account for the quality of its responses, as studied by Ouyang et al. (2022) in Figure 2.2 wherein their surveys revealed their fine-tuned LLM with over 100x less parameters than a 175 billion parameter GPT3 model would often give answers preferred by its human assessors, which reveals that the fine-tuning of an LLM is of vital importance to the quality of its responses, even moreso than the amount of parameters. Another major innovation in LLM came in the form of Retrieval-Augmented Generation (RAG), which allows LLMs to generate answers based on an additional external data source (Lewis et al., 2021), such




Figure 2.2: Human evaluations of the GPT models produced by Ouyang et al. (2022). PPO and PPO-ptx are their models.

as a company's own database. RAG therefore allows pre-trained LLMs to be attached to another data source and generate text based on the source, which can help to reduce LLM "hallucinations", which are occurrences where the LLM will fabricate false information as though it were correct (Lewis et al., 2021), due to the fact that it can find this information for itself.

### 2.2.5 User experience and Human-Computer Interaction

The way people interact with their devices has drastically evolved over the years, from early MS-DOS command-line interfaces (CLIs) to mouse-based graphical user interfaces (GUIs), to touch screens (Kotian et al., 2024), greatly broadening the userbase of computers as a whole from exclusively those heavily invested in tech to a vast majority of the world's population. As such, inclusive and accessible design is increasingly important to maximise the audience of any software, especially considering the growing disabled population (Putnam et al., 2012). As well as being inclusive, the design should also be user-centred, meaning it should be an iterative process that is constantly taking user feedback into account (Chammas, Quaresma, and Mont'Alvão, 2015). However, there are some barriers in this process when developing chatbots, as studied by Clark et al. (2019) in their survey of university students who stated that they would always view a chatbot as a tool, and would not converse with them in the same way as they would a person. In this same context, it is also important to understand that users may struggle to get the chatbot to respond with information they want, as their prompts may be poorly understood due to issues like overgeneralisation (Zamfirescu-Pereira et al., 2023), and that users can quickly grow impatient after around 2 to 6 failed attempts, often branding the product as poor if this occurs (Luger and Sellen, 2016).

## 2.3 Theory

Missing section - To be done in future draft/final

I am unsure of what this section should necessarily look like; examples provided on Moodle do not particularly help at all, and some of them simply don't even have this section.

## 2.4 Summary

To be changed

Due to Section 2.2.2 not being in this draft, this summary will be updated once I have completed it with its findings, too.

In conclusion, this literature review has revealed multiple key areas of focus for the development of the chatbot. The overall design of the chatbot must be iterative and human-centred, and user feedback should be obtained at every possible opportunity to ensure the resultant product is high quality. A deep exploration into AI, specifically in its applications in NLP and LLMs, has revealed that the likely best option for the chatbot will be to leverage a pre-existing powerful LLM's RAG capabilities to attach it to a database of university information, as to do so on a local machine would require an infeasible amount of processing power.

# Appendix

Copied from proposal

This is still subject to change pending the grade from my proposal. It also needs to be updated to reflect that the proposal is now done and lit review is in progress.

## 3.1 Gantt Chart




Figure 3.1: A conceptual Gantt chart of a development timeline.

# References

- Chammas, Adriana, Manuela Quaresma, and Cláudia Mont’Alvão (Jan. 1, 2015). “A Closer Look on the User Centred Design”. In: *Procedia Manufacturing*. 6th International Conference on Applied Human Factors and Ergonomics (AHFE 2015) and the Affiliated Conferences, AHFE 2015 3, pp. 5397–5404. ISSN: 2351-9789. DOI: [10.1016/j.promfg.2015.07.656](https://doi.org/10.1016/j.promfg.2015.07.656).
- Clark, Leigh, Nadia Pantidi, Orla Cooney, Philip Doyle, Diego Garaialde, Justin Edwards, Brendan Spillane, Emer Gilmartin, Christine Murad, Cosmin Munteanu, Vincent Wade, and Benjamin R. Cowan (May 2, 2019). “What Makes a Good Conversation? Challenges in Designing Truly Conversational Agents”. In: *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. CHI ’19. New York, NY, USA: Association for Computing Machinery, pp. 1–12. ISBN: 978-1-4503-5970-2. DOI: [10.1145/3290605.3300705](https://doi.org/10.1145/3290605.3300705).
- Dubey, Abhimanyu et al. (Aug. 15, 2024). *The Llama 3 Herd of Models*. DOI: [10.48550/arXiv.2407.21783](https://doi.org/10.48550/arXiv.2407.21783). arXiv: [2407.21783](https://arxiv.org/abs/2407.21783).
- Dwivedi, Y.K., N. Kshetri, L. Hughes, E.L. Slade, A. Jeyaraj, A.K. Kar, A.M. Baabdullah, A. Koohang, V. Raghavan, M. Ahuja, H. Albanna, M.A. Albashrawi, A.S. Al-Busaidi, J. Balakrishnan, Y. Barlette, S. Basu, I. Bose, L. Brooks, D. Buhalis, L. Carter, S. Chowdhury, T. Crick, S.W. Cunningham, G.H. Davies, R.M. Davison, R. Dé, D. Dennehy, Y. Duan, R. Dubey, R. Dwivedi, J.S. Edwards, C. Flavián, R. Gauld, V. Grover, M.-C. Hu, M. Janssen, P. Jones, I. Junglas, S. Khorana, S. Kraus, K.R. Larsen, P. Latreille, S. Laumer, F.T. Malik, A. Mardani, M. Mariani, S. Mithas, E. Mogaji, J.H. Nord, S. O’Connor, F. Okumus, M. Pagani, N. Pandey, S. Papagiannidis, I.O. Pappas, N. Pathak, J. Pries-Heje, R. Raman, N.P. Rana, S.-V. Rehm, S. Ribeiro-Navarrete, A. Richter, F. Rowe, S. Sarker, B.C. Stahl, M.K. Tiwari, W. van der Aalst, V. Venkatesh, G. Viglia, M. Wade, P. Walton, J. Wirtz, and R. Wright (2023). ““So what if ChatGPT wrote it?” Multidisciplinary perspectives on opportunities, challenges and implications of generative conversational AI for research, practice and policy”. In: *International Journal of Information Management* 71. DOI: [10.1016/j.ijinfomgt.2023.102642](https://doi.org/10.1016/j.ijinfomgt.2023.102642).
- Kotian, Abhijith L, Reshna Nandipi, Ushag M, Usha Rani S, VARSHAUK, and Veena G T (Jan. 2024). “A Systematic Review on Human and Computer Interaction”. In: *2024 2nd International Conference on Intelligent Data Communication Technologies and Internet of Things (IDCIoT)*. 2024 2nd International Conference on Intelligent Data Communication Technologies and Internet of Things (IDCIoT), pp. 1214–1218. DOI: [10.1109/IDCIoT59759.2024.10467622](https://doi.org/10.1109/IDCIoT59759.2024.10467622).
- Krizhevsky, Alex, Ilya Sutskever, and Geoffrey E Hinton (2012). “ImageNet Classification with Deep Convolutional Neural Networks”. In: *Advances in Neural Information Processing Systems*. Vol. 25. Curran Associates, Inc. DOI: [10.1145/3065386](https://doi.org/10.1145/3065386).
- Lewis, Patrick, Ethan Perez, Aleksandra Piktus, Fabio Petroni, Vladimir Karpukhin, Naman Goyal, Heinrich Küttler, Mike Lewis, Wen-tau Yih, Tim Rocktäschel, Sebastian Riedel, and Douwe Kiela (Apr. 12, 2021). *Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks*. DOI: [10.48550/arXiv.2005.11401](https://doi.org/10.48550/arXiv.2005.11401). arXiv: [2005.11401](https://arxiv.org/abs/2005.11401).
- Luger, Ewa and Abigail Sellen (May 7, 2016). ““Like Having a Really Bad PA”: The Gulf between User Expectation and Experience of Conversational Agents”. In: *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. CHI ’16. New York,

- NY, USA: Association for Computing Machinery, pp. 5286–5297. ISBN: 978-1-4503-3362-7. DOI: [10.1145/2858036.2858288](https://doi.org/10.1145/2858036.2858288).
- Maedche, Alexander, Christine Legner, Alexander Benlian, Benedikt Berger, Henner Gimpel, Thomas Hess, Oliver Hinz, Stefan Morana, and Matthias Söllner (Aug. 1, 2019). “AI-Based Digital Assistants”. In: *Business & Information Systems Engineering* 61 (4), pp. 535–544. ISSN: 1867-0202. DOI: [10.1007/s12599-019-00600-8](https://doi.org/10.1007/s12599-019-00600-8).
- Miró-Nicolau, M., A. Jaume-i-Capó, and G. Moyà-Alcover (2025). “A comprehensive study on fidelity metrics for XAI”. In: *Information Processing and Management* 62 (1). DOI: [10.1016/j.ipm.2024.103900](https://doi.org/10.1016/j.ipm.2024.103900).
- Ouyang, Long, Jeff Wu, Xu Jiang, Diogo Almeida, Carroll L. Wainwright, Pamela Mishkin, Chong Zhang, Sandhini Agarwal, Katarina Slama, Alex Ray, John Schulman, Jacob Hilton, Fraser Kelton, Luke Miller, Maddie Simens, Amanda Askell, Peter Welinder, Paul Christiano, Jan Leike, and Ryan Lowe (Mar. 4, 2022). *Training language models to follow instructions with human feedback*. DOI: [10.48550/arXiv.2203.02155](https://doi.org/10.48550/arXiv.2203.02155). arXiv: [2203.02155](https://arxiv.org/abs/2203.02155).
- Putnam, Cynthia, Kathryn Wozniak, Mary Jo Zefeldt, Jinghui Cheng, Morgan Caputo, and Carl Duffield (Oct. 22, 2012). “How do professionals who create computing technologies consider accessibility?” In: *Proceedings of the 14th international ACM SIGACCESS conference on Computers and accessibility*. ASSETS ’12. New York, NY, USA: Association for Computing Machinery, pp. 87–94. ISBN: 978-1-4503-1321-6. DOI: [10.1145/2384916.2384932](https://doi.org/10.1145/2384916.2384932).
- Samuel, A. L. (July 1959). “Some Studies in Machine Learning Using the Game of Checkers”. In: *IBM Journal of Research and Development* 3 (3). Conference Name: IBM Journal of Research and Development, pp. 210–229. ISSN: 0018-8646. DOI: [10.1147/rd.33.0210](https://doi.org/10.1147/rd.33.0210).
- Selbst, Andrew D., Danah Boyd, Sorelle A. Friedler, Suresh Venkatasubramanian, and Janet Vertesi (Jan. 29, 2019). “Fairness and Abstraction in Sociotechnical Systems”. In: *Proceedings of the Conference on Fairness, Accountability, and Transparency*. FAT\* ’19. New York, NY, USA: Association for Computing Machinery, pp. 59–68. ISBN: 978-1-4503-6125-5. DOI: [10.1145/3287560.3287598](https://doi.org/10.1145/3287560.3287598).
- Shneiderman, Ben (Oct. 16, 2020). “Bridging the Gap Between Ethics and Practice: Guidelines for Reliable, Safe, and Trustworthy Human-centered AI Systems”. In: *ACM Trans. Interact. Intell. Syst.* 10 (4), 26:1–26:31. ISSN: 2160-6455. DOI: [10.1145/3419764](https://doi.org/10.1145/3419764).
- Tang, Duyu, Bing Qin, and Ting Liu (Sept. 2015). “Document Modeling with Gated Recurrent Neural Network for Sentiment Classification”. In: *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing*. EMNLP 2015. Ed. by Lluís Màrquez, Chris Callison-Burch, and Jian Su. Lisbon, Portugal: Association for Computational Linguistics, pp. 1422–1432. DOI: [10.18653/v1/D15-1167](https://doi.org/10.18653/v1/D15-1167).
- Turing, A. M. (Oct. 1, 1950). “I.—COMPUTING MACHINERY AND INTELLIGENCE”. In: *Mind* LIX (236), pp. 433–460. ISSN: 1460-2113, 0026-4423. DOI: [10.1093/mind/LIX.236.433](https://doi.org/10.1093/mind/LIX.236.433).
- Vaswani, Ashish, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N. Gomez, Łukasz Kaiser, and Illia Polosukhin (Dec. 4, 2017). “Attention is all you need”. In: *Proceedings of the 31st International Conference on Neural Information Processing Systems*. NIPS’17. Red Hook, NY, USA: Curran Associates Inc., pp. 6000–6010. ISBN: 978-1-5108-6096-4. DOI: [10.48550/arXiv.1706.03762](https://doi.org/10.48550/arXiv.1706.03762).



- Wang, Zhaoxia, Chee Seng Chong, Landy Lan, Yiping Yang, Seng Beng Ho, and Joo Chuan Tong (Dec. 2016). “Fine-grained sentiment analysis of social media with emotion sensing”. In: *2016 Future Technologies Conference (FTC)*. 2016 Future Technologies Conference (FTC), pp. 1361–1364. DOI: [10.1109/FTC.2016.7821783](https://doi.org/10.1109/FTC.2016.7821783).
- Wanyama, Seperia B., Ronald W. McQuaid, and Markus Kittler (May 4, 2022). “Where you search determines what you find: the effects of bibliographic databases on systematic reviews”. In: *International Journal of Social Research Methodology* 25 (3), pp. 409–422. ISSN: 1364-5579. DOI: [10.1080/13645579.2021.1892378](https://doi.org/10.1080/13645579.2021.1892378).
- Wirtz, J., P.G. Patterson, W.H. Kunz, T. Gruber, V.N. Lu, S. Paluch, and A. Martins (2018). “Brave new world: service robots in the frontline”. In: *Journal of Service Management* 29 (5), pp. 907–931. DOI: [10.1108/JOSM-04-2018-0119](https://doi.org/10.1108/JOSM-04-2018-0119).
- Zamfirescu-Pereira, J.D., Richmond Y. Wong, Bjoern Hartmann, and Qian Yang (Apr. 19, 2023). “Why Johnny Can’t Prompt: How Non-AI Experts Try (and Fail) to Design LLM Prompts”. In: *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*. CHI ’23. New York, NY, USA: Association for Computing Machinery, pp. 1–21. ISBN: 978-1-4503-9421-5. DOI: [10.1145/3544548.3581388](https://doi.org/10.1145/3544548.3581388).



# Bibliography

- Cambridge Dictionary (2024). *Meaning of user experience in English*. URL: <https://dictionary.cambridge.org/dictionary/english/user-experience> (visited on 10/28/2024).
- Cloudflare (2024). *What is a large language model (LLM)?* URL: <https://www.cloudflare.com/en-gb/learning/ai/what-is-large-language-model/> (visited on 10/28/2024).
- IBM (Aug. 16, 2024a). *What is AI?* URL: <https://www.ibm.com/topics/artificial-intelligence> (visited on 10/28/2024).
- IBM (Aug. 11, 2024b). *What Is NLP (Natural Language Processing)? | IBM*. URL: <https://www.ibm.com/topics/natural-language-processing> (visited on 11/04/2024).
- IBM (2024c). *What is a chatbot?* URL: <https://www.ibm.com/topics/chatbots> (visited on 10/28/2024).
- IBM (2024d). *What is generative AI?* URL: <https://research.ibm.com/blog/what-is-generative-AI> (visited on 10/28/2024).
- ICO (2024). *Definitions*. URL: <https://ico.org.uk/for-organisations/uk-gdpr-guidance-and-resources/artificial-intelligence/explaining-decisions-made-with-artificial-intelligence/part-1-the-basics-of-explaining-ai/definitions/> (visited on 10/28/2024).
- Zewe, Adam (Nov. 9, 2023). *Explained: Generative AI*. URL: <https://news.mit.edu/2023/explained-generative-ai-1109> (visited on 10/28/2024).