

animation Property

[Reference](#)

on to a <div> element, using the shorthand property:

```
move 5s infinite;
```

Definition and Usage

The **animation** property is a shorthand property for:

- [animation-name](#)
- [animation-duration](#)
- [animation-timing-function](#)
- [animation-delay](#)
- [animation-iteration-count](#)
- [animation-direction](#)
- [animation-fill-mode](#)
- [animation-play-state](#)

☐ Dark mode

none 0 ease 0 1 normal none running

no

no. [Read about animatable](#)

CSS3

`object.style.animation="mymove 5s infinite"`

Try it

upport

ie table specify the first browser version that fully supports the

by -webkit-, -moz-, or -o- specify the first version that worked with

animation	43.0 4.0 -webkit-	10.0	16.0 5.0 -moz-	9.0 4.0 -webkit-	30.0 15.0 -webkit- 12.0 -o-

ADVERTISEMENT

☐ Dark mode



|X

```
duration timing-function delay iteration-count direction  
state;
```

Values

Description

2 Specifies the name of the keyframe you want to bind to the selector

[animation-](#)
[duration](#)

Specifies how many seconds or milliseconds an animation takes to complete

[animation-timing-](#)
[function](#)

Specifies the speed curve of the animation

[animation-delay](#)

Specifies a delay before the animation will start

[animation-](#)
[iteration-count](#)

Specifies how many times an animation should be played

[animation-](#)
[direction](#)

Specifies whether or not the animation should play in reverse on alternate cycles

[animation-fill-](#)
[mode](#)

Specifies what values are applied by the animation outside the time it is executing

[animation-play-](#)

Specifies whether the animation is running or

☐ Dark mode

initial	Sets this property to its default value. Read about <i>initial</i>
	Inherits this property from its parent element. Read about <i>inherit</i>

ages

Animations

nce: [animation_property](#).


Reference



ADVERTISEMENT

NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER

☐ Dark mode



Get certified
by completing
a course today!



Get started

CODE GAME



Play Game

ADVERTISEMENT

ADVERTISEMENT

☐ Dark mode

[HTML](#)[CSS](#)[Report Error](#)[Forum](#)[About](#)[Shop](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

☐ **Dark mode**

[HTML](#)[CSS](#)[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Web Courses

[HTML Course](#)[CSS Course](#)[JavaScript Course](#)[Front End Course](#)[SQL Course](#)[Python Course](#)[PHP Course](#)[jQuery Course](#)[Java Course](#)[C++ Course](#)[C# Course](#)[XML Course](#)[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

