



BENETEAU FIRST 35 -2009

First 35 -

Salesman Adrien Baumelle

Furling Jib with Battens 3Di ENDURANCE EDGE \ 15,100 Dpi

Whitley Real Estate

Designer Willow Terrassier

OE #: OFR18019-003

Wkt Created 04/02/2026

RIG DATA

I: 14,4 J: 4 P: 14 E: 4,8 LOA: 10,66

3DI

Tape

Location	Wad
Head	H1-25*
Tack	T0-25*
Clew	C2-25*

FURLING

Completed By _____ Date _____

UV Side Starboard UV Color Clear UV Painted True

BLUE BOOK REFERENCES

13.11 Printcolor UV Paint

13.04 Furling Reef Marks

NESTING

HEADSAIL SIZING

Completed By _____ Date _____

	FINISHED	REDUCTIONS	MOLDED
Head	0,080	0,000	0,052
Luff	13,750	0,000	13,750
Leech	13,320	0,000	13,320
Foot	4,220	0,028	4,192
LP	4,100	0,028	4,072

Head Back	0 mm
Head Down	0 mm
Tack Cut Back (From Front of Luff Tape)	35 mm
Tack Cut Up	0 mm

Girth Type	Max Length	Measured	Luff Position	Leech Position	Notes
7/8 Girth	0,610 m	Measured AS LP	-	-	
3/4 Girth	1,130 m	Measured AS LP	-	-	
1/2 Girth	2,120 m	Measured AS LP	-	-	
1/4 Girth	3,090 m	Measured AS LP	-	-	

BATTENS & POCKETS

Completed By _____ Date _____

Type	Length	Batten	Pocket	Chafe		Style	Hardware	Closures	Reinforcements	End Caps
Vertical	1800mm	E15300C1800	BPF63BK 1800mm	-	FRONT	Tie-In	-	iBPEv63TiIn-BK	iBPRv63IN-BK	-
				-	REAR	Closed	-	iBPEv63CL-BK	-	-
Vertical	1800mm	E15300C1800	BPF63BK 1800mm	-	FRONT	Tie-In	-	iBPEv63TiIn-BK	iBPRv63IN-BK	-
				-	REAR	Closed	-	iBPEv63CL-BK	-	-
Vertical	1800mm	E15300C1800	BPF63BK 1800mm	-	FRONT	Tie-In	-	iBPEv63TiIn-BK	iBPRv63IN-BK	-
				-	REAR	Closed	-	iBPEv63CL-BK	-	-
Vertical	1700mm	E15300C1800	BPF63BK 1700mm	-	FRONT	Tie-In	-	iBPEv63TiIn-BK	iBPRv63IN-BK	-
				-	REAR	Closed	-	iBPEv63CL-BK	-	-

Batten Hollows

Production Will Calculate Batten Hollows as per BB standard.

GENOA GRAPHICS				Completed By _____		Date _____			
North Sails Tack Logo		2 x 06							
Trim Stripes				Windows					
#	Primary Stripe	Width	Secondary Stripe	#	Type	Item	Location	Vertical Distance	Distance Back
1	White (Dacron)	50 mm		1	TellTale	TTW3D-BK*	Below 1/4 Stripe/Position	400 mm	250 mm
2	White (Dacron)	25 mm							
3	White (Dacron)	25 mm							
4	White (Dacron)	25 mm							
BLUE BOOK REFERENCES									
01.06 Headsail Draft Stripes and Tell Tails									

REINFORCEMENTS				Completed By _____		Date _____	
SPREADER/STANCHION CONFIGURATION:		Max Hoist	0,000 m	Chainplate Aft	0,000 m	Max Hoist To Chainplate	0,000 m
STANCHION PATCHES							
#	Patch	Distance Back	Distance Up				
1	SP90-25	0 mtr	0 mtr				
2	SP90-25	0 mtr	0 mtr				
3	-	0 mtr	0 mtr				
BLUE BOOK REFERENCES				NOTES			
05.50 3Di Tell Tail Window Installation				Please add window reinforcement in taping at telltale mark			
				2 sets of stanchion patches per txt file measurements and marks on sail. Add reinforcements in taping layout			
				Furling head and tack wads			

GENOA EDGES				Completed By _____		Date _____	
Location	Primary Tape	Tape Offset	Start Point	Cord	Adjuster	Cord Purchase	Place At
Luff	PLH6	28 mm	Tape From Tack: 730 mm	-	-	-	-
Leech	P53UV3	☐	-	LDX75-004	FCL241	CPS21MC-6	ClewLeech
Foot	P53UV3	☐	-	LP0042	FCL241	CPS11C-6	ClewFoot
STRAINERS							
Edge	Start Point	Length	Strainer				
Leech	Clew	13,320 m	13,32 x INW5				
BLUE BOOK REFERENCES				NOTES			
04.07 Headsail Luff Lacing Loops				Please add luff lacing loops with a cover			
				Lines on port			

ATTACHMENTS/HARDWARE				Completed By _____		Date _____	
Location	Style	Attachment	Strapping	Hardware	Hardware Attachment		
Head	Webbing Loop	YSSW25	2 x - x 350mm	-	-		
Tack	Webbing Loop	YSSW25	4 x - x 300mm	-	-		
Clew	'O' Ring	GR35S	5 x YSSW25 x 350mm	-	-		
BLUE BOOK REFERENCES							
18.24 Twisted Loop							
Twist head and tack loops							

POST PRODUCTION				Completed By _____		Date _____	
Sail Bag		ZZJ16L	Sail Tie	3 x YST25SA			

CUSTOM/COMPOSITE ITEMS				
CustomItem Dsc	Notes	Sub Items		
*H1-25		Item	Qty	Notes
		3Di wad H1 NL3D PABPSA black utility cloth 250mm web	1 Each	
*C2-25		Item	Qty	Notes
		3Di wad C2 NL3D PABPSA black utility cloth 300mm web	1 Each	
*T0-25		Item	Qty	Notes
		3Di wad T0 NL3DPABPSA BLACK utility cloth 200mm web	1 Each	
*TTW3D-BK		Item	Qty	Notes
		3Di Tell Tail Window - Black	1 Each	
*iBPRv63IN-BK		Item	Qty	Notes
		3Di Style "AA" (63mm) Vert BP Reinforcement - Inboard End - Black	1 Each	
*BPF63BK 1800mm		Item	Qty	Notes
		Fullbatten pocket material 63mm black plain	1,8 mtr	
*BPF63BK 1700mm		Item	Qty	Notes
		Fullbatten pocket material 63mm black plain	1,7 mtr	

EXTRAS			
Roller Reefing Sail Structure	Stanchion Patches	TT Windows	4 X Trim Stripes
UV Leech and Foot Painted (Print Color)	4 X Vertical Battens	Zip Bag	

SPREADER PATCH LOCATIONS

**BENETEAU FIRST 35 -2009****First 35 -****Salesman** Adrien Baumelle**Furling Jib with Battens 3Di ENDURANCE EDGE \ 15,100 Dpi****Whitley Real Estate****Designer** Willow Terrassier**OE #:** OFR18019-003**Wkt Created** 04/02/2026**HEADSAIL QC**

	Spec	Actual
Tack Ring	YSSW25	
Luff Reinforced & Seized @ Head/Tack		
Head Ring	YSSW25	
Leech Tape Correct & Smooth		
Leech Cord Correct & Tensioned		
Leech Cord Cleat & Purchase System		
UV Cover	Clear on Starboard	
Foot Tape Correct & Smooth		
Foot Cord Correct & Tensioned		
Foot Cord Cleat & Purchase System		
Clew Ring	GR35S	
Logo applied with OE#		
Sail Number & Color		
Sail Number Type	Insignia	
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Corner Code		
Tell Tales Applied		
Tell Tale Window	TTW3D-BK	
Head, Tack, Clew Corner Labels		
Sail Is Clean		
All threads cut on patches and tapes		
All corner patches taped and sewn		

	Spec	Actual
Finished Luff	13,750 m	
Finished Leech	13,320 m	
Finished Foot	4,220 m	
Finished Head	0 m	
7/8 Girth	0,61	
3/4 Girth	1,13	
1/2 Girth	2,12	
1/4 Girth	3,09	
Tack Back	35 mm	
Tack Up	0 mm	
Sail Area	29,600 sq m	

	Spec	Fit	Label	Caps
Batten	RBS Batten 15x300 Compression 1800mm			
Batten	RBS Batten 15x300 Compression 1800mm			
Batten	RBS Batten 15x300 Compression 1800mm			
Batten	RBS Batten 15x300 Compression 1800mm			

Stanchion Patches	SP90-25	
Stanchion Patches	SP90-25	
Stanchion Patches	-	

Sail Bag	ZZJ16L	
Bag Label		
Sail Ties	3 x YST25SA	
NS Purchasers Package		
Sail Weight		

Notes:**Sail Approved By:** _____ **Date:** _____