

PREMIER RACE



X-YACHTS XR 41
Pandion Racing - FRA 017
Salesman North Sails Sweden (Angsell, Martin)

Jib Heavy Weather OSR Max 3Di RAW 870 \ 22,400 Dpi
Jon Sindeman
Designer Williams, Chris (North Sails US (Design East))

OE #: OSE7991-002
Wkt Created 04/02/2026

RIG DATA

I: 17 **J:** 5.38 **P:** 16.5 **E:** 5.4 **LOA:** 12.75

3DI

Tape RAW Black **Reef Diamonds** 3 x RM1-BK

Location	Wad
Head	H4-25
Cunningham	Cu5-25
Tack	T5-25
Clew	C5-25
LuffReef	LU10-25
LeechReef	Le00-25

FURLING

NESTING

HEADSAIL SIZING

Completed By _____ Date _____

	FINISHED	REDUCTIONS	MOLDED		
Head	0.080	0.000	0.052	Head Back	0 mm
Luff	15.050	0.030	15.020	Head Down	0 mm
Leech	13.420	0.030	13.390	Tack Cut Back (From Front of Luff Tape)	35 mm
Foot	5.790	0.028	5.762	Tack Cut Up	45 mm
LP	5.235	0.028	5.207	Cunningham Height	800 mm
				Cunningham Back	100 mm

Girth Type	Max Length	Measured	Luff Position	Leech Position	Notes
7/8 Girth	0.725 m	Measured AS LP	-	-	
3/4 Girth	1.339 m	Measured AS LP	-	-	
1/2 Girth	2.574 m	Measured AS LP	-	-	
1/4 Girth	3.868 m	Measured AS LP	-	-	

Reef	Luff Height	Leech Height	Reef Back	Single Line Reefing?
FirstReef	1.520 m	2.104 m	50 mm (From Front of Luff Tape)	False

BLUE BOOK REFERENCES

05.07 Headsail Tack Fairing

NOTES

Finished cut length is 15.05m - 0.045m tack up, so 15.005m. 2.5m head pennant = total pin to pin of 17.505m

BATTENS & POCKETS

Completed By _____ Date _____

Type	Length	Batten	Pocket	Chafe		Style	Slide	Hardware	Closures	Reinforcements	End Caps
Full	857mm	E15265F900	901006 (70mm)	-	FRONT	Closed	-	-	iBPE70CL-BK	iBPR70LU-BK	-
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300
Full	1777mm	E19265F1800	901007 (95mm)	-	FRONT	Closed	-	-	iBPE95CL-BK	iBPR95LU-BK	-
				-	REAR	Wing Tip		-	iBPE95WT-BK	-	BT19300
Leech	1500mm	CB19250F1500	901007 (95mm)	-	FRONT	Closed		-	iBPE95CL-BK	iBPR95IN-BK	-
				-	REAR	Wing Tip		-	iBPE95WT-BK	-	BT19265
Leech	1500mm	CB19250F1500	901007 (95mm)	-	FRONT	Closed		-	iBPE95CL-BK	iBPR95IN-BK	-
				-	REAR	Wing Tip		-	iBPE95WT-BK	-	BT19265
Leech	1500mm	CB19250F1500	901007 (95mm)	-	FRONT	Closed		-	iBPE95CL-BK	iBPR95IN-BK	-
				-	REAR	Wing Tip		-	iBPE95WT-BK	-	BT19265

Batten Hollows

Production Will Calculate Batten Hollows as per BB standard.

GENOA GRAPHICS

Completed By _____ Date _____

Corner Code

J-3.5

North Sails Tack Logo

2 x O6

Trim Stripes

#	Primary Stripe	Width	Secondary Stripe
1	White (Dacron)	75 mm	
2	White (Dacron)	50 mm	
3	White (Dacron)	25 mm	
4	White (Dacron)	25 mm	

Windows

#	Type	Item	Location	Vertical Distance	Distance Back
1	TellTale	TTW3D-BK	Below 1/4 Stripe/Position	700 mm	300 mm
2	TellTale	TTW3D-BK	Below 1/2 Stripe/Position	700 mm	300 mm

REINFORCEMENTS

Completed By _____ Date _____

GENOA EDGES

Completed By _____ Date _____

Location	Primary Tape	Tape Offset	Start Point	Cord	Adjuster	Cord Purchase	Place At	Reef Cleat
Luff	PLL6	28 mm	Tape From Tack: 300 mm	-	-	-	-	-
Leech	P42HF ☐		-	LDX75-003	FCL241	CPS31SV-BK	ClewLeech	FCL241
Foot	P42HF ☐		-	LD003	FCL241	CPS21SC-BK	ClewFoot	-

BLUE BOOK REFERENCES

<u>14.01 Headsail Head Pennants</u>	Head pennant per BB 14.01. Total pennant length is 2.5m. However, use "Figure 3 Shock cord attachment (custom finishing shown here using a spectra web ring). 19mm YSSW19 x 4 laps x 75mm long.
<u>08.06 Jib Secondary Attachment</u>	

Page 2 of 3

ATTACHMENTS/HARDWARE
Completed By
Date

Location	Style	Attachment	Strapping	Hardware	Hardware Attachment
Head	Webbing Loop	YSSW25B	3 x - x 550mm	-	-
Cunningham	Press Ring	GSR20T	2 x YSSW19B x 500mm	-	-
Tack	'O' Ring	GR31S	5 x YSSW19B x 400mm	-	-
Clew	'T' Ring	GT-30CV-BK	6 x YSSW19B x 400mm	-	-

Luff Location	Luff Attachment	Luff Attachment Strapping	Luff Floppy	Luff Hardware	Side
1st Reef	GSR20T	4 x YSSW19B x 450mm	2 x -		Na

Leech Location	Leech Attachment	Leech Attachment Strapping	Leech Hardware	Side
1st Reef	2 x SCS8*	-	-	Both

Head Pennant	PHD7	2.395 m	Tack Pennant	-	0.000 m
--------------	------	---------	--------------	---	---------

BLUE BOOK REFERENCES

17.09 Mainsail Cunningham Loop Through Press Ring
Luff Reef and C-Ham are loose webs through a press ring.

NOTES

Reef intermediates are webbing loops, not grommets. Finish like the BB 08.06 webbings twisted and flat on the sail. 200mm long webs both sides of the sail.

Leech Reef is an SCS8. Cover WAD in Black PSA if the assembly comes with Red Covers. Hang off the leech.

MISCELLANEOUS ITEMS

YNW25B*

POST PRODUCTION
Completed By
Date

Sail Bag	ZZJ20L	Sail Tie	YST25SA	Measurement Rule	IRC
IHC Sticker	ORIHC	Bag Code	J-3.5		

CUSTOM/COMPOSITE ITEMS

CustomItem Dsc	Notes	Sub Items		
*YNW25B		Item	Qty	Notes
		1" FLAT NYLON WEBBING, BLACK	1 mtr	
*SCS8		No Sub Items.		
*SCS8		Item	Qty	Notes
		Spinnaker Wad with Integrated 8mm Spectra w/ 7cm loop	1 Each	

EXTRAS

Bag Code Labeling	Corner Code	Cunningham	2 X Full Battens
HELIX Structured Luff	Headsail Reef	IHC Measurement Certificate & Sticker	3 X Leech Battens (RBS Carbon)
Padded Clew Cover	RAW Black	Stanchion Patches	T-Clewring (no cover)
2 X TT Windows	4 X Trim Stripes	Zip Bag	

SPREADER PATCH LOCATIONS

PREMIER RACE



X-YACHTS XR 41

Pandion Racing - FRA 017

Salesman North Sails Sweden (Angsell, Martin)

Jib Heavy Weather OSR Max 3Di RAW 870 \ 22,400 Dpi

Jon Sindeman

Designer Williams, Chris (North Sails US (Design East))

OE #: OSE7991-002

Wkt Created 04/02/2026

HEADSAIL QC

	Spec	Actual
Tack Ring	GR31S	
Cunningham	GSR20T	
Luff Reinforced & Seized @ Head/Tack		
Head Ring	YSSW25B	
Leech Tape Correct & Smooth		
Leech Cord Correct & Tensioned		
Leech Cord Cleat & Purchase System		
Foot Tape Correct & Smooth		
Foot Cord Correct & Tensioned		
Foot Cord Cleat & Purchase System		
Clew Ring	GT-30CV-BK	
Logo applied with OE#		
Sail Number & Color		
Sail Number Type	DefaultProductSpec	
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Corner Code	J-3.5	
Tell Tales Applied		
Tell Tale Window	TTW3D-BK	
Tell Tale Window	TTW3D-BK	
Head, Tack, Clew Corner Labels		
Sail Is Clean		
All threads cut on patches and tapes		
All corner patches taped and sewn		

	Spec	Actual
Finished Luff	15.050 m	
Finished Leech	13.420 m	
Finished Foot	5.790 m	
Finished Head	0 m	
7/8 Girth	0.725	
3/4 Girth	1.339	
1/2 Girth	2.574	
1/4 Girth	3.868	
Tack Back	35 mm	
Tack Up	45 mm	
Sail Area	40.440 sq m	

	Spec	Fit	Label	Caps
Batten	RBS Batten 15x265 Flex 900m			
Batten	RBS Batten 19x265 Flex 1800mm			
Batten	RBS Carbon Batten 19x250 Flex 1500mm			
Batten	RBS Carbon Batten 19x250 Flex 1500mm			
Batten	RBS Carbon Batten 19x250 Flex 1500mm			

Sail Bag	ZZJ20L	
Bag Label	J-3.5	
Sail Ties	1 x YST25SA	
NS Purchasers Package		
Sail Weight		

Notes:

Sail Approved By: _____ **Date:** _____