



THOMPSON 9.600
Barracuda - C 108
Salesman Vaughan Prentice

Square Top Mainsail 3Di ENDURANCE EDGE \ 13,860 Dpi
Tim McCall
Designer Dick Parker
OE #: OAU117055-002
Wkt Created 10/02/2026

RIG DATA

I: 12.449 J: 3.516 P: 12.848 E: 4.669 LOA: 9.61

3DI

Tape Black Exterior (0505)

Reef Diamonds 6 x RM1-BK

Location	Wad
Head	C3-25
Tack	T1-25
Clew	C1-25
LuffReef	LU2-25
LeechReef	Le00-25

FURLING

NESTING

MAINSAIL SIZING

Completed By _____ Date _____

	FINISHED	REDUCTIONS	MOLDED
Head	1.350	0.000	1.340
Luff	12.920	0.000	12.920
Leech	13.550	0.000	13.550
Foot	4.720	0.010	4.710

Head Back	40 mm
Head Down	0 mm
Tack Cut Back (From Front of Luff Tape)	65 mm
Tack Cut Up	45 mm

Girth Type	Max Length	Measured	Luff Position	Leech Position	Notes
7/8 Girth	1.700 m	Measured AS LP	-	-	
3/4 Girth	2.340 m	Measured AS LP	-	-	
1/2 Girth	3.310 m	Measured AS LP	-	-	
1/4 Girth	4.070 m	Measured AS LP	-	-	

Reef	Luff Height	Leech Height	Reef Back	Single Line Reefing?
FirstReef	1.590 m	1.610 m	45 mm (From Front of Luff Tape)	False
SecondReef	3.910 m	4.010 m	45 mm (From Front of Luff Tape)	False

NOTES

Cunningham Height = 285mm

BATTENS & POCKETS												Completed By _____		Date _____	
Type	Length	Batten	Pocket	Chafe		Style	Slide	Hardware		Closures	Reinforcements	End Caps			
Full	1670mm	E15300C1800	901006 (70mm)	-	FRONT	Batten Box (Standard)	-	BA303	Dflt	-	iBPR70LU-BK	-			
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300				
Full	1900mm	E15265C1900	901006 (70mm)	-	FRONT	Batten Box (Standard)	-	BA303	Dflt	-	iBPR70LU-BK	-			
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300				
Full	2400mm	E15265C2400	901006 (70mm)	-	FRONT	Batten Box (Standard)	-	BA303	Dflt	-	iBPR70LU-BK	-			
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300				
Leech	1400mm	E15300F1500	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-			
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300				
Leech	1600mm	E15300F1800	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-			
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300				
Leech	1700mm	E15300F1800	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-			
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	BT15300				

Batten Hollows

Production Will Calculate Batten Hollows as per BB standard.

BLUE BOOK REFERENCES

09.04 3Di Bumpers for Boltrope Mainsails	8mm bump
--	----------

MAINSAIL GRAPHICS												Completed By _____		Date _____	
Sail Number		C 108		Color		White		Size		381		Type		Insignia	
North Sails Tack Logo		2 x O6													
Trim Stripes															
#	Primary Stripe		Width		Secondary Stripe										
1	White (Dacron)		50 mm												
2	White (Dacron)		50 mm												
3	White (Dacron)		25 mm												
4	White (Dacron)		25 mm												

REINFORCEMENTS												Completed By _____		Date _____	
NOTES						MISCELLANEOUS ITEMS									
spreader dots loose						GPAD22-17*									

MAINSAIL EDGES												Completed By _____		Date _____	
Location	Primary Tape	Tape Offset	Start Point	Cord	Adjuster	Cord Purchase	Place At	Reef Cleat							
Luff	PBH5H	10 mm	Tape From Tack: 300 mm	-	-	-	-	-							
Leech	P42HBK		-	LD003	FCL241	CPS215C-BK	ClewLeech	FCL241							
Foot	P42HBK		-	LD003	FCL241	CPS11C-BK	TackFoot	-							

BLUE BOOK REFERENCES

11.15 Non Overhead Leech Lines	Please use YSSW12LB for Leech Cord Anchors. LD003 cord from B3 to Clew. LD0022 cord from B3 to Head.
--------------------------------	--

NOTES

Please insert 8mm fibreglass rod down Luff Tape over 300mm at Head.
Cover Luff Tape with Spectra at Head/Tack/Reefs and Battens.

ATTACHMENTS/HARDWARE
Completed By
Date

Location	Style	Attachment	Strapping	Hardware	Hardware Attachment
Head	'O' Ring	GR31S	5 x YSSW19B x 300mm	-	-
Tack	'O' Ring	GR25S	2 x YSSW19B x 220mm	-	-
Clew	'O' Ring	GR31S	5 x YSSW19B x 300mm	-	-

Luff Location	Luff Attachment	Luff Attachment Strapping	Luff Floppy	Luff Hardware	Side
1st Reef	GSR20	1 x YSSW19B x 240mm	2 x GR25AS		Na
2nd Reef	GSR20	1 x YSSW19B x 240mm	2 x GR25AS		Na

Leech Location	Leech Attachment	Leech Attachment Strapping	Leech Hardware	Side
1st Reef	iFRR8-BK	-	-	Na
2nd Reef	iFRR8-BK	-	-	Na

BLUE BOOK REFERENCES

17.14 Square Top Head Webbing / Ring	A = 40mm B = 0mm C = 90mm
--------------------------------------	---------------------------------

POST PRODUCTION
Completed By
Date

Sail Bag	ZTOD500-75	Sail Tie	4 x YST25SA	Measurement Rule	IRC
----------	------------	----------	-------------	------------------	-----

EXTRAS

Black Exterior (0505)	3 X Full Battens	3 X Leech Battens	Roll Bag
Sail Numbers	2 X Standard Reef(s)	4 X Trim Stripes	

CUSTOM/COMPOSITE ITEMS

CustomItem Dsc	Notes	Sub Items		
*GPAD22-17		Item	Qty	Notes
		Generic Pad 22cm Diameter Full Circle - Black Technora	6 Each	



THOMPSON 9.600

Barracuda - C 108

Salesman Vaughan Prentice

Square Top Mainsail 3Di ENDURANCE EDGE \ 13,860 Dpi

Tim McCall

Designer Dick Parker

OE #: OAU117055-002

Wkt Created 10/02/2026

MAINSAIL QC

	Spec	Actual
Tack Ring	GR25S	
Luff Reinforced & Seized @ Head/Tack		
Head Ring	GR31S	
Leech Tape Correct & Smooth		
Leech Cord Correct & Tensioned		
Leech Cord Cleat & Purchase System		
Foot Tape Correct & Smooth		
Foot Cord Correct & Tensioned		
Foot Cord Cleat & Purchase System		
Clew Ring	GR31S	
Logo applied with OE#		
Sail Number & Color	C 108	
Sail Number Type	Insignia	
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Corner Code		
Tell Tales Applied		
Head, Tack, Clew Corner Labels		
Sail Is Clean		
All threads cut on patches and tapes		
All corner patches taped and sewn		

	Spec	Actual
Finished Luff	12.920 m	
Finished Leech	13.550 m	
Finished Foot	4.720 m	
Finished Head	1 m	
7/8 Girth	1.7	
3/4 Girth	2.34	
1/2 Girth	3.31	
1/4 Girth	4.07	
Tack Back	65 mm	
Tack Up	45 mm	

	Spec	Fit	Label	Caps
Batten	RBS Batten 15x300 Compression 1800mm			
Batten	RBS Batten 15x265 Compression 1900mm			
Batten	RBS Batten 15x265 Compression 2400mm			
Batten	RBS Batten 15x300 Flex 1500mm			
Batten	RBS Batten 15x300 Flex 1800mm			
Batten	RBS Batten 15x300 Flex 1800mm			

Sail Bag	ZTOD500-75	
Bag Label		
Sail Ties	4 x YST25SA	
NS Purchasers Package		
Sail Weight		

Notes:

Sail Approved By: _____

Date: _____