



BENETEAU FIRST 35 1979

Caribou VII

Salesman Beaton, Hugh (North Sails
Toronto)Full Batten Mainsail 3Di ENDURANCE EDGE \ 13,860 Dpi
Chantier BLYacht Inc.
OE #: OCA105393-001

Designer Taylor, Mark

Wkt Created 04/02/2026

RIG DATA

I: 13 J: 4.03 P: 12.1 E: 3.91 LOA: 10.7

3DI

Tape Black Exterior (0505)

Reef Diamonds 4 x RM1-BK

Location	Wad
Head	H5-25
Cunningham	Cu1-25
Tack	T1-25
Clew	C3-25
LuffReef	LU3-25
LeechReef	-

FURLING

NESTING

MAINSAIL SIZING

Completed By _____ Date _____

	FINISHED	REDUCTIONS	MOLDED
Head	0.125	0.000	0.112
Luff	12.060	0.000	12.060
Leech	12.650	0.000	12.650
Foot	3.845	0.013	3.832

Head Back	0 mm
Head Down	0 mm
Tack Cut Back (From Front of Luff Tape)	25 mm
Tack Cut Up	20 mm
Cunningham Height	302 mm
Cunningham Back	20 mm

Girth Type	Max Length	Measured	Luff Position	Leech Position	Notes
3/4 Girth	1.420 m	Measured AS LP	-	-	
1/2 Girth	2.450 m	Measured AS LP	-	-	
1/4 Girth	3.220 m	Measured AS LP	-	-	

Reef	Luff Height	Leech Height	Reef Back	Single Line Reefing?
FirstReef	1.266 m	1.362 m	55 mm (From Front of Luff Tape)	True
SecondReef	2.955 m	3.089 m	55 mm (From Front of Luff Tape)	True

BATTENS & POCKETS

Completed By _____ Date _____

Type	Length	Batten	Pocket	Chafe		Style	Slide	Hardware	Closures	Reinforcements	End Caps	
Full	1234mm	E15230C1350	901006 (70mm)	-	FRONT	Batten Box (Standard)	RU-1530-23-05	NSBB15-10	Dfit	BP70BRE-BK	iBPR70LU-BK	-
				-	REAR	Closed	Offset: 0mm	-	iBPЕ70CL-BK	iBPR70LE-BK	-	
Full	2124mm	E15265C2400	901006 (70mm)	-	FRONT	Batten Box (Standard)	RU-1530-23-05	NSBB15-10	Dfit	BP70BRE-BK	iBPR70LU-BK	-
				-	REAR	Closed	Offset: 0mm	-	iBPЕ70CL-BK	iBPR70LE-BK	-	
Full	2809mm	E19265C3000	901007 (95mm)	-	FRONT	Batten Box (Standard)	RU-1530-23-05	NSBB3-10	Dfit	BP95BRE-BK	iBPR95LU-BK	-
				-	REAR	Closed	Offset: 0mm	-	iBPЕ95CL-BK	iBPR95LE-BK	-	
Full	3355mm	E19300C3600	901007 (95mm)	-	FRONT	Batten Box (Standard)	RU-1530-23-05	NSBB3-10	Dfit	BP95BRE-BK	iBPR95LU-BK	-
				-	REAR	Closed	Offset: 0mm	-	iBPЕ95CL-BK	iBPR95LE-BK	-	

Batten Hollows

Production Will Calculate Batten Hollows as per BB standard.

MAINSAIL GRAPHICS

Completed By _____ Date _____

Sail Number

1126

Color

White

Size

381

Type

Insignia

North Sails Tack Logo

2 x O6

Trim Stripes

#	Primary Stripe	Width	Secondary Stripe
1	White (Dacron)	50 mm	
2	White (Dacron)	25 mm	
3	White (Dacron)	25 mm	

REINFORCEMENTS

Completed By _____ Date _____

MAINSAIL EDGES

Completed By _____ Date _____

Location	Primary Tape	Tape Offset	Start Point	Cord	Adjuster	Cord Purchase	Place At	Reef Cleat	Slide
Luff	PBH4BK	13 mm	Slide From Tack: 808 mm	-	-	-	-	-	SA109 Offset: 0mm
Leech	P63BK		-	LDX75-003	FCL241	CPS21MC-BK	ClewLeech	FCL258	-
Foot	P63BK		-	LP0042	FCL241	CPS11C-BK	TackFoot	-	-

ATTACHMENTS/HARDWARE

Completed By _____ Date _____

Location	Style	Attachment	Strapping	Hardware	Hardware Attachment
Head	Std Headboard	GHB11B	2 x YSSW25B x 350mm	SA109	-
Cunningham	Press Ring	GSR20	1 x YSSW19B x 300mm	-	-
Tack	'O' Ring	GR25AS	3 x YSSW25B x 275mm	-	-
Clew	'O' Ring With Boom Strap	GR40S	4 x YSSW25B x 375mm	CS25-150	-

Luff Location	Luff Attachment	Luff Attachment Strapping	Luff Floppy	Luff Hardware	Side
1st Reef	GSR20	2 x YSSW19B x 325mm	2 x GR25AS		Na
2nd Reef	GSR20	2 x YSSW19B x 325mm	2 x GR25AS		Na

Leech Location	Leech Attachment	Leech Attachment Strapping	Leech Hardware	Side
1st Reef	iFRR10-BK	-	-	Na
2nd Reef	iFRR10-BK	-	-	Na

POST PRODUCTION

Completed By _____ Date _____

Sail Bag

ZD-4

Measurement Stamp

OSMSV2

Sail Tie

3 x YST25SA

Measurement Rule

PHRF

EXTRAS

Black Exterior (0505)	Cunningham	Drawstring Sailbag	4 X Full Battens
4 X Rutgerson 1530-23-05 23mm Batten Car w/ M-10 Link	Sail Numbers	Standard Measurement	2 X Standard Reef(s)
3 X Trim Stripes			

CUSTOM/COMPOSITE ITEMS

No Custom Items in Design



BENETEAU FIRST 35 1979

Caribou VII

Salesman Beaton, Hugh (North Sails
Toronto)

Full Batten Mainsail 3Di ENDURANCE EDGE \ 13,860 Dpi

Chantier BLYacht Inc.

Designer Taylor, Mark

OE #: OCA105393-001

Wkt Created 04/02/2026

MAINSAIL QC

	Spec	Actual
Tack Ring	GR25AS	
Cunningham	GSR20	
Luff Reinforced & Seized @ Head/Tack		
Luff Hardware	SA109	
Head Ring	GHB11B	

Leech Tape Correct & Smooth		
Leech Cord Correct & Tensioned		
Leech Cord Cleat & Purchase System		

Foot Tape Correct & Smooth		
Foot Cord Correct & Tensioned		
Foot Cord Cleat & Purchase System		
Clew Ring	GR40S	

Logo applied with OE#		
Sail Number & Color	1126	
Sail Number Type	Insignia	
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Corner Code		
Tell Tales Applied		
Head, Tack, Clew Corner Labels		

Sail Is Clean		
All threads cut on patches and tapes		
All corner patches taped and sewn		

	Spec	Actual
Finished Luff	12.060 m	
Finished Leech	12.650 m	
Finished Foot	3.845 m	
Finished Head	0 m	
3/4 Girth	1.42	
1/2 Girth	2.45	
1/4 Girth	3.22	
Tack Back	25 mm	
Tack Up	20 mm	

	Spec	Fit	Label	Caps
Batten	RBS Batten 15x230 Compression 1350mm			
Batten	RBS Batten 15x265 Compression 2400mm			
Batten	RBS Batten 19x265 Compression 3000mm			
Batten	RBS Batten 19x300 Compression 3600mm			

Sail Bag	ZD-4	
Bag Label		
Sail Ties	3 x YST25SA	
NS Purchasers Package		
Sail Weight		

Notes:

Sail Approved By: _____ **Date:** _____