

PREMIER RACE



JV 76
JV 76 proto
Salesman North Sails Uk (Smart, Jeremy)

Square Top Mainsail 3Di RAW 870 \ 32,000 Dpi
Kizbel Ltd
Designer George, Kevin (North Sails UK)

OE #: ODE17090-001
Wkt Created 30/01/2026

RIG DATA

I: 30.1 J: 8.876 P: 31.45 E: 10.35 LOA: 23.165

3DI

Tape RAW Black

Location	Wad
Head	Custom Head Wad*
Cunningham	-
Tack	Tack/Cunningham Wad*
Clew	C12-25

FURLING

NESTING

MAINSAIL SIZING

Completed By _____ Date _____

	FINISHED	REDUCTIONS	MOLDED		
Head	2.650	0.000	2.650	Head Back	60 mm
Luff	31.450	0.000	31.423	Head Down	150 mm
Leech	32.590	0.000	32.590	Tack Cut Back (From Front of Mold)	100 mm
Foot	10.330	0.000	10.330	Tack Cut Up	0 mm
				Cunningham Height	200 mm
				Cunningham Back	70 mm

Girth Type	Max Length	Measured	Luff Position	Leech Position	Notes
7/8 Girth	3.630 m	Measured AS LP	-	-	
3/4 Girth	4.940 m	Measured AS LP	-	-	
1/2 Girth	7.050 m	Measured AS LP	-	-	
1/4 Girth	8.800 m	Measured AS LP	-	-	

BATTENS & POCKETS

Completed By _____ Date _____

Type	Length	Batten	Pocket	Chafe		Style	Slide	Hardware	Closures	Reinforcements	End Caps	
Full	3249mm	CT33 ordered by sales (NOT SUPPLIED)	601086 (160mm)	-	FRONT	Batten Box (Extra)	-	CCLR048.080	Dflt	-	iBPR160LU-BK	-
				-	REAR	Wing Tip		-	iBPE160WT-BK	iBPR160LE-BK	FTLT33	
Full	3589mm	CT33 ordered by sales (NOT SUPPLIED)	601086 (160mm)	-	FRONT	Batten Box (Extra)	-	CCLR048.080	Dflt	-	iBPR160LU-BK	-
				-	REAR	Wing Tip		-	iBPE160WT-BK	iBPR160LE-BK	FTLT33	
Full	4346mm	CT33 ordered by sales (NOT SUPPLIED)	601086 (160mm)	-	FRONT	Batten Box (Extra)	-	CCLR048.080	Dflt	-	iBPR160LU-BK	-
				-	REAR	Wing Tip		-	iBPE160WT-BK	iBPR160LE-BK	FTLT33	
Flutter	1400mm	CTP10660L (NOT SUPPLIED)	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	RSLT007	
Full	5433mm	CT33 ordered by sales (NOT SUPPLIED)	601086 (160mm)	-	FRONT	Batten Box (Extra)	-	CCLR048.080	Dflt	-	iBPR160LU-BK	-
				-	REAR	Wing Tip		-	iBPE160WT-BK	iBPR160LE-BK	FTLT33	
Flutter	1400mm	CTP10660L (NOT SUPPLIED)	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	RSLT007	
Leech	3500mm	CT22 ordered by sales (NOT SUPPLIED)	901008 (125mm)	-	FRONT	Closed		-		iBPE160CL-BK	iBPR160IN-BK	-
				-	REAR	Wing Tip		-	iBPE125WT-BK	-	RSLT017	
Flutter	1400mm	CTP10660L (NOT SUPPLIED)	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	RSLT007	
Leech	3500mm	CT22 ordered by sales (NOT SUPPLIED)	901008 (125mm)	-	FRONT	Closed		-		iBPE160CL-BK	iBPR160IN-BK	-
				-	REAR	Wing Tip		-	iBPE125WT-BK	-	RSLT017	
Flutter	1400mm	CTP10660L (NOT SUPPLIED)	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	RSLT007	
Leech	3500mm	CT22 ordered by sales (NOT SUPPLIED)	901008 (125mm)	-	FRONT	Closed		-		iBPE160CL-BK	iBPR160IN-BK	-
				-	REAR	Wing Tip		-	iBPE125WT-BK	-	RSLT017	
Flutter	1400mm	CTP10660L (NOT SUPPLIED)	901006 (70mm)	-	FRONT	Closed		-		iBPE70CL-BK	iBPR70IN-BK	-
				-	REAR	Wing Tip		-	iBPE70WT-BK	-	RSLT007	
Leech	3500mm	CT22 ordered by sales (NOT SUPPLIED)	901008 (125mm)	-	FRONT	Closed		-		iBPE160CL-BK	iBPR160IN-BK	-
				-	REAR	Wing Tip		-	iBPE125WT-BK	-	RSLT017	

Batten Hollows

Production Will Calculate Batten Hollows as per BB standard.

BLUE BOOK REFERENCES

<u>06.58 3Di Wingtip Leech End</u>	
<u>06.50 SY 3Di Closed Inboard End</u>	Make sure there are no deformations or creases due to bulky retainers.
<u>12.21 Batten Loading Window</u>	

MISCELLANEOUS ITEMS

Cappings*	
-----------	--

NOTES

Leech batten Inboard End will have an additional reinforcement in PURE 3 on each side and extra stitching as shown in the drawing.

MAINSAIL GRAPHICS

Completed By _____ Date _____

Sail Number

GBR 76X

Color

White

Size

610

Type

Insignia

North Sails Tack Logo

2 x 09

Trim Stripes

#	Primary Stripe	Width	Secondary Stripe
1	White (Dacron)	125 mm	
2	White (Dacron)	125 mm	
3	White (Dacron)	100 mm	
4	White (Dacron)	100 mm	

NOTES

Sail Number and Trim Stripes will be painted in White by Ocean Art. Layout please draw outlines for the numbers (draw around numbers and letters on prefab table). Please draw outlines for stripes too.

Trim stripes specified widths are correct.

REINFORCEMENTS

Completed By _____ Date _____

NOTES

Supply 4 x 400mm INBK Circle as spreader dots.

MISCELLANEOUS ITEMS

400mm INBK Circle*

MAINSAIL EDGES				Completed By _____		Date _____	
Location	Primary Tape	Tape Offset	Start Point	Cord	Adjuster	Cord Purchase	Place At
Luff	PBH5H		Tape From Tack: 360 mm	-	-	-	-
Leech	P84BK		-	LV004	FCL241	3:1 750 mm*	ClewLeech
Foot	PLL7BK	27 mm	-	-	-	-	-

BLUE BOOK REFERENCES

15.01 Mainsail Nylon-Dacron Foot Shelf	See notes above
--	-----------------

NOTES

HEAD: Use LD003 supplied, STBD side. Anchor at gaff batten, tied to the rear loop of Halyard Forward Pull.

LUFF: LTE as per drawing, cover Head to 150mm below FBatt#4 with YWH150 which also goes over batten bumpers. 5mm bump at full batten ends

LEECH: Line (STBD side) to be in two parts, 1st part FBatt#1 to FBatt#4 use anchors to deadend, 2nd part FBatt#4 to 3:1 @ clew

FOOT: The zippered foot shelf star/stop 500mm from Tack/Clew (Curved edges sewn together). The zipper extends 100 mm past both ends of the foot shelf, reinforce the zipper where the seam ends with webbing. 75 mm from the end of the zipper make a 75 mm long Velcro tab with 25mm hook-and-loop back to back so it can be wrapped around the zipper to prevent from opening. See BB19.04 for reference. PLL7BK start/stop at 300 mm from each end of the of the shelf.

MISCELLANEOUS ITEMS

Luff tape Head to B4 Rein*	
Batten Bumpers*	

ATTACHMENTS/HARDWARE						Completed By _____		Date _____	
Location	Style	Attachment	Strapping	Hardware	Hardware Attachment				
Head	'O' Ring	GT80R	9 x Custom Head Straps x 0mm	-	-				
Cunningham	Webbing Loop	3.2 x YSSW25B	4 x - x 800mm	-	-				
Tack	Webbing Loop	Tack & Cunn car straps*	-	-	-				
Clew	'O' Ring	GT80R	13 x YSSW25B x 800mm	-	-				

NOTES

For the finishing of the corners, see the attached drawings.

MISCELLANEOUS ITEMS

Custom Head Straps*	
---------------------	--

POST PRODUCTION				Completed By _____		Date _____	
Sail Bag	ZZSJ36WC	Sail Tie	8 x YST45SA	Measurement Rule	IRC		
IHC Sticker	ORIHC						

BLUE BOOK REFERENCES

21.17 World Sailing Certified IHC IRC Measurement	
---	--

EXTRAS			
Bag Color Option	4 X C-Tech CCLR Carbon Clamshell - Fixed	Country Code	Cunningham
Dacron Foot Shelf	5 X Flutter Battens	4 X Full Battens (Pocket Only)	IHC Measurement Certificate & Sticker
4 X Leech Battens (Pocket Only)	Mainsail Spreader Tip Patches	RAW Black	Sail Numbers
4 X Trim Stripes	Zip Bag		

CUSTOM/COMPOSITE ITEMS				
CustomItem Dsc	Notes	Sub Items		
*3:1 750 mm	Leech purchase	Item	Qty	Notes
		3Di SY Velcro Purchase Cover 75cm Narrow - Black	1 Each	
		Braid Core Dyneema Excel Racing LS5-SD3 5mm	3 mtr	
		SY 3:1 Purchase Hardware 16mm Stainless Blocks	1 Each	
*Anchors		Item	Qty	Notes
		19mm Black Spectra Tie Off 10cm	4 Each	
*Cappings		Item	Qty	Notes
		5" 8.0 oz. Black Tape	5 mtr	
		DACRON TAPE 6 OZ 3" BLACK FOLDED	11 mtr	
*CB15200F1200		Item	Qty	Notes
		RBS Carbon Batten 15x200 Flex 1200mm	1 Each	
*CT22 ordered by sales		No Sub Items.		
*CT33 ordered by sales		No Sub Items.		
*Custom Head Straps		Item	Qty	Notes
		25mm Black Ultra-PE Webbing-45m per bobbin length	6.5 mtr	
*Custom Head Wad		Item	Qty	Notes
		3D Utility Light Black Poly Reinforced w/PSA 1370mm	1 mtr	
		8 oz white dacron PSA	1 mtr	
		Pure Reinforcement Sheet 6 Layer 1200 x 2400mm	1 sqmtr	
*Foot Shelf Black 4oz Dac		Item	Qty	Notes
		#10 COIL ZIPPER SLIDER, NICKEL FINISH, SINGLE, NO	1 Each	
		#10 CONTINUOUS COIL BLACK ZIPPER	10 mtr	
		DACRON TAPE 6 OZ 3" BLACK FOLDED	10 mtr	
*RSLT CT22		No Sub Items.		
*FTLT33		No Sub Items.		
*NSWTT		Item	Qty	Notes
		RBS Wing Tip Intallation Tool	2 Each	
*PURE Reinf.	Additional layer of PCWT3 on each side of IBPR160IN.	Item	Qty	Notes
		Pure Reinforcement Sheet 3 Layer 1200 x 2400mm	1 sqmtr	
*Tack & Cunn car straps		Item	Qty	Notes
		25mm Black Ultra-PE Webbing-45m per bobbin length	2.6 mtr	
*Tack/Cunningham Wad		Item	Qty	Notes
		3Di External Wad - RF - 8oz PSA Dacron 500	1 Each	
		3Di External Wad -NL3DPABPSA 550	1 Each	
*Trip Line Kit	LD0022 in a P42HBK tunnel on STBD.	Item	Qty	Notes
		2.2mm Dyneema SK-60 Cord	32 mtr	
		Ronstan Trapeze Handle RED PNP171R	1 Each	
		TAPE DACRON 4OZ BLACK 63MM	32 mtr	
*ODE17090-001CB		No Sub Items.		
*CTP10660L		No Sub Items.		
*iBPR160IN-BK		Item	Qty	Notes
		3Di SY Style "F" (160mm) BP Reinforcement - Inboard End - Black	1 Each	
*400mm INBK Circle		No Sub Items.		
*Batten Bumpers		Item	Qty	Notes
		Black Boltrope 7.5mm (7/32) Poly Braid on 8.5oz Dac w/ Spect	1 mtr	
*Luff tape Head to B4 Rein		Item	Qty	Notes
		Hampidjan Dynlce webbing 150 mm x 1.2mm thickness White	9.5 mtr	

PREMIER RACE



JV 76

JV 76 proto

Salesman North Sails UK (Smart, Jeremy)

Square Top Mainsail 3Di RAW 870 \ 32,000 Dpi

Kizbel Ltd

Designer George, Kevin (North Sails UK)

OE #: ODE17090-001

Wkt Created 30/01/2026

MAINSAIL QC

	Spec	Actual
Tack Ring	Tack & Cunn car straps	
Cunningham	YSSW25B	
Luff Reinforced & Seized @ Head/Tack		
Head Ring	GT80R	
Leech Tape Correct & Smooth		
Leech Cord Correct & Tensioned		
Leech Cord Cleat & Purchase System		
Foot Tape Correct & Smooth		
Clew Ring	GT80R	
Logo applied with OE#		
Sail Number & Color	GBR 76X	
Sail Number Type	Insignia	
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Corner Code		
Tell Tales Applied		
Head, Tack, Clew Corner Labels		
Sail Is Clean		
All threads cut on patches and tapes		
All corner patches taped and sewn		

	Spec	Actual
Finished Luff	31.450 m	
Finished Leech	32.590 m	
Finished Foot	10.330 m	
Finished Head	3 m	
7/8 Girth	3.63	
3/4 Girth	4.94	
1/2 Girth	7.05	
1/4 Girth	8.8	
Tack Back	100 mm	
Tack Up	0 mm	

	Spec	Fit	Label	Caps
Batten	CT33 ordered by sales			
Batten	CT33 ordered by sales			
Batten	CT33 ordered by sales			
Batten	CTP10660L			
Batten	CT33 ordered by sales			
Batten	CTP10660L			
Batten	CT22 ordered by sales			
Batten	CTP10660L			
Batten	CT22 ordered by sales			
Batten	CTP10660L			
Batten	CT22 ordered by sales			
Batten	CTP10660L			
Batten	CT22 ordered by sales			

Sail Bag	ZZSJ36WC	
Bag Label		
Sail Ties	8 x YST45SA	
NS Purchasers Package		
Sail Weight		

Notes:

Sail Approved By: _____ **Date:** _____