



SAMOURAI MK1
WHITE SPIRIT - NED 1996
Salesman Nic Bol

Genoa Medium 3Di ENDURANCE EDGE \ 6,300 Dpi
Geert Nell
Designer Corben, Tim (North Sails UK)

OE #: ONL204518-001
Wkt Created 03/03/2026

RIG DATA

I: 8.47 J: 2.8 P: 7.2 E: 2.7 LOA: 7.4

3DI

Tape Black Exterior (0505)

Location	Wad
Head	H1-25
Tack	T0-25
Clew	C1-25

FURLING

NESTING

HEADSAIL SIZING

Completed By _____ Date _____

	FINISHED	REDUCTIONS	MOLDED
Head	0.060	0.000	0.060
Luff	8.650	0.000	8.650
Leech	8.350	0.000	8.350
Foot	4.388	0.000	4.388
LP	4.200	0.000	4.200

Head Back	0 mm
Head Down	0 mm
Tack Cut Back (From Front of Luff Tape)	25 mm
Tack Cut Up	0 mm

Girth Type	Max Length	Measured	Luff Position	Leech Position	Notes
7/8 Girth	0.510 m	Measured AS LP	-	-	
3/4 Girth	1.000 m	Measured AS LP	-	-	
1/2 Girth	2.020 m	Measured AS LP	-	-	
1/4 Girth	3.090 m	Measured AS LP	-	-	

BATTENS & POCKETS

GENOA GRAPHICS

Completed By _____ Date _____

Sail Number NED 1996 Color White Size 305 Type Insignia
North Sails Tack Logo 2 x 06

Trim Stripes			
#	Primary Stripe	Width	Secondary Stripe
1	White (Dacron)	25 mm	
2	White (Dacron)	25 mm	
3	White (Dacron)	25 mm	

Windows					
#	Type	Item	Location	Vertical Distance	Distance Back
1	TellTale	TTW3D-BK	Below 1/4 Stripe/Position	400 mm	250 mm

REINFORCEMENTS				Completed By _____		Date _____	
SPREADER/STANCHION CONFIGURATION:		Max Hoist	8.770 m	Chainplate Aft	3.000 m	Max Hoist To Chainplate	8.500 m
SPREADER PATCHES							
#	Patch	Impact Patch	Distance Down				
1	SP90-8	-	0 mtr				
STANCHION PATCHES							
#	Patch	Distance Back	Distance Up				
1	SP90-8	0 mtr	0.55 mtr				
NOTES							
See attached drawing for spreader patch location.							

GENOA EDGES								Completed By _____		Date _____	
Location	Primary Tape	Start Point	Cord	Adjuster	Cord Purchase	Place At	Slide				
Luff	P63BKF	1st Hank Height: 718 mm	L3SP005	-	-	-	FHP1 Offset: 15mm				
Leech	P42HBK	-	LD0022	LLVA-BK	CPS11C-BK	ClewLeech	-				
Foot	P42HBK	-	LP003	LLVA-BK	CPS11C-BK	ClewFoot	-				

ATTACHMENTS/HARDWARE						Completed By _____		Date _____	
Location	Style	Attachment	Strapping	Hardware	Hardware Attachment				
Head	Webbing Loop	YSSW19B	1 x - x 300mm	-	-				
Tack	'O' Ring	GR25S	3 x YSSW19B x 250mm	-	-				
Clew	'O' Ring	GR30S	4 x YSSW19B x 300mm	-	-				

POST PRODUCTION				Completed By _____		Date _____	
Sail Bag	ZZJ16L	Sail Tie	YSTSA	Measurement Rule	None		
Measurement Stamp	OSMSV2						

CUSTOM/COMPOSITE ITEMS	
No Custom Items in Design	

EXTRAS			
Black Exterior (0505)	Country Code	Sail Numbers	Spreader Patches
Stanchion Patches	Standard Measurement	TT Windows	3 X Trim Stripes
Zip Bag			

SPREADER PATCH LOCATIONS



SAMOURAI MK1
WHITE SPIRIT - NED 1996

Salesman Nic Bol

Genoa Medium 3Di ENDURANCE EDGE \ 6,300 Dpi

Geert Nell

Designer Corben, Tim (North Sails UK)

OE #: ONL204518-001

Wkt Created 03/03/2026

HEADSAIL QC

	Spec	Actual
Tack Ring	GR25S	
Luff Reinforced & Seized @ Head/Tack		
Luff Hardware	FHP1	
Head Ring	YSSW19B	
Leech Tape Correct & Smooth		
Leech Cord Correct & Tensioned		
Leech Cord Cleat & Purchase System		
Foot Tape Correct & Smooth		
Foot Cord Correct & Tensioned		
Foot Cord Cleat & Purchase System		
Clew Ring	GR30S	
Logo applied with OE#		
Sail Number & Color	NED 1996	
Sail Number Type	Insignia	
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Draft stripe color & mid stripe points		
Corner Code		
Tell Tales Applied		
Tell Tale Window	TTW3D-BK	
Head, Tack, Clew Corner Labels		
Sail Is Clean		
All threads cut on patches and tapes		
All corner patches taped and sewn		

	Spec	Actual
Finished Luff	8.650 m	
Finished Leech	8.350 m	
Finished Foot	4.388 m	
Finished Head	0 m	
7/8 Girth	0.51	
3/4 Girth	1	
1/2 Girth	2.02	
1/4 Girth	3.09	
Tack Back	40 mm	
Tack Up	0 mm	
Sail Area	0.000 sq m	
Spreader Patch	SP90-8 -	
Stanchion Patches	SP90-8	
Sail Bag	ZZJ16L	
Bag Label		
Sail Ties	1 x YSTSA	
NS Purchasers Package		
Sail Weight		

Notes:

Sail Approved By: _____ **Date:** _____