



EFOLIO TASK 9.1



```
src > views > GetBookCountView.vue > {} script
1  <template>
2    <div id="app">
3      <h1>Book Counter</h1>
4      <button @click="getBookCount">Get Book Count</button>
5      <p v-if="count !== null">Total number of books: {{ count }}</p>
6      <p v-if="error">{{ error }}</p>
7    </div>
8  </template>
9
10 <script>
11 import axios from 'axios';
12
13 export default {
14   data() {
15     return {
16       count: null,
17       error: null,
18     };
19   },
20   methods: {
21     async getBookCount() {
22       try {
23         const response = await axios.get('https://countbooks-bjdqkc5v1a-uc.a.run.app');
24         this.count = response.data.count;
25         this.error = null;
26       } catch (error) {
27         console.error('Error fetching book count:', error);
28         this.error = error;
29         this.count = null;
30       }
31     },
32   },
33 };
34 </script>
35
```



EFOLIO TASK 9.2

Index.js

```
functions > JS index.js > capitalizeBookData > onDocumentCreated("books/{bookId}") callback
1  const {setGlobalOptions} = require("firebase-functions");
2  const {onRequest} = require("firebase-functions/v2/https");
3  const {onDocumentCreated} = require("firebase-functions/v2/firestore");
4  const admin = require("firebase-admin");
5  const cors = require("cors")({origin: true});
6
7  setGlobalOptions({maxInstances: 10});
8
9  admin.initializeApp();
10
11 exports.countBooks = onRequest({cors: true, invoker: "public"},
12   (req, res) => {
13     cors(req, res, async () => {
14       try {
15         const booksCollection = admin.firestore().collection("books");
16         const snapshot = await booksCollection.get();
17         const count = snapshot.size;
18
19         res.status(200).send({count});
20       } catch (error) {
21         console.error("Error counting books:", error.message);
22         res.status(500).send("Error counting books");
23       }
24     });
25   });
26
27 // Function to auto-capitalize book data when a new book is added
28 exports.capitalizeBookData = onDocumentCreated("books/{bookId}",
29   async (event) => {
30     const bookData = event.data.data();
31     const bookId = event.params.bookId;
32
33     console.log("Capitalization function triggered for document:", bookId);
34     console.log("Original data:", bookData);
35
36     // Capitalize title and author
37     const capitalizedData = {
38       ...bookData,
39       title: bookData.title ? bookData.title.toUpperCase() : bookData.title,
40       author: bookData.author ?
41         bookData.author.toUpperCase() : bookData.author,
42     };
43
44     console.log("Capitalized data:", capitalizedData);
45
46     try {
47       await admin.firestore().collection("books").doc(bookId)
48         .update(capitalizedData);
49       console.log(`Book data capitalized for document: ${bookId}`);
50       console.log("Update successful!");
51     } catch (error) {
52       console.error("Error capitalizing book data:", error);
53     }
54   });
55
56
```

AddBookView.vue

```
src > views > AddBookView.vue > {} script > [e] default > [u] setup > [e] addBook
1  <script>
2  import { ref } from 'vue';
3  import db from '../firebase/init.js'
4  import { collection, addDoc } from 'firebase/firestore';
5  import BookList from '../components/BookList.vue';
6
7  export default {
8    components: {
9      BookList
10    },
11    setup() {
12      const isbn = ref('');
13      const title = ref('');
14      const author = ref('');
15      const bookListRef = ref(null);
16
17      const addBook = async () => {
18        try {
19          const isbnNumber = Number(isbn.value);
20          if (isNaN(isbnNumber)) {
21            alert('ISBN must be a valid number');
22            return;
23          }
24
25          const docRef = await addDoc(collection(db, "books"), {
26            isbn: isbnNumber,
27            title: title.value,
28            author: author.value
29          });
30          console.log('Book added with ID:', docRef.id);
31          console.log('Original data:', {title: title.value, author: author.value});
32
33          isbn.value = '';
34          title.value = '';
35          author.value = '';
36          alert('Book added successfully!');
37
38          // Refresh the BookList component
39          if (bookListRef.value) {
40            bookListRef.value.fetchBooks();
41          }
42        } catch (error) {
43          console.error('Error adding book: ', error);
44        }
45      };
46
47      return {
48        isbn,
49        title,
50        author,
51        addBook,
52        bookListRef
53      };
54    }
55  }
56  </script>
57
58  <template>
59    <div class="container mt-5">
60      <div class="row">
61        <div class="col-md-8 offset-md-2">
62          <h1 class="text-center">Add Book</h1>
63          <p class="text-center">Add new book records to the Firestore database</p>
64
65          <form @submit.prevent="addBook">
66            <div class="mb-3">
67              <label for="isbn" class="form-label">ISBN:</label>
68              <input
69                type="text"
70                class="form-control"
71                id="isbn"
72                v-model="isbn"
73                required
74              />
75            </div>
```

```

76
77     <div class="mb-3">
78         <label for="title" class="form-label">Title:</label>
79         <input
80             type="text"
81             class="form-control"
82             id="title"
83             v-model="title"
84             placeholder="Enter book title (will be auto-capitalized)"
85             required
86         />
87     </div>
88
89     <div class="mb-3">
90         <label for="author" class="form-label">Author:</label>
91         <input
92             type="text"
93             class="form-control"
94             id="author"
95             v-model="author"
96             placeholder="Enter author name (will be auto-capitalized)"
97             required
98         />
99     </div>
100
101     <div class="text-center">
102         <button type="submit" class="btn btn-primary">Add Book</button>
103     </div>
104 </form>
105 </div>
106 </div>
107
108     <!-- BookList component loaded under the AddBook page -->
109     <div class="row mt-5">
110         <div class="col-12">
111             <BookList ref="bookListRef" />
112         </div>
113     </div>
114 </div>
115 </template>
116
117 <style scoped>
118     .container {
119         max-width: 600px;
120     }
121
122     .alert {
123         margin-bottom: 1rem;
124     }
125
126     .btn:disabled {
127         opacity: 0.6;
128         cursor: not-allowed;
129     }
130 </style>
131

```

Add Book

Add new book records to the Firestore database

ISBN:

Title:

Author:

Books with ISBN > 1000 (Ordered by ISBN, Limited to 5)

- Book1001 - ISBN: 1001
- Book1002 - ISBN: 1002
- Book1006 - ISBN: 1006
- Book1008 - ISBN: 1008
- Book1010 - ISBN: 1010

The screenshot shows the Google Cloud Firestore console. At the top, there's a navigation bar with 'Panel view' and 'Query builder' tabs. Below this, a warning message states: 'Protect your Cloud Firestore resources from abuse, such as billing fraud or phishing. Configure App Check'. The main area is divided into two panels. The left panel shows a list of collections under the 'books' namespace. The right panel shows the details of a document in the 'LMOL95Tag0v01aXZQRCs' collection. The document contains the following fields:

- author: "JK ROLLING"
- isbn: 1234
- title: "HARRY POTTER"

EFOLIO TASK 10.1

[Home \(Week 5\)](#)[About](#)[Add Book](#)[Get Book Count](#)[Get Weather](#)[Count Book API](#)[Firebase Login](#)[Register](#)[Logout](#)

WEATHER APP

Oakleigh East, AU



17 °C

Scattered Clouds

WeatherView.vue:

```

1 <template>
2   <div class="container">
3     <div class="header">
4       <h1>WEATHER APP</h1>
5       <div class="search-bar">
6         <input
7           type="text"
8           v-model="city"
9           placeholder="Enter city name"
10          class="search-input"
11        />
12        <button @click="searchByCity" class="search-button">Search</button>
13      </div>
14    </div>
15
16    <main>
17      <div v-if="weatherData">
18        <h2>
19          {{ weatherData.name }}, {{ weatherData.sys.country }}
20        </h2>
21        <div>
22          
23          <p>{{ temperature }} °C</p>
24        </div>
25        <span>{{ weatherData.weather[0].description }}</span>
26      </div>
27    </main>
28  </div>
29 </template>
30
31 <script>
32 import axios from "axios";
33 const apikey = "682220bdc0322d3eb2d4f3924d6ad9ee";
34 export default {
35   name: "WeatherView",
36   data() {
37     return {
38       city: "",
39       weatherData: null,
40       hourlyForecast: [],
41       dailyForecast: [],
42     };
43   },
44   computed: {
45     temperature() {
46       return this.weatherData
47         ? Math.floor(this.weatherData.main.temp - 273)
48         : null;
49     },
50     iconUrl() {
51       return this.weatherData
52         ? `http://api.openweathermap.org/img/w/${this.weatherData.weather[0].icon}.png`
53         : null;
54     },
55   },
56   mounted() {
57     this.fetchCurrentLocationWeather();
58   },
59   methods: {
60     fetchCurrentLocationWeather() {
61       if (navigator.geolocation) {
62         navigator.geolocation.getCurrentPosition((position) => {
63           const lat = position.coords.latitude;
64           const lon = position.coords.longitude;
65           const url = `https://api.openweathermap.org/data/2.5/weather?lat=${lat}&lon=${lon}&appid=${apikey}`;
66           this.fetchWeatherData(url);
67         });
68       }
69     },
70     async fetchWeatherData(url) {
71       try {
72         const response = await axios.get(url);
73         this.weatherData = response.data;
74       } catch (error) {
75         console.error("Error fetching weather data:", error);
76       }
77     },
78     async searchByCity() {
79       if (this.city.trim()) {
80         const url = `https://api.openweathermap.org/data/2.5/weather?q=${this.city}&appid=${apikey}`;
81         this.fetchWeatherData(url);
82       }
83     }
84   }
85 };
86 </script>

```

```
localhost:5173/CountBookAPI
{
  "count": 18
}
```

```
GetBookCountView.vue • JS index.js • AddBookView.vue • CountBookAPI.vue X
src > views > CountBookAPI.vue > {} template
1 <template>
2   <pre>{{ jsonData }}</pre>
3 </template>
4
5 <script>
6   import axios from 'axios';
7
8   export default {
9     data() {
10       return {
11         jsonData: null,
12         error: null
13       };
14     },
15     mounted() {
16       this.getBookCountAPI();
17     },
18     methods: {
19       async getBookCountAPI() {
20         try {
21           const response = await axios.get('https://countbooks-bjdqkc5vla-uc.a.run.app');
22           this.jsondata = response.data;
23           this.error = null;
24         } catch (error) {
25           console.error('Error fetching book count:', error);
26           this.error = error;
27           this.jsondata = null;
28         }
29       },
30     },
31   };
32 </script>
33
34 <style scoped>
35   pre {
36     font-family: monospace;
37     font-size: 14px;
38     background-color: #f5f5f5;
39     padding: 20px;
40     border-radius: 4px;
41     margin: 20px;
42     white-space: pre-wrap;
43     word-wrap: break-word;
44   }
45 </style>
46
```

EFOLIO TASK 10.2

[Home \(Week 5\)](#)

[About](#)

[Add Book](#)

[Get Book Count](#)

Get Weather

Count Book API

Firestore Login

Register

[Logout](#)

WEATHER APP

melbourne

Search

Melbourne, US



23 °C

Light Rain

Code is shown in EFOLIO TASK 10.1 WeatherView.vue

```

{
  "id": "3a27c68c0e0d823a78a",
  "isbn": 22,
  "name": "Book2"
},
{
  "id": "5e1c05970d899f9c3d0f",
  "isbn": 1000,
  "name": "Book1000"
},
{
  "id": "8f94880f2d802a7a70a",
  "isbn": 111,
  "name": "Book111"
},
{
  "id": "9c8893d18a0b0a0b12b",
  "name": "Book1",
  "isbn": 11
},
{
  "id": "131a0a0f2250e0a0a0f",
  "isbn": 1001,
  "name": "Book1001"
},
{
  "id": "1a0187a0d01a020e1c3",
  "isbn": 1234,
  "author": "JK ROWLING",
  "title": "HARRY POTTER"
},
{
  "id": "9c0a0a0a0a0a0a0a0a0",
  "isbn": 1002,
  "name": "Book1002"
},
{
  "id": "9a0a0a0a0a0a0a0a0a0",
  "isbn": 1030,
  "name": "Book1030"
},
{
  "id": "9a0a0a0a0a0a0a0a0a0",
  "name": "Book1111",
  "isbn": 1111
},
{
  "id": "9a0a0a0a0a0a0a0a0a0",
  "isbn": 1005,
  "name": "Book1005"
}
}

```

GetAllBookAPI.vue:

GetBookCountView.vue

JS index.js M

AddBookView.vue

GetAllBookAPI.vue U X

src > views > GetAllBookAPI.vue > {} template

```

1 <template>
2   <pre>{{ jsonData }}</pre>
3 </template>
4
5 <script>
6   import axios from 'axios';
7
8   export default {
9     data() {
10      return {
11        jsonData: null,
12        error: null
13      };
14    },
15    mounted() {
16      this.getAllBooksAPI();
17    },
18    methods: {
19      async getAllBooksAPI() {
20        try {
21          // Call the getAllBooks Firebase function
22          const response = await axios.get('https://getallbooks-bjdqkc5vla-uc.a.run.app');
23          this.jsonData = response.data;
24          this.error = null;
25        } catch (error) {
26          console.error('Error fetching all books:', error);
27          this.error = error;
28          this.jsonData = null;
29        }
30      },
31    },
32  };
33 </script>
34
35 <style scoped>
36 pre {
37   font-family: monospace;
38   font-size: 14px;
39   background-color: #f5f5f5;
40   padding: 20px;
41   border-radius: 4px;
42   margin: 20px;
43   white-space: pre-wrap;
44   word-wrap: break-word;
45 }
46 </style>
47

```