

Patient Referral to Franchise Provider (Integrated Services)

Standard:

To establish guidelines for referring individuals to franchise providers without OLMC consult.

Purpose:

To establish criteria for C4 referral to franchise provider without the requirement for OLMC consult after MPDS triage and Integrated Services provider evaluation for efficient use of 9-1-1 resources. If a patient does not meet these criteria but a franchise provider may still be appropriate, OLMC should be consulted.

Application:

General Applicability:

1. Patient is coming from a skilled nursing facility
2. Franchise provider has an ETA of ≤ 3 hours **AND** time is within next critical medication administration if applicable
3. Patient stable per caller

Vital Sign Requirements:

1. Pulse: 60 – 110 bpm
2. Systolic BP: 90 – 200 mmHg
3. Respirations: 12 – 20 bpm
4. Blood Glucose: 70 – 300 mg/dL; no signs of DKA
5. SPO₂ $\geq$ 93% on room air or prescribed supplemental oxygen
6. Temperature 96-100.4 degrees F

Criteria where OLMC is not required:

1. Lab abnormalities:
 - a. Hemoglobin (Hgb) greater than 5.5
 - i) Exclusions: known source of bleeding, symptomatic including shortness of breath, increased fatigue, dizziness, chest pain
 - b. Sodium (Na) between 120-150
 - i) Exclusions: AMS from baseline, nausea/vomiting, headache, seizure
 - c. Calcium (Ca) between 7.0-12
 - i) Exclusions: paresthesias, generalized weakness, AMS from baseline
 - d. Potassium (K) between 2.5 and 5.5
 - i) Exclusions: generalized weakness, AMS from baseline
2. Scheduled or routine procedures:
 - a. Paracentesis, PICC line replacement, trach replacement
 - i. Exclusions: acute complaint pertaining to procedure such as abdominal pain, concern for infection, difficulty breathing
3. Dislodged or clogged medical device
 - b. JP surgical drain
 - i. Exclusions: bleeding around site, concern for infection, severe pain from baseline around site

Patient Referral to Franchise Provider (Integrated Services)

- b. Suprapubic tube
 - i. Exclusions: Pain or trauma to site, placed less than 3 months ago, bleeding or infection around site, suprapubic fullness or pain causing moderate to severe discomfort
 - c. Foley Catheter
 - i. Exclusions: Suprapubic pain or fullness causing moderate to severe discomfort, trauma or severe pain to urethra
 - d. Feeding tubes (PEG, G/J/GJ, NG/NJ)
 - i. Exclusions: any percutaneous tube less than 3 months old, pain around site, infection around site
4. X-rays with fractures that injury occurred greater than 24 hours from call
- a. Exclusions: uncontrolled pain to injured area, loss of pulse/motor/sensation or coolness to limb distal to fracture
5. Family or patient unhappy with care being given at facility
- a. Exclusion: acute complaint or emergent condition identified