

HTML & CSS Reference Guide

1. HTML Elements

HTML provides structure to web pages using tags. Below are the most common elements with their syntaxes.

Headings

`<h1>Heading 1</h1>`

`<h2>Heading 2</h2>`

...

`<h6>Heading 6</h6>`

Paragraph

`<p>This is a paragraph.</p>`

Links

`<a href="https://example.com">This is a link</a>`

Images

``

Lists (Unordered)

`<ul>`

`<li>Item 1</li>`

`<li>Item 2</li>`

`</ul>`

Lists (Ordered)

`<ol>`

`<li>First</li>`

`<li>Second</li>`

`</ol>`

Tables

`<table border='1'>`

`<tr><th>Name</th><th>Age</th></tr>`

`<tr><td>Alice</td><td>20</td></tr>`

`</table>`

Forms

`<form>`

`<label>Name:</label>`

`<input type='text' name='username'>`

```
<input type='submit' value='Submit'>
</form>
```

Div & Span

```
<div>This is a block-level division</div>
<span>This is inline text</span>
```

2. CSS Properties

CSS is used to style HTML elements. Below are common properties with their syntaxes.

Color

```
p { color: red; }
```

Background Color

```
body { background-color: lightblue; }
```

Font

```
p { font-family: Arial; font-size: 16px; font-weight: bold; }
```

Text Alignment

```
h1 { text-align: center; }
```

Borders

```
div { border: 2px solid black; }
```

Margin

```
div { margin: 20px; }
```

Padding

```
div { padding: 15px; }
```

Width & Height

```
img { width: 200px; height: 150px; }
```

Hover Effect

```
a:hover { color: green; text-decoration: underline; }
```

3. Types of CSS

There are three main ways to apply CSS: Inline, Internal, and External.

Inline CSS

```
<p style="color:blue; font-size:20px;">This is inline styled text</p>
```

Internal CSS

```
<head>
<style>
```

```
    body { background-color: lightyellow; }
    h1 { color: darkgreen; }
</style>
</head>
```

External CSS

```
<link rel="stylesheet" href="styles.css">
```

```
/* styles.css */
body { background-color: beige; }
p { color: navy; font-size: 18px; }
```

4. Sample Codes

HTML Only

```
<!DOCTYPE html>
<html>
<head>
  <title>HTML Only Page</title>
</head>
<body>
  <h1>Welcome</h1>
  <p>This is a simple HTML page without CSS.</p>
</body>
</html>
```

HTML with Inline CSS

```
<!DOCTYPE html>
<html>
<head>
  <title>Inline CSS Example</title>
</head>
<body>
  <h1 style="color:green;">Welcome</h1>
  <p style="font-size:18px; color:blue;">This paragraph is styled using inline CSS.</p>
</body>
```

```
</html>
```

HTML with Internal CSS

```
<!DOCTYPE html>
<html>
<head>
  <title>Internal CSS Example</title>
  <style>
    body { background-color: lightyellow; font-family: Arial; }
    h1 { color: darkred; text-align: center; }
    p { font-size: 18px; color: darkblue; }
  </style>
</head>
<body>
  <h1>Welcome</h1>
  <p>This paragraph is styled using internal CSS.</p>
</body>
</html>
```

HTML with External CSS

```
<!DOCTYPE html>
<html>
<head>
  <title>External CSS Example</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <h1>Welcome</h1>
  <p>This paragraph is styled using external CSS.</p>
</body>
</html>
```

```
/* styles.css */
body { background-color: lightblue; }
h1 { color: purple; text-align: center; }
p { font-size: 18px; color: navy; }
```

[Index.html](#)

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>ASIET - Adi Shankara Institute of Technology</title>

  <style>

    body {

      background-color: #f9f9f9;

      font-family: Arial, sans-serif;

      margin: 0;

      padding: 0;

    }

    header {

      background-color: #004080;

      color: white;

      text-align: center;

      padding: 20px;

    }

    header h1 {

      margin: 0;

    }

    header p {

      margin: 5px 0 0;

      font-size: 18px;

    }

    nav {

      background-color: #333;
```

```
    overflow: hidden;
    text-align: center;
}
nav a {
    color: white;
    text-decoration: none;
    display: inline-block;
    padding: 14px 20px;
}
nav a:hover {
    background-color: #575757;
}
section {
    padding: 20px;
    text-align: center;
}
img {
    width: 80%;
    max-width: 600px;
    height: auto;
    margin: 20px 0;
    border: 2px solid #ccc;
}
</style>
</head>
<body>

<header>

<h1>ASIET</h1>

<p>Adi Shankara Institute of Technology</p>
```

</header>

<nav>

Home

About

Courses

Contact

Admissions <!-- Link to new page -->

</nav>

<section id="home">

<h2>Welcome to ASIET</h2>

</section>

<section id="about">

<h2>About Us</h2>

<p>Adi Shankara Institute of Technology is a premier institution committed to excellence in education and research, fostering innovation and leadership among students.</p>

</section>

<section id="courses">

<h2>Courses Offered</h2>

B.Tech in Computer Science

B.Tech in Electronics and Communication

B.Tech in Mechanical Engineering

B.Tech in Civil Engineering

MBA and other postgraduate programs

```
</ul>
</section>
```

```
</body>
</html>
```

[admissions.html](#)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Admissions - ASIET</title>
  <style>
    body {
      background-color: #f9f9f9;
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
    }
    header {
      background-color: #004080;
      color: white;
      text-align: center;
      padding: 20px;
    }
    h2 {
      text-align: center;
```

```
margin-top: 20px;
}
table {
margin: 20px auto;
border-collapse: collapse;
width: 60%;
}
table, th, td {
border: 1px solid black;
padding: 10px;
}
th {
background-color: #004080;
color: white;
}
form {
margin: 20px auto;
width: 60%;
text-align: left;
background: #f2f2f2;
padding: 15px;
border-radius: 5px;
border: 1px solid #ccc;
}
label {
display: block;
margin-top: 10px;
}
```

```
input[type="text"], input[type="email"], input[type="tel"], select {
    width: 100%;
    padding: 8px;
    margin-top: 5px;
    border: 1px solid #ccc;
}
input[type="submit"] {
    margin-top: 15px;
    background-color: #004080;
    color: white;
    border: none;
    padding: 10px 15px;
    cursor: pointer;
}
input[type="submit"]:hover {
    background-color: #003060;
}
</style>
</head>
<body>

<header>
    <h1>ASIET Admissions</h1>
</header>

<h2>Available Courses</h2>
<table>
    <tr>
```

```
<th>Course</th>
<th>Max Students</th>
</tr>
<tr>
<td>B.Tech in Computer Science</td>
<td>120</td>
</tr>
<tr>
<td>B.Tech in Electronics</td>
<td>90</td>
</tr>
<tr>
<td>B.Tech in Mechanical</td>
<td>60</td>
</tr>
</table>
```

```
<h2>Apply Now</h2>
```

```
<form>
```

```
<label for="name">Name:</label>
```

```
<input type="text" id="name" name="name">
```

```
<label for="email">Email:</label>
```

```
<input type="email" id="email" name="email">
```

```
<label for="phone">Phone Number:</label>
```

```
<input type="tel" id="phone" name="phone">
```

<label for="course">Preferred Course:</label>

<select id="course" name="course">

<option>B.Tech in Computer Science</option>

<option>B.Tech in Electronics</option>

<option>B.Tech in Mechanical</option>

<option>B.Tech in Civil</option>

</select>

<input type="submit" value="Submit">

</form>

</body>

</html>