# CSGE602055 Operating Systems CSF2600505 Sistem Operasi Minggu 05: Virtual Memory

#### Rahmat M. Samik-Ibrahim

Universitas Indonesia

http://rms46.vlsm.org/2/207.html

REV66 7-Sep-2017

#### Jadwal OS172

Minggu 00	29 Aug - 05 Sep 2017	Intro & Review						
Minggu 01	07 Sep - 12 Sep 2017	IPR, REGEX, & Scripting						
Minggu 02	14 Sep - 19 Sep 2017	Protection, Security, Privacy,						
		& C-language						
Minggu 03	26 Sep - 30 Sep 2017	BIOS, Loader, Systemd, & I/O						
Minggu 04	03 Okt - 07 Okt 2017	Addressing, Shared Lib, Pointer						
		& I/O Programming						
Minggu 05	10 Okt - 14 Okt 2017	Virtual Memory						
Ming. UTS	15 Okt - 24 Okt 2017							
Minggu 06	26 Okt - 31 Okt 2017	Concurency: Processes & Threads						
Minggu 07	02 Nov - 07 Nov 2017	Synchronization						
Minggu 08	09 Nov - 14 Nov 2017	Scheduling						
		& Network Sockets Programming						
Minggu 09	16 Nov - 21 Nov 2017	File System & Persistent Storage						
Minggu 10	23 Nov - 28 Nov 2017	Special Topic: Blockchain						
Cadangan	30 Nov - 09 Des 2017							
Ming. UAS	10 Des - 23 Des 2017							

## Week 05: Memory

- Start
- Week 05
- Memory
- Paging
- Translation
- 6 Memory
- Mierarchical
- 8 VM
- Q Lab
- 10 The End

### Memory

- Reference: (OSCE2e ch7/8) (UCB 11 12 13) (UDA P3L2) (OLD 06)
- Binding & Linking
  - Address Binding
  - Address Space: Logical & Physical
  - Dynamic & Static Linking
  - MMU: Memory Management Unit
  - Base and Limit Registers
  - Swapping
  - Mobile Systems Problem: no swap
- Memory Allocation
  - Contiguous Allocation
  - Multiple-variable-partition Allocation
  - First, Best, Worst Fit Allocation Strategy
- Fragmentation
  - External
  - Internal
  - Compaction

### **Paging**

- Address Space
- Logical/Virtual Address
- Pages
- Page Number
- Page Offset
- Page Table
- PTE: Page Table Entry
- Page Flags: Valid/ Invalid
- TLBs: Translation Look-aside Buffers/ Associative Memory
- Physical Address
- Frames

#### Address Translation Scheme

Add	ress	I				Binary				
DEC	HEX	OFFSET	PG OFF		PG OFF		PAGE	OFF	PAGE	OFF
00	00	00000	0	0000	00	000	000	00	0000	0
01	01	00001	0	0001	00	001	000	01	0000	1
02	02	00010	0	0010	00	010	000	10	0001	0
03	03	00011	0	0011	00	011	000	11	0001	1
04	04	00100	0	0100	00	100	001	00	0010	0
05	05	00101	0	0101	00	101	001	01	0010	1
06	06	6 00110		0110	00	110	001	10	0011	0
07	07	00111	0	0111	00	111	001	11	0011	1
80	80	01000	0	1000	01	000	010	00	0100	0
09	09	01001	0	1001	01	001	010	01	0100	1
10	0A	01010	0	1010	01	010	010	10	0101	0
11	0B	01011	0	1011	01	011	010	11	0101	1
12	0C	01100	0	1100	01	100	011	00	0110	0
13	0D	01101	0	1101	01	101	011	01	0110	1
14	0E	01110	0	1110	01	110	011	10	0111	0
15	0F	01111	0	1111	01	111	011	11	0111	1
16	10	10000	1	0000	10	000	100	00	1000	0
17	11	10001	1	0001	10	001	100	01	1000	1
18	12	10010	1	0010	10	010	100	10	1001	0
19	13	10011	1	0011	10	011	100	11	1001	1
20	14	10100	1	0100	10	100	101	00	1010	0
21	15	10101	1	0101	10	101	101	01	1010	1
22	16	10110	1	0110	10	110	101	10	1011	0
23	17	10111	1	0111	10	111	101	11	1011	1
24	18	11000	1	1000	11	000	110	00	1100	0
25	19	11001	1	1001	11	001	110	01	1100	1
26	1A	11010	1	1010	11	010	110	10	1101	0
27	1B	11011	1	1011	11	011	110	11	1101	1
28	1C	11100	1	1100	11	100	111	00	1110	0
29	1D	11101	1	1101	11	101	111	01	1110	1
30	1E	11110	1	1110	11	110	111	10	1111	0
31	1F	11111	1	1111	11	111	111	11	1111	1

# Memory (20 bits)

	0	1	2	3	4	5	6	7	8	9	А	В	С	D	Е	F
00000	A0	A1	A2	А3	A4	A5	A6	A7	A8	A9	AA	AB	AC	AD	AE	AF
00010	B0	B1	B2	ВЗ	B4	B5	B6	В7	B8	B9	ВА	BB	ВС	BD	BE	BF
00020	C0	C1	C2	C3	C4	C5	C6	C7	C8	C9	CA	СВ	СС	CD	CE	CF
00030	D0	D1	D2	D3	D4	D5	D6	D7	D8	D9	DA	DB	DC	DD	DE	DF
FFFF0																

## Hierarchical Page Table

- OPT: outer page table (P1)
- PT: page table (P2)
- Offset (D)
- Three-level Paging Scheme
- Hashed Page Tables
- Inverted Page Table

#### VM

- Demand Paging
- COW
- Page Replacement
- Frame Allocation
- Kernel

#### Lab

- Lab
  - putchar(char)
  - getpid()
  - getppid()
  - sprintf(char\*, const chat\*)
  - fflush(NULL)
  - MSIZE1 (10k) MSIZE2 (20k) MSIZE3 (50k) MSIZE4 (100k) MSIZE5 (1M) MSIZE6 (10M) MSIZE1
  - top
    - PID (Process Id), PPID (Parent PID), %MEM (Memory), VIRT (Virtual Image KiB), RES (Residen Size KiB), SHR (Shared Memory KiB), SWAP (Swapped Size KiB), CODE (Code Size KiB), DATA (Data+Stack KiB), USED (Res+Swap Size KiB).
    - Save: ~/.toprc
    - top -b -n 1 -pYOUR\_PID
  - malloc(size\_t)
  - free(void\*)
  - system(const char\*)

#### The End

• This is the end of the presentation.