```
IP@Leyepuppi MINGW64 ~
s mkidir learn_git
bash: mkidir: command not found
   P@Leyepuppi MINGW64 -
mkdir learn_git
  P@Leyepuppi MINGW64 ~
cd learn_git
  P@Leyepuppi MINGW64 ~/learn_git
touch third.txt
HP@Leyepuppi MINGW64 <mark>~/learn_git</mark>
$ git init
Initialized empty Git repository in C:/Users/HP/learn_git/.git/
  P@Leyepuppi MINGW64 ~/learn_git (master)
git add third.txt
HP@Leyepuppi MINGW64 ~/<mark>learn_git (master)</mark>
$ git commit -m "adding third.txt"
Author identity unknown
  un
   git config --global user.email "you@example.com" git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'HP@Leyepuppi.(none)')
  P@Leyepuppi MINGW64 ~<mark>/learn_git (master)</mark>
git config --global user.email "leyexy10@gmail.com"
  P@Leyepuppi MINGW64 ~/learn_git (master)
git config --global user.email "Leye"
  Probleyepuppi MINGWG4 ~/learn_git (master)
git commit -m "adding third.txt"
master (root-commit) fd02576] adding third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt
 HP0Leyepuppi MINGW64 ~/learn_git (master)
$ git log
commit fd02576dbff809807388e29fba6f2353a2f10eba (HEAD -> master)
Author: Okedairo Okeleye <Leye>
Date: Thu Aug 15 05:27:10 2024 -0700
```

```
P@Leyepuppi MINGW64 ~/learn_git (master)
$ touch fourth.txt
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git add fourth.txt
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git commit -m_"adding fourth.txt"
[master f2cd70c] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ rm third.txt
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ gid add.
bash: gid: command not found
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git add .
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git commit -m "removing third.txt"
[master 760f96a] removing third.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 third.txt
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git log
commit 760f96a21947c9c31c8a7d4cb4dff57266b1b74c (HEAD -> master)
Author: Okedairo Okeleye <Leye>
          Thu Aug 15 05:35:05 2024 -0700
Date:
     removing third.txt
 commit f2cd70cbdcf955de1a94ad69e67d9f1340eed32c
Author: Okedairo Okeleye <Leye>
          Thu Aug 15 05:31:35 2024 -0700
Date:
     adding fourth.txt
commit fd02576dbff809807388e29fba6f2353a2f10eba
Author: Okedairo Okeleye <Leye>
Date: Thu Aug 15 05:27:10 2024 -0700
     adding third.txt
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git config --global --list
user.email=Leye
HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git config --global core.pager cat
```

```
commit fd02576dbff809807388e29fba6f2353a2f10eba
Author: Okedairo Okeleye <Leye>
Date: Thu Aug 15 05:27:10 2024 -0700

    adding third.txt

HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git config --global --list
user.email=Leye

HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git config --global core.pager cat

HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git config --global --list
user.email=Leye
core.pager=cat

HP@Leyepuppi MINGW64 ~/learn_git (master)
$ git config --global --list
user.email=Leye
core.pager=cat
```