

FastAPI (0.1.0)

Download OpenAPI specification:

[Download](#)

Register

REQUEST BODY SCHEMA: `application/json`

<code>username</code> <code>required</code>	string (Username)
--	-------------------

<code>password</code> <code>required</code>	string (Password)
--	-------------------

Responses

> **200** Successful Response

> **422** Validation Error

POST `/register`

Request samples

Payload

Content type
`application/json`

Copy

```
{
  "username": "string",
  "password": "string"
}
```

Response samples

200

422

Content type
application/json

Copy

```
{
  "access_token": "string",
  "token_type": "string"
}
```

Login

REQUEST BODY SCHEMA: application/x-www-form-urlencoded

grant_type >	Grant Type (string) or Grant Type (null) (Grant Type)
username required	string (Username)
password required	string <password> (Password)
scope	string (Scope) Default:
client_id >	Client Id (string) or Client Id (null) (Client Id)
client_secret >	Client Secret (string) or Client Secret (null) <password> (Client Secret)

Responses

> 200 Successful Response

> 422 Validation Error

POST /login

Response samples

200

422

Content type

application/json

Copy

```
{
  "access_token": "string",
  "token_type": "string"
}
```

Root

Responses

> 200 Successful Response

GET /

Response samples

200

Content type

application/json

Copy

null

Gets all movies in database

Gets all movies in database, limited by pagination values

QUERY PARAMETERS

skip	integer (Skip) Default: 0
limit	integer (Limit) Default: 50

Responses

- > 200 Successful Response
- > 422 Validation Error

GET /movies

Response samples

200

422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
    "title": "string",
    "info": "string",
    "rating": "string",
    "age": "string",
    "genre": "string",
    "director": "string",
    "authors": "string",
    "actors": "string",
    "year": 0,
    "link": "string",
    "id": 0
  }
]
```

Returns movie by id

Uses id to query database and return that movie

QUERY PARAMETERS

movie_id	integer (Movie Id)
required	Movie ID

Responses

> **200** Successful Response

> **422** Validation Error

GET /movies/by-id

Response samples

200

422

Content type

application/json

Copy Expand all Collapse all

```
[
  - {
    "title": "string",
    "info": "string",
    "rating": "string",
    "age": "string",
    "genre": "string",
    "director": "string",
    "authors": "string",
    "actors": "string",
    "year": 0,
    "link": "string"
  }
]
```

Returns movie using rotten tomatoes link

Uses rotten tomatoes to query database and return that movie

QUERY PARAMETERS

movie_link	string (Movie Link)
required	Rotten Tomatoes Movie Link

Responses

- > 200 Successful Response
- > 422 Validation Error

GET /movies/by-link

Response samples

200

422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
    "title": "string",
    "info": "string",
    "rating": "string",
    "age": "string",
    "genre": "string",
    "director": "string",
    "authors": "string",
    "actors": "string",
    "year": 0,
    "link": "string"
  }
]
```

Gets each movie genre and total number of films made per year

Retrieves genre popularity over years specified by getting total number of films made of genre in those years

QUERY PARAMETERS

start_year >	Start Year (integer) or Start Year (null) (Start Year) Filter from this year
end_year >	End Year (integer) or End Year (null) (End Year) Filter to this year

Responses

> 200 Successful Response

> 422 Validation Error

GET /movies/genre/popularity

Response samples

200

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "genres": [
    + { ... }
  ]
}
```

Get top 5 genres per decade

Converts years into decades and retrieves the top 5 genres per decade with total number of films made per genre

QUERY PARAMETERS

start_year >	Start Year (integer) or Start Year (null) (Start Year) Filter from this year
end_year >	End Year (integer) or End Year (null) (End Year) Filter to this year

Responses

> 200 Successful Response

> 422 Validation Error

GET /movies/genre/decade_popularity

Response samples

200

422

Content type
application/json

Copy Expand all Collapse all

```
{
  - "decades": [
    + { ... }
  ]
}
```

Gets AI movie recommendations

Recommends movies based on mood, genre and decade using AI

QUERY PARAMETERS

mood required	string (Mood) Describe what you're in the mood for, e.g. 'something feel-good and lighthearted'
genre >	Genre (string) or Genre (null) (Genre) Preferred genre e.g. 'Comedy'
decade >	Decade (integer) or Decade (null) (Decade) Preferred decade e.g 1990's

rec_number

integer (Rec Number)

Default:

Number of choices to pull from db

Responses

- > 200 Successful Response
- > 422 Validation Error

GET /movies/recommendations

Response samples

200

422

Content type
application/json

Copy Expand all Collapse all

```
{
  "mood": "string",
  - "recommendations": [
    + { ... }
  ]
}
```

Gets all revies in database

Gets all reviews in database, limited by pagnation values

QUERY PARAMETERS

skip

integer (Skip)

Default:

limit

integer (Limit)

Default:

Responses

> 200 Successful Response

> 422 Validation Error

GET /reviews

Response samples

200

422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
    "critic_name": "string",
    "movie_link": "string",
    "score": "string",
    "review": "string",
    "id": 0
  }
]
```

Post review by id

Posts a review in database if film exists

AUTHORIZATIONS: > OAuth2PasswordBearer

REQUEST BODY SCHEMA: application/json

critic_name >	Critic Name (string) or Critic Name (null) (Critic Name)
movie_link >	Movie Link (string) or Movie Link (null) (Movie Link)
score >	Score (string) or Score (null) (Score)
review >	Review (string) or Review (null) (Review)
movie_id required	integer (Movie Id)

Responses

> **200** Successful Response

> **422** Validation Error

POST /reviews

Request samples

Payload

Content type
application/json

Copy

```
{
  "critic_name": "string",
  "movie_link": "string",
  "score": "string",
  "review": "string",
  "movie_id": 0
}
```

Response samples

200

422

Content type
application/json

Copy

```
{
  "critic_name": "string",
  "movie_link": "string",
  "score": "string",
  "review": "string",
  "id": 0
}
```

Update review

Edit review by specifying review id

AUTHORIZATIONS: > OAuth2PasswordBearer

QUERY PARAMETERS

review_id	integer (Review Id)
required	Review ID

REQUEST BODY SCHEMA: application/json

critic_name >	Critic Name (string) or Critic Name (null) (Critic Name)
movie_link >	Movie Link (string) or Movie Link (null) (Movie Link)
score >	Score (string) or Score (null) (Score)
review >	Review (string) or Review (null) (Review)
movie_id	integer (Movie Id)
required	

Responses

> 200 Successful Response

[> 422 Validation Error](#)

PUT /reviews/by-review-id

Request samples

Payload

Content type

application/json

Copy

```
{
  "critic_name": "string",
  "movie_link": "string",
  "score": "string",
  "review": "string",
  "movie_id": 0
}
```

Response samples

200

422

Content type

application/json

Copy

```
{
  "critic_name": "string",
  "movie_link": "string",
  "score": "string",
  "review": "string",
  "id": 0
}
```

Delete review

Delete review by providing review id

AUTHORIZATIONS: > *OAuth2PasswordBearer*

QUERY PARAMETERS

review_id	integer (Review Id)
required	Review ID

Responses

- > 200 Successful Response
- > 422 Validation Error

DELETE /reviews/by-review-id

Response samples

200

422

Content type
application/json

Copy

null

Gets review in database

Gets review in database by providing review id

QUERY PARAMETERS

review_id	string (Review Id)
required	Review ID

skip	integer (Skip) Default: 0
limit	integer (Limit) Default: 50

Responses

- > 200 Successful Response
- > 422 Validation Error

GET /reviews/by-id

Response samples

- 200
- 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
    "critic_name": "string",
    "movie_link": "string",
    "score": "string",
    "review": "string",
    "id": 0
  }
]
```

Gets review in database

Gets review in database by providing rotten tomatoes link

QUERY PARAMETERS

movie_link required	string (Movie Link) Rotten Tomatoes Movie Link
skip	integer (Skip) Default: 0
limit	integer (Limit) Default: 50

Responses

> 200 Successful Response

> 422 Validation Error

GET /reviews/by-link

Response samples

- 200
- 422

Content type
application/json

Copy Expand all Collapse all

```
[
  - {
    "critic_name": "string",
    "movie_link": "string",
    "score": "string",
    "review": "string",
    "id": 0
  }
]
```

Gets overall semantics of reviews for a film

Gets overall semantic label and score of a film using textblob NLP and movie link

QUERY PARAMETERS

movie_link	string (Movie Link)
required	Rotten Tomatoes Movie Link

Responses

> **200** Successful Response

> **422** Validation Error

GET /reviews/semantics/by-link

Response samples

200

422

Content type

application/json

Copy

Expand all

Collapse all

```
{
  - "movie": {
    "title": "string",
    "info": "string",
    "rating": "string",
    "age": "string",
    "genre": "string",
    "director": "string",
    "authors": "string",
    "actors": "string",
    "year": 0,
    "link": "string",
    "id": 0
  },
  "sentiment_label": "string",
  "sentiment_score": 0
}
```