

Lab 9

Weiwei Wang

2022-11-28

Deadline: 2022-12-05 22:30:00 Beijing Time

How to submit?

Email: YJ40202@163.com

Subject: [exercise](#)

Attachment: Your java source files.

Note: Don't use package.

How to submit?

Send

Save draft

Cancel

Mail template

Recipient : YJ40202<yj40202@163.com> 

Subject : **exercise**

Attach files

Cloud attachment

(100%, 1.04K uploaded, total file size1.04K)

 Exercise02 01.java
511B Uploaded

Delete

 Exercise02 02.java
556B Uploaded



Arial

14

B

I

U

S

A









empty message


Exercise10_11.java

(Geometry: the Circle2D class) Define the Circle2D class that contains:


- Two double data fields named x and y that specify the center of the circle with getter methods.
- A data field radius with a getter method.
- A no-arg constructor that creates a default circle with (0, 0) for (x, y) and 1 for radius.
- A constructor that creates a circle with the specified x, y, and radius.
- A method getArea() that returns the area of the circle.
- A method getPerimeter() that returns the perimeter of the circle.

Exercise10_11.java


- A method `contains(double x, double y)` that returns true if the specified point (x, y) is inside this circle (see Figure a).
- A method `contains(Circle2D circle)` that returns true if the specified circle is inside this circle (see figure b).
- A method `overlaps(Circle2D circle)` that returns true if the specified circle overlaps with this circle (see figure c).



(a)



(b)



(c)

Exercise10_22.java

(Implement the String class) The String class is provided in the Java library. Provide your own implementation for the following methods (name the new class MyString1):

- `public MyString1(char[] chars);`
- `public char charAt(int index);`
- `public int length();`
- `public MyString1 substring(int begin, int end);`
- `public MyString1 toLowerCase();`
- `public boolean equals(MyString1 s);`
- `public static MyString1 valueOf(int i)`