
DMM model selection (paper presents k = 4)
Model fit (Laplace)
40000
45000
50000
1
2
3
4
5
6
7
Number of Dirichlet components (k)


Fig. 5B: DMM k=4 clusters (sizes 10/8/8/6), top 40 ASVs (sqrt counts)
Cultivar
Cluster
ASV0005
ASV0008
ASV0012
ASV0006
ASV0007
ASV0026
ASV0066
ASV0020
ASV0024
ASV0010
ASV0015
ASV0025
ASV0016
ASV0023
ASV0013
ASV0011
ASV0009
ASV0018
ASV0033
ASV0027
ASV0017
ASV0022
ASV0014
ASV0030
ASV0029
ASV0034
ASV0032
ASV0019
ASV0021
ASV0031
ASV0083
ASV0055
ASV0082
ASV0086
ASV0049
ASV0046
ASV0003
ASV0004
ASV0001
ASV0002
70
60
50
40
30
20
10
0
Cultivar
Cripps Pink
Aztec Fuji
Gala
Hewe's Crab
Granniwinkle
Unknown cultivar
Cluster
1
2
3
4
CP4_Canker
CP5_Canker
Fuji3_Canker
Fuji4_Canker
Fuji6_Canker
Gala2_Canker
Gala4_Canker
HW1_Canker
Nic6_Canker
UN1_Canker
CP6_Canker
Fuji1_Canker
HW4_Canker
HW5_Canker
Nic3_Canker
Nic4_Canker
Nic5_Canker
UN2_Canker
CP1_Canker
CP2_Canker
Gala1_Canker
Gala5_Canker
HW2_Canker
HW6_Canker
Nic1_Canker
Nic2_Canker
CP3_Canker
Fuji2_Canker
Fuji5_Canker
Gala3_Canker
Gala6_Canker
HW3_Canker

Fig. 5C: Erwinia amylovora ASVs per canker sample



Fig. 5D: top 10 drivers, DMM community types