
DADA2 read tracking per sample
UN2_Healthy
UN2_Canker
UN1_Healthy
UN1_Canker
Nic6_Canker
Nic5_Canker
Nic4_Canker
Nic3_Canker
Nic2_Healthy
Nic2_Canker
Nic1_Healthy
Nic1_Canker
HW6_Canker
HW5_Canker
HW4_Canker
HW3_Canker
HW2_Healthy
HW2_Canker
HW1_Healthy
HW1_Canker
Gala6_Canker
Gala5_Canker
Gala4_Canker
Gala3_Canker
Gala2_Healthy
Gala2_Canker
Gala1_Healthy
Gala1_Canker
Fuji6_Healthy
Fuji6_Canker
Fuji5_Healthy
Fuji5_Canker
Fuji4_Healthy
Fuji4_Canker
Fuji3_Healthy
Fuji3_Canker
Fuji2_Healthy
Fuji2_Canker
Fuji1_Healthy
Fuji1_Canker
CP6_Canker
CP5_Canker
CP4_Canker
CP3_Canker
CP2_Healthy
CP2_Canker
CP1_Healthy
CP1_Canker
0
30000
60000
90000
120000
reads
step
input
filtered
denoised
non−chimeric

Number of ASVs per sample (cf. Supplementary Fig. S1)




Rarefaction curves
Species
0
100
200
300
400
0
5000
10000
15000
Sample Size